

Christian Hall

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10411536/christian-hall-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24
papers

2,665
citations

17
h-index

25
g-index

25
ext. papers

2,904
ext. citations

7.6
avg, IF

4.67
L-index

#	Paper	IF	Citations
24	Prognostic value of B-Type natriuretic peptides in patients with stable coronary artery disease: the PEACE Trial. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 205-14	15.1	177
23	NT-ProBNP: the mechanism behind the marker. <i>Journal of Cardiac Failure</i> , 2005 , 11, S81-3	3.3	128
22	Opposite effects of losartan and atenolol on natriuretic peptides in patients with hypertension and left ventricular hypertrophy: a LIFE substudy. <i>Journal of Hypertension</i> , 2005 , 23, 1083-90	1.9	31
21	A direct comparison of the natriuretic peptides and their relationship to survival in chronic heart failure of a presumed non-ischaemic origin. <i>European Journal of Heart Failure</i> , 2005 , 7, 557-65	12.3	21
20	Increased atrial and brain natriuretic peptides in adults with cyanotic congenital heart disease: enhanced understanding of the relationship between hypoxia and natriuretic peptide secretion. <i>Circulation</i> , 2004 , 109, 2872-7	16.7	127
19	Essential biochemistry and physiology of (NT-pro)BNP. <i>European Journal of Heart Failure</i> , 2004 , 6, 257-60	12.3	318
18	Acute changes in circulating natriuretic peptide levels in relation to myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1988-95	15.1	270
17	N-terminal pro-brain natriuretic peptide predicts cardiovascular events in patients with hypertension and left ventricular hypertrophy: a LIFE study. <i>Journal of Hypertension</i> , 2004 , 22, 1597-604	1.9	66
16	Prognostic usefulness of an increase of N-terminal proatrial natriuretic peptide during exercise in patients with chronic heart failure. <i>American Journal of Cardiology</i> , 2003 , 92, 91-4	3	8
15	N-terminal proatrial natriuretic peptide in primary care: relation to echocardiographic indices of cardiac function in mild to moderate cardiac disease. <i>International Journal of Cardiology</i> , 2003 , 89, 197-205	3.2	4
14	N-Terminal pro-B-Type Natriuretic Peptide 2003 , 411-424		
13	Neurohormonal activation in heart failure after acute myocardial infarction treated with beta-receptor antagonists. <i>European Journal of Heart Failure</i> , 2002 , 4, 73-82	12.3	22
12	Prognostic value of N-terminal pro-atrial and pro-brain natriuretic peptide in patients with acute coronary syndromes. <i>American Journal of Cardiology</i> , 2002 , 89, 463-5	3	133
11	The prognostic value of B-type natriuretic peptide in patients with acute coronary syndromes. <i>New England Journal of Medicine</i> , 2001 , 345, 1014-21	59.2	1046
10	Natriuretic peptides in patients with aortic stenosis. <i>American Heart Journal</i> , 2001 , 142, 725-32	4.9	122
9	N-terminal proatrial natriuretic peptide and prognosis in patients with heart failure and preserved systolic function. <i>Journal of Cardiac Failure</i> , 2000 , 6, 208-13	3.3	22
8	N-terminal proatrial natriuretic peptide in angina pectoris: impact of revascularization by angioplasty. <i>International Journal of Cardiology</i> , 1999 , 68, 1-8	3.2	3

7	Elevation of atrial natriuretic peptide prohormone. Hemodynamic background of the elevation of N-terminal natriuretic peptide prohormone in children with congenital heart disease. <i>Cardiology in the Young</i> , 1999 , 9, 141-9	1	3
6	Effects of angiotensin II receptor blockade on N-terminal proatrial natriuretic factor plasma levels in chronic heart failure. <i>Journal of Cardiac Failure</i> , 1997 , 3, 75-81	3.3	7
5	Plasma N-terminal atrial natriuretic factor: a predictor of survival in patients with congestive heart failure. <i>Journal of Cardiac Failure</i> , 1997 , 3, 83-9	3.3	21
4	Paradoxical relationship between N-terminal proatrial natriuretic peptide and filling pressure in adults with cyanotic congenital heart disease. <i>Circulation</i> , 1997 , 96, 2215-20	16.7	8
3	Prognostic value of N-terminal proatrial natriuretic factor plasma levels measured within the first 12 hours after myocardial infarction. Thrombolysis in Myocardial Infarction (TIMI) II Investigators. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1452-6	15.1	36
2	Plasma proatrial natriuretic factor is predictive of clinical status in patients with congestive heart failure. <i>American Journal of Cardiology</i> , 1995 , 76, 679-83	3	64
1	The plasma concentration of N-terminal proatrial natriuretic factor ANF(1-98) is related to prognosis in severe heart failure. <i>Clinical Cardiology</i> , 1994 , 17, 191-5	3.3	22