

Vijayan Viswanathan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1042602/publications.pdf>

Version: 2024-02-01

59

papers

498

citations

840776

11

h-index

713466

21

g-index

59

all docs

59

docs citations

59

times ranked

771

citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting of DNA molecules, BSA/c-Met tyrosine kinase receptors and anti-proliferative activity of bis(terpyridine)copper(<chem><scp>ii</scp></chem>) complexes. <i>Dalton Transactions</i> , 2016, 45, 7794-7814.	3.3	81
2	A new organic NLO material isonicotinamidium picrate (ISPA): crystal structure, structural modeling and its physico-chemical properties. <i>RSC Advances</i> , 2016, 6, 57977-57985.	3.6	54
3	Novel Benzylidene Thiazolidinedione Derivatives as Partial PPAR γ^3 Agonists and their Antidiabetic Effects on Type 2 Diabetes. <i>Scientific Reports</i> , 2017, 7, 14453.	3.3	35
4	Synthesis and molecular modelling studies of novel sulphonamide derivatives as dengue virus 2 protease inhibitors. <i>Bioorganic Chemistry</i> , 2015, 62, 74-82.	4.1	34
5	Crystal structure, molecular packing, FMO, NBO, nonlinear optical and optical limiting properties of an organic imidazolium diphenylacetate diphenylacetic acid single crystal. <i>New Journal of Chemistry</i> , 2018, 42, 2439-2449.	2.8	28
6	Structure-Based Virtual Screening and Biochemical Validation to Discover a Potential Inhibitor of the SARS-CoV-2 Main Protease. <i>ACS Omega</i> , 2020, 5, 33151-33161.	3.5	27
7	Identification of potential drug candidates to combat COVID-19: a structural study using the main protease (mpro) of SARS-CoV-2. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021, 39, 6649-6659.	3.5	25
8	In vitro and in vivo anti-proliferative evaluation of bis(4 α^2 -(4-tolyl)-2,2 β^2 :6 α^2 ,2 β^3 -terpyridine)copper(II) complex against Ehrlich ascites carcinoma tumors. <i>Journal of Biological Inorganic Chemistry</i> , 2017, 22, 1109-1122.	2.6	20
9	Bis(thiosemicarbazone)copper(I) Complexes as Prospective Therapeutic Agents: Interaction with DNA/BSA Molecules, and In Vitro and In Vivo Anti-Proliferative Activities. <i>ChemistrySelect</i> , 2018, 3, 7100-7111.	1.5	20
10	Identification of promising drug candidates against NSP16 of SARS-CoV-2 through computational drug repurposing study. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021, 39, 6713-6727.	3.5	20
11	Heteroscorpionate-based heteroleptic copper(II) complexes: Antioxidant, molecular docking and in vitro cytotoxicity studies. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3809.	3.5	14
12	Synthesis, crystal growth, structure, crystalline perfection, thermal, linear, and nonlinear optical investigations on 2-amino-5-nitropyridine 4-chlorobenzoic acid (1:1): a novel organic single crystal for NLO and optical limiting applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 15026-15045.	2.2	12
13	Synthesis, crystal structure, Hirshfeld surface analysis and frontier molecular orbital analysis of 2-((2-hydroxynaphthalen-1-yl)methylene)hydrazinecarbothioamide. <i>Chemical Data Collections</i> , 2017, 11-12, 220-231.	2.3	11
14	Crystal structure, DFT and third order non-linear optical studies of an organic bisguanidinium isophthalate monohydrate single crystal. <i>Journal of Molecular Structure</i> , 2020, 1204, 127476.	3.6	9
15	Theoretical, photophysical and biological investigations of an organic charge transfer compound 2-aminobenzimidazolium-2-oxyisoindolate-1,3-dione-2-hydroxyisoindoline-1,3-dione. <i>RSC Advances</i> , 2016, 6, 60336-60348.	3.6	8
16	Phytochemical constituents from dietary plant <i>i>Citrus hystrix</i> . <i>Natural Product Research</i> , 2018, 32, 1721-1726.	1.8	8
17	Crystal structure of 4 α^2 -(2-methoxyquinolin-3-yl)-1 β^2 -methyldispiro[inden-2,2 α^2 -pyrrolidine-3 α^2 ,3 β^2 -indoline]-1,3,2 α^2 -trione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o1038-o1039.	6	6
18	Growth, structural, spectral, Hirshfeld analysis, photoluminescence, linear and third order NLO properties of a novel organic p-toluidinium succinate succinic acid single crystal. <i>Journal of Crystal Growth</i> , 2022, 580, 126471.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Crystal structure of 6-(4-chlorophenyl)-6a-nitro-6,6a,6b,7,9,11a-hexahydrospiro[chromeno[3a,4a:3,4]pyrrolo[1,2-<i>c</i>]thiazole-11,11a-₅indeno[1,2-<i>c</i>]indole] chloroform monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1111-o1112.	0.2	1
20	Crystal structures of two substituted thiazolidine derivatives. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 1126-1129.	0.5	5
21	Crystal engineering, structural and optical properties of 2-aminopyridinium diphenylacetate diphenylacetic acid crystal. <i>Journal of Crystal Growth</i> , 2018, 498, 115-123.	1.5	5
22	Structure of Yak Lactoperoxidase at 1.55Å... Resolution. <i>Protein Journal</i> , 2021, 40, 8-18.	1.6	5
23	Potassium-induced partial inhibition of lactoperoxidase: structure of the complex of lactoperoxidase with potassium ion at 2.20Å... resolution. <i>Journal of Biological Inorganic Chemistry</i> , 2021, 26, 149-159.	2.6	4
24	Lactosmart: A Novel Therapeutic Molecule for Antimicrobial Defense. <i>Frontiers in Microbiology</i> , 2021, 12, 672589.	3.5	4
25	Structure prediction and discovery of inhibitors against phosphopantothenoyl cysteine synthetase of <i>Acinetobacter baumannii</i>. <i>Journal of Biomolecular Structure and Dynamics</i> , 2022, 40, 11405-11417.	3.5	4
26	Crystal structures of two triazola-dioxola-benzenacyclonaphanes. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 827-831.	0.5	4
27	The crystal structures of 6a-(⁴-chlorophenyl)- and 6a-(⁴-methoxyphenyl)-6a-²-nitro-6a-²,6b-²,7a-²,9a-²,10a-²,12a-²-hexahydro-2<i>H</i>,6-²<i>H</i>,8-²<i>H</i>+<i>H</i>+spiro[acen... <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 218-222.		
28	Crystal structures of 2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]-N-(3-nitrophenyl)acetamide monohydrate and N-(2-chlorophenyl)-2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]acetamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 1171-1175.	0.5	3
29	Crystal structures of N-(4-chlorophenyl)-2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]acetamide and N-(3-chlorophenyl)-2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]acetamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 467-471.	0.5	3
30	Crystal structure of 15-(2-chlorophenyl)-6b-hydroxy-17-methyl-6b,7,16,17-tetrahydro-7,14a-methanonaphtho[1a,²,8a:^{1,2,3}]pyrrolo[3a,²,2a:³:8,8<i>a</i>]actinone. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o1091-o1092.		
31	Crystal structure of 6-(4-chlorophenyl)-6a-nitro-6a,6b,8,9,10,12a-hexahydro-6<i>H</i>,7<i>H</i>-spiro[chromeno[3,4-<i>a</i>]indolizine-12,11a-₅indeno[1,2-<i>c</i>]indole]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 255-259.		
32	A Peptide Bond from the Inter-lobe Segment in the Bilobal Lactoferrin Acts as a Preferred Site for Cleavage for Serine Proteases to Generate the Perfect C-lobe: Structure of the Pepsin Hydrolyzed Lactoferrin C-lobe at 2.28Å... Resolution. <i>Protein Journal</i> , 2021, 40, 857-866.	1.6	3
33	Crystal structure of (E)-4-{1-[2-(carbamothioyl)hydrazin-1-ylidene]ethyl}phenyl 4-methylbenzoate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o43-o44.	0.5	2
34	Crystal structures of 2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]-N-(2,4-dimethylphenyl)acetamide and 2-[(^{4,6}-diaminopyrimidin-2-yl)sulfanyl]-N-(3-methoxyphenyl)acetamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 996-1000.	0.5	2
35	An approach towards the oxidation of 2-amino-4H-chromenes to 2-imino-2H-chromenes. <i>Tetrahedron Letters</i> , 2018, 59, 4616-4619.	1.4	2
36	Structural, multichannel sensing and optical properties of 2-aminopyridinium diphenylacetate diphenylacetic acid crystal. <i>Materials Chemistry and Physics</i> , 2018, 219, 478-492.	4.0	2

#	ARTICLE	IF	CITATIONS
37	The exploration of the crystal nucleation parameters and physico-chemical analysis of a single crystal: 2-amino-4,6-dimethoxypyrimidinium hydrogen (2<i>R</i>,3<i>R</i>)-tartrate 2-amino-4,6-dimethoxypyrimidine. RSC Advances, 2021, 11, 15710-15721.	3.6	2
38	Crystal structures of 2-[{(4,6-diaminopyrimidin-2-yl)sulfanyl]-N-(naphthalen-1-yl)acetamide and 2-[{(4,6-diaminopyrimidin-2-yl)sulfanyl]-N-(4-fluorophenyl)acetamide. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 306-309.	0.5	2
39	Eco-friendly synthesis and structural determination of pyrene fused pyrroloquinolinone hybrid. Journal of Molecular Structure, 2022, 1259, 132714.	3.6	2
40	(<i>E</i>)-1-(5-iodothiophen-2-yl)-3-(3,4,5-trimethoxyphenyl)prop-2-en-1-one. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2921-o2921.	0.2	1
41	Crystal structure of 4-acetylphenyl 3-methylbenzoate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o1060-o1060.	0.2	1
42	Crystal structure of ethyl 6-methyl-2-sulfanylidene-4-(thiophen-2-yl)-1,2,3,4-tetrahydropyrimidine-5-carboxylate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o81-o82.	0.5	1
43	Crystal structures of two 2,9-dithia-13-azadispiro[4.1.47.35]tetradecan-6-ones. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 1516-1520.	0.5	1
44	Crystal structures of (E)-4-[1-(2-carbamothioylhydrazinylidene)ethyl]phenyl acetate and (E)-4-[1-(2-carbamothioylhydrazinylidene)ethyl]phenyl benzoate. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 20-23.	0.5	1
45	A facile synthesis and molecular structure determination of a novel class of 1,3,4-oxadiazoles. Journal of Molecular Structure, 2021, 1229, 129752.	3.6	1
46	Crystal structures and Hirshfeld surface analyses of 4,4â€“{[1,3-phenylenebis(methylene)]bis(oxy)}bis(3-methoxybenzaldehyde) and		

#	ARTICLE	IF	CITATIONS
55	The crystal structures and Hirshfeld surface analysis of $\text{N}(\text{N},\text{N}-\text{bis}(\text{2-((1,1-\text{bromoethoxy)bis(6-bromo-3,1-phenylene)}))bis(methanlylidene)})\text{bis(isopropylidene)dihydrate}$ and $\text{N}(\text{N},\text{N}-\text{bis}(\text{2-((1,1-\text{butane-1,4-diylbis(oxy)})bis(2,1-phenylene)}))\text{bis(methanlylidene)})\text{bis(isopropylidene)}$ [+ solvent]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 655-661.	0.5	0
56	Structure-Based Drug Design with a Special Emphasis on Herbal Extracts. Challenges and Advances in Computational Chemistry and Physics, 2019, , 271-305.	0.6	0
57	Crystal structures and Hirshfeld surface analyses of 2-[4,6-diaminopyrimidin-2-yl)sulfanyl]-N-(pyridin-2-yl)acetamide and 2-[4,6-diaminopyrimidin-2-yl)sulfanyl]-N-(pyrazin-2-yl)acetamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 718-723.	0.5	0
58	Crystal structures of two new isocoumarin derivatives: 8-amino-6-methyl-3,4-diphenyl-1H-isochromen-1-one and 8-amino-3,4-diethyl-6-methyl-1H-isochromen-1-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1117-1122.	0.5	0
59	The crystal structures and Hirshfeld surface analyses of four 3,5-diacetyl-2-methyl-2,3-dihydro-1,3,4-thiadiazol-2-yl derivatives. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1436-1444.	0.5	0