Louise Nordfors

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10428445/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Longitudinal genome-wide DNA methylation changes in response to kidney failure replacement therapy. Scientific Reports, 2022, 12, 470.	3.3	11
2	FC 123RENAL TRANSPLANTATION MITIGATES INCREASED BIOLOGICAL (EPIGENETIC) AGE IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	1
3	Current epigenetic aspects the clinical kidney researcher should embrace. Clinical Science, 2017, 131, 1649-1667.	4.3	11
4	CDKN2A/p16INK4a expression is associated with vascular progeria in chronic kidney disease. Aging, 2017, 9, 494-507.	3.1	52
5	Genotypic and phenotypic predictors of inflammation in patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2016, 31, 2033-2040.	0.7	8
6	Telomere Attrition and Elongation after Chronic Dialysis Initiation in Patients with End-Stage Renal Disease. Blood Purification, 2016, 41, 25-33.	1.8	11
7	Increased circulating sclerostin levels in end-stage renal disease predict biopsy-verified vascular medial calcification and coronary artery calcification. Kidney International, 2015, 88, 1356-1364.	5.2	102
8	Selection of Genetic and Phenotypic Features Associated with Inflammatory Status of Patients on Dialysis Using Relaxed Linear Separability Method. PLoS ONE, 2014, 9, e86630.	2.5	4
9	How can genetics and epigenetics help the nephrologist improve the diagnosis and treatment of chronic kidney disease patients?. Nephrology Dialysis Transplantation, 2014, 29, 972-980.	0.7	13
10	Novel insights from genetic and epigenetic studies in understanding the complex uraemic phenotype. Nephrology Dialysis Transplantation, 2014, 29, 964-971.	0.7	9
11	Genetic studies in chronic kidney disease: basic concepts. Journal of Nephrology, 2012, 25, 141-149.	2.0	5
12	Genetic studies in chronic kidney disease: interpretation and clinical applicability. Journal of Nephrology, 2012, 25, 851-864.	2.0	7
13	Expression of osteoprotegerin in human fat tissue; implications for chronic kidney disease. European Journal of Clinical Investigation, 2011, 41, 498-506.	3.4	15
14	ls fetuin-A a mortality risk factor in dialysis patients or a mere risk marker? A Mendelian randomization approach. Nephrology Dialysis Transplantation, 2011, 26, 239-245.	0.7	25
15	Influence of the CYP2D6 polymorphism and hemodialysis on codeine disposition in patients with end-stage renal disease. European Journal of Clinical Pharmacology, 2010, 66, 269-273.	1.9	12
16	Genetic loci influencing kidney function and chronic kidney disease. Nature Genetics, 2010, 42, 373-375.	21,4	246
17	Visfatin is increased in chronic kidney disease patients with poor appetite and correlates negatively with fasting serum amino acids and triglyceride levels. Nephrology Dialysis Transplantation, 2010, 25, 901-906.	0.7	50
18	Expression of Inflammatory and Insulin Signaling Genes in Adipose Tissue in Response to Elective Surgery. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3460-3469.	3.6	27

LOUISE NORDFORS

#	Article	IF	CITATIONS
19	CCR5 Deletion Protects Against Inflammation-Associated Mortality in Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2009, 20, 1641-1649.	6.1	66
20	Increased expression of inflammatory pathway genes in skeletal muscle during surgery. Clinical Nutrition, 2009, 28, 291-298.	5.0	25
21	Progress in Uremic Toxin Research: Genetics/Genomics in Chronic Kidney Disease—Towards Personalized Medicine?. Seminars in Dialysis, 2009, 22, 417-422.	1.3	25
22	Understanding the role of genetic polymorphisms in chronic kidney disease. Pediatric Nephrology, 2008, 23, 1941-1949.	1.7	12
23	Is UCP2 Gene Polymorphism Associated With Decreased Resting Energy Expenditure in Nondialyzed Chronic Kidney Disease Patients?. , 2008, 18, 489-494.		7
24	Is Fetuin-A/α2-Heremans-Schmid Glycoprotein Associated with the Metabolic Syndrome in Patients with Chronic Kidney Disease?. American Journal of Nephrology, 2008, 28, 669-676.	3.1	30
25	Association between oestrogen receptor gene polymorphism and mortality in female end-stage renal disease patients. Nephrology Dialysis Transplantation, 2007, 22, 2571-2577.	0.7	5
26	Influence of cytokine gene polymorphisms on erythropoetin dose requirements in chronic haemodialysis patients. Nephrology Dialysis Transplantation, 2007, 22, 3586-3592.	0.7	12
27	Associations between the CYBA 242C/T and the MPO –463G/A Polymorphisms, Oxidative Stress and Cardiovascular Disease in Chronic Kidney Disease Patients. Blood Purification, 2007, 25, 210-218.	1.8	20
28	Use of Single-Nucleotide Polymorphisms in the Search for Genetic Modifiers of the Uremic Phenotype. , 2007, 17, 17-22.		6
29	Relationship Between the ?374T/A Receptor of Advanced Clycation End Products Gene Polymorphism and Peritoneal Solute Transport Status at the Initiation of Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2007, 11, 301-305.	0.9	18
30	Circulating Levels of Visfatin/Pre–B-Cell Colony–Enhancing Factor 1 in Relation to Genotype, GFR, Body Composition, and Survival in Patients With CKD. American Journal of Kidney Diseases, 2007, 49, 237-244.	1.9	109
31	Changes in fat mass after initiation of maintenance dialysis is influenced by the uncoupling protein 2 exon 8 insertion/deletion polymorphism. Nephrology Dialysis Transplantation, 2006, 22, 196-202.	0.7	30
32	Low fetuin-A levels are associated with cardiovascular death: Impact of variations in the gene encoding fetuin. Kidney International, 2005, 67, 2383-2392.	5.2	274
33	Genetic and clinical factors influence the baseline permeability of the peritoneal membrane. Kidney International, 2005, 67, 2477-2487.	5.2	108
34	AHSG gene variant is associated with leanness among Swedish men. Human Genetics, 2005, 117, 54-60.	3.8	47
35	Interleukin-1 Gene Cluster Polymorphisms Are Associated with Nutritional Status and Inflammation in Patients with End-Stage Renal Disease. Blood Purification, 2005, 23, 384-393.	1.8	21
36	Adiponectin in renal disease: Relationship to phenotype and genetic variation in the gene encoding adiponectin. Kidney International, 2004, 65, 274-281.	5.2	160

LOUISE NORDFORS

#	Article	IF	CITATIONS
37	Reduced gene expression of adiponectin in fat tissue from patients with end-stage renal disease. Kidney International, 2004, 66, 46-50.	5.2	57
38	A functional variant of the myeloperoxidase gene is associated with cardiovascular disease in end-stage renal disease patients. Kidney International, 2003, 63, S172-S176.	5.2	105
39	Genetic approaches in the clinical investigation of complex disorders: Malnutrition, inflammation, and atherosclerosis (MIA) as a prototype. Kidney International, 2003, 63, S162-S167.	5.2	26
40	Large-scale genotyping of single nucleotide polymorphisms by Pyrosequencing? and validation against the 5?nuclease (Taqman�) assay. Human Mutation, 2002, 19, 395-401.	2.5	66
41	Fat tissue accumulation during peritoneal dialysis is associated with a polymorphism in uncoupling protein 2. Kidney International, 2000, 57, 1713-1719.	5.2	68
42	Low leptin gene expression and hyperleptinemia in chronic renal failure. Kidney International, 1998, 54, 1267-1275.	5.2	148
43	Overexpression of the obese (ob) gene in adipose tissue of human obese subjects. Nature Medicine, 1995, 1, 950-953.	30.7	680