

Sangchul Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10435224/sangchul-lee-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26
papers

1,351
citations

15
h-index

29
g-index

29
ext. papers

1,436
ext. citations

4.9
avg, IF

3.76
L-index

#	Paper	IF	Citations
26	Contributions to High Resolution and In Situ Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2018 , 24, 10-11	0.5	1
25	Contact resistance improvement by the modulation of peripheral length to area ratio of graphene contact pattern. <i>Applied Physics Letters</i> , 2015 , 106, 213107	3.4	10
24	Graphene transfer in vacuum yielding a high quality graphene. <i>Carbon</i> , 2015 , 93, 286-294	10.4	24
23	A facile process to achieve hysteresis-free and fully stabilized graphene field-effect transistors. <i>Nanoscale</i> , 2015 , 7, 4013-9	7.7	21
22	Quantitatively estimating defects in graphene devices using discharge current analysis method. <i>Scientific Reports</i> , 2014 , 4, 4886	4.9	13
21	Rigid substrate process to achieve high mobility in graphene field-effect transistors on a flexible substrate. <i>Carbon</i> , 2014 , 68, 791-797	10.4	20
20	Triangular-Pulse Measurement for Hysteresis of High-Performance and Flexible Graphene Field-Effect Transistors. <i>IEEE Electron Device Letters</i> , 2014 , 35, 277-279	4.4	0
19	Quantitative analysis of interfacial reactions at a graphene/SiO ₂ interface using the discharge current analysis method. <i>Applied Physics Letters</i> , 2014 , 104, 151604	3.4	6
18	Influence of extrinsic factors on accuracy of mobility extraction in graphene metal-oxide-semiconductor field effect transistors. <i>Applied Physics Letters</i> , 2013 , 102, 093121	3.4	15
17	Effects of multi-layer graphene capping on Cu interconnects. <i>Nanotechnology</i> , 2013 , 24, 115707	3.4	52
16	Flexible organic solar cells composed of P3HT:PCBM using chemically doped graphene electrodes. <i>Nanotechnology</i> , 2012 , 23, 344013	3.4	109
15	Thermal stability of multilayer graphene films synthesized by chemical vapor deposition and stained by metallic impurities. <i>Nanotechnology</i> , 2012 , 23, 075702	3.4	45
14	The application of graphene as electrodes in electrical and optical devices. <i>Nanotechnology</i> , 2012 , 23, 112001	3.4	265
13	Characterization of ZnO Nanowire Field Effect Transistors by Fast Hydrogen Peroxide Solution Treatment. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 035001	1.4	1
12	Characterization on Improved Effective Mobility of Pentacene Organic Field-Effect Transistors Using Graphene Electrodes. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 02BK09	1.4	2
11	Characterization on Improved Effective Mobility of Pentacene Organic Field-Effect Transistors Using Graphene Electrodes. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 02BK09	1.4	2
10	Characterization of ZnO Nanowire Field Effect Transistors by Fast Hydrogen Peroxide Solution Treatment. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 035001	1.4	

9	Enhanced charge injection in pentacene field-effect transistors with graphene electrodes. <i>Advanced Materials</i> , 2011 , 23, 100-5	24	112
8	Flexible organic memory devices with multilayer graphene electrodes. <i>ACS Nano</i> , 2011 , 5, 5995-6000	16.7	119
7	Nonvolatile resistive switching in Pr _{0.7} Ca _{0.3} MnO ₃ devices using multilayer graphene electrodes. <i>Applied Physics Letters</i> , 2011 , 98, 032105	3.4	15
6	A study of graphene films synthesized on nickel substrates: existence and origin of small-base-area peaks. <i>Nanotechnology</i> , 2011 , 22, 045706	3.4	24
5	Enhanced characteristics of pentacene field-effect transistors with graphene electrodes and substrate treatments. <i>Applied Physics Letters</i> , 2011 , 99, 083306	3.4	23
4	Enhancement in the photodetection of ZnO nanowires by introducing surface-roughness-induced traps. <i>Nanotechnology</i> , 2011 , 22, 205204	3.4	46
3	Tuning of a graphene-electrode work function to enhance the efficiency of organic bulk heterojunction photovoltaic cells with an inverted structure. <i>Applied Physics Letters</i> , 2010 , 97, 213301	3.4	87
2	Large-scale patterned multi-layer graphene films as transparent conducting electrodes for GaN light-emitting diodes. <i>Nanotechnology</i> , 2010 , 21, 175201	3.4	233
1	Efficient bulk-heterojunction photovoltaic cells with transparent multi-layer graphene electrodes. <i>Organic Electronics</i> , 2010 , 11, 1864-1869	3.5	106