
Alexandre Govin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1043559/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Influence of polycarboxylate superplasticizer, citric acid and their combination on the hydration and workability of calcium sulfoaluminate cement. Cement and Concrete Research, 2021, 147, 106513.	4.6	21
2	Étude de l'influence de l'incorporation de la poudre de bois d'Eucalyptus camaldulensis Dehn algÃ sur la cinétique d'hydratation du coulis de ciment. Materiaux Et Techniques, 2021, 109, 203.	©rien	1
3	Combination of superplasticizers with hydroxypropyl guar, effect on cement-paste properties. Construction and Building Materials, 2019, 215, 595-604.	3.2	21
4	Reactor scale study of self-heating and self-ignition of torrefied wood in contact with oxygen. Fuel, 2018, 214, 590-596.	3.4	16
5	Modification of water retention and rheological properties of fresh state cement-based mortars by guar gum derivatives. Construction and Building Materials, 2016, 122, 772-780.	3.2	39
6	Influence of the polysaccharide addition method on the properties of fresh mortars. Cement and Concrete Research, 2015, 70, 50-59.	4.6	36
7	Influence of the intrinsic characteristics of mortars on their biofouling by pigmented organisms: Comparison between laboratory and field-scale experiments. International Biodeterioration and Biodegradation, 2014, 86, 334-342.	1.9	38
8	Influence of hydroxypropylguars on rheological behavior of cement-based mortars. Cement and Concrete Research, 2014, 58, 161-168.	4.6	28
9	Importance of coil-overlapping for the effectiveness of hydroxypropylguars as water retention agent in cement-based mortars. Cement and Concrete Research, 2014, 56, 61-68.	4.6	29
10	Avrami's law based kinetic modeling of colonization of mortar surface by alga Klebsormidium flaccidum. International Biodeterioration and Biodegradation, 2013, 79, 73-80.	1.9	31
11	Use of ultrasonic degradation to study the molecular weight influence of polymeric admixtures for mortars. Construction and Building Materials, 2013, 47, 1046-1052.	3.2	16
12	Impact of hydroxypropylguars on the early age hydration of Portland cement. Cement and Concrete Research, 2013, 44, 69-76.	4.6	29
13	Nuclear magnetic relaxation dispersion investigations of water retention mechanism by cellulose ethers in mortars. Cement and Concrete Research, 2012, 42, 1371-1378.	4.6	26
14	Laryngeal teflonoma identified by Fourier-transform infrared microspectroscopy after forensic autopsy: An interesting tool for foreign material identification in forensic cases. Forensic Science International, 2012, 214, e26-e29.	1.3	6
15	Influence of the intrinsic characteristics of mortars on biofouling by Klebsormidium flaccidum. International Biodeterioration and Biodegradation, 2012, 70, 31-39.	1.9	58
16	Improvements of calcium oxide based sorbents for multiple CO2 capture cycles. Powder Technology, 2012, 228, 319-323.	2.1	38
17	Cellulose ethers influence on water retention and consistency in cement-based mortars. Cement and Concrete Research, 2011, 41, 46-55.	4.6	205
18	Modelling anhydrous weight loss of wood chips during torrefaction in a pilot kiln. Biomass and Bioenergy, 2010, 34, 602-609.	2.9	103

Alexandre Govin

#	Article	IF	CITATIONS
19	Energy requirement for fine grinding of torrefied wood. Biomass and Bioenergy, 2010, 34, 923-930.	2.9	231
20	A pulsed field gradient and NMR imaging investigations of the water retention mechanism by cellulose ethers in mortars. Cement and Concrete Research, 2010, 40, 1378-1385.	4.6	44
21	Alkaline stability of cellulose ethers and impact of their degradation products on cement hydration. Cement and Concrete Research, 2006, 36, 1252-1256.	4.6	63
22	New insights into wood and cement interaction. Holzforschung, 2005, 59, 330-335.	0.9	28
23	Effect of polysaccharides on the hydration of cement paste at early ages. Cement and Concrete Research, 2004, 34, 2153-2158.	4.6	162