Anthony Wh Chan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10435797/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. Journal of Hepatology, 2018, 69, 1284-1293.	3.7	360
2	<i>MET</i> Amplification and Exon 14 Splice Site Mutation Define Unique Molecular Subgroups of Non–Small Cell Lung Carcinoma with Poor Prognosis. Clinical Cancer Research, 2016, 22, 3048-3056.	7.0	352
3	Yes-Associated Protein 1 Exhibits Oncogenic Property in Gastric Cancer and Its Nuclear Accumulation Associates with Poor Prognosis. Clinical Cancer Research, 2011, 17, 2130-2139.	7.0	224
4	Sirtuin 1 Is Upregulated in a Subset of Hepatocellular Carcinomas where It Is Essential for Telomere Maintenance and Tumor Cell Growth. Cancer Research, 2011, 71, 4138-4149.	0.9	189
5	SIRT2 overexpression in hepatocellular carcinoma mediates epithelial to mesenchymal transition by protein kinase B/glycogen synthase kinase-3î²/î²-catenin signaling. Hepatology, 2013, 57, 2287-2298.	7.3	179
6	Epigenetic Therapy Using Belinostat for Patients With Unresectable Hepatocellular Carcinoma: A Multicenter Phase I/II Study With Biomarker and Pharmacokinetic Analysis of Tumors From Patients in the Mayo Phase II Consortium and the Cancer Therapeutics Research Group. Journal of Clinical Oncology, 2012, 30, 3361-3367.	1.6	167
7	Long-term impact of liver function on curative therapy for hepatocellular carcinoma: application of the ALBI grade. British Journal of Cancer, 2016, 114, 744-750.	6.4	150
8	Management of hepatocellular carcinoma with portal vein tumor thrombosis: Review and update at 2016. World Journal of Gastroenterology, 2016, 22, 7289.	3.3	138
9	Detection of ALK Rearrangement by Immunohistochemistry in Lung Adenocarcinoma and the Identification of a Novel EML4-ALK Variant. Journal of Thoracic Oncology, 2013, 8, 883-891.	1.1	67
10	Characterization of rare transforming <i>KRAS</i> mutations in sporadic colorectal cancer. Cancer Biology and Therapy, 2014, 15, 768-776.	3.4	61
11	Yin Yang 1 contributes to gastric carcinogenesis and its nuclear expression correlates with shorter survival in patients with early stage gastric adenocarcinoma. Journal of Translational Medicine, 2014, 12, 80.	4.4	58
12	Profiling of Oncogenic Driver Events in Lung Adenocarcinoma Revealed MET Mutation as Independent Prognostic Factor. Journal of Thoracic Oncology, 2015, 10, 1292-1300.	1.1	51
13	Microwave ablation provides better survival than liver resection for hepatocellular carcinoma in patients with borderline liver function: application of ALBI score to patient selection. Hpb, 2018, 20, 546-554.	0.3	36
14	The CCCTC-binding factor (CTCF)-forkhead box protein M1 axis regulates tumour growth and metastasis in hepatocellular carcinoma. Journal of Pathology, 2017, 243, 418-430.	4.5	29
15	A phase 2 study of the efficacy and biomarker on the combination of transarterial chemoembolization and axitinib in the treatment of inoperable hepatocellular carcinoma. Cancer, 2017, 123, 3977-3985.	4.1	22
16	MCM7 serves as a prognostic marker in diffuse-type gastric adenocarcinoma and siRNA-mediated knockdown suppresses its oncogenic function. Oncology Reports, 2014, 31, 2071-2078.	2.6	21
17	Novel therapeutic targets and predictive markers for hepatocellular carcinoma. Expert Opinion on Therapeutic Targets, 2015, 19, 973-983.	3.4	9
18	Reply to: Correspondence concerning "Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection― Journal of Hepatology, 2019, 70, 573-574.	3.7	3