

Kari Syrjnen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1043637/kari-syrjnen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

448
papers

10,997
citations

55
h-index

76
g-index

461
ext. papers

11,814
ext. citations

3.7
avg, IF

5.91
L-index

#	Paper	IF	Citations
448	Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. <i>International Journal of Oral Surgery</i> , 1983 , 12, 418-24		278
447	Comparison of cell proliferation and toxicity assays using two cationic liposomes. <i>Pharmaceutical Research</i> , 1994 , 11, 1127-31	4.5	178
446	Human papillomavirus (HPV) infections and their associations with oral disease. <i>Journal of Oral Pathology and Medicine</i> , 1991 , 20, 305-17	3.3	141
445	Endometriosis-associated ovarian carcinoma (EAOC): an entity distinct from other ovarian carcinomas as suggested by a nested case-control study. <i>Gynecologic Oncology</i> , 2001 , 83, 100-8	4.9	123
444	Vertical transmission of human papillomavirus from infected mothers to their newborn babies and persistence of the virus in childhood. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 694-9	6.4	121
443	Sensitivity of in situ hybridization techniques using biotin- and 35S-labeled human papillomavirus (HPV) DNA probes. <i>Journal of Virological Methods</i> , 1988 , 19, 225-38	2.6	116
442	Human papillomavirus (HPV) DNA in esophageal precancer lesions and squamous cell carcinomas from China. <i>International Journal of Cancer</i> , 1990 , 45, 21-5	7.5	111
441	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America. This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005 , 12, 142-9	1.4	107
440	Tumorigenesis associated with the p53 tumour suppressor gene. <i>British Journal of Cancer</i> , 1993 , 68, 653-61	8.7	106
439	Macrophages, inflammation and risk of cervical intraepithelial neoplasia (CIN) progression--clinicopathological correlation. <i>Gynecologic Oncology</i> , 2007 , 105, 157-65	4.9	101
438	High-risk types of human papillomavirus (HPV) DNA in oral and genital mucosa of infants during their first 3 years of life: experience from the Finnish HPV Family Study. <i>Clinical Infectious Diseases</i> , 2005 , 41, 1728-33	11.6	100
437	Evaluation of oncogenic human papillomavirus RNA and DNA tests with liquid-based cytology in primary cervical cancer screening: the FASE study. <i>International Journal of Cancer</i> , 2011 , 129, 691-701	7.5	98
436	Detection of human papillomavirus (HPV) structural antigens and DNA types in inverted papillomas and squamous cell carcinomas of the nasal cavities and paranasal sinuses. <i>Acta Oto-Laryngologica</i> , 1987 , 104, 334-41	1.6	98
435	Prevalence, Incidence, and Estimated Life-time Risk of Cervical Human Papillomavirus Infections in a Nonselected Finnish Female Population. <i>Sexually Transmitted Diseases</i> , 1990 , 17, 15-19	2.4	95
434	Southern blot hybridization and PCR in detection of oral human papillomavirus (HPV) infections in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1992 , 21, 459-64	3.3	91
433	Report on consensus conference on cervical cancer screening and management. <i>International Journal of Cancer</i> , 2000 , 86, 440-7	7.5	89
432	Human papillomavirus (HPV) DNA sequences in oral precancerous lesions and squamous cell carcinoma demonstrated by in situ hybridization. <i>Journal of Oral Pathology and Medicine</i> , 1988 , 17, 273-8	3.3	89

431	Prevalence and Risk Factors of Genital Human Papillomavirus (HPV) Infections in Healthy Males. <i>Sexually Transmitted Diseases</i> , 1993 , 20, 321-328	2.4	88
430	Detection of human papillomavirus in sinonasal papillomas: systematic review and meta-analysis. <i>Laryngoscope</i> , 2013 , 123, 181-92	3.6	87
429	Factors predicting human papillomavirus clearance in cervical intraepithelial neoplasia lesions treated by conization. <i>Gynecologic Oncology</i> , 2003 , 90, 358-65	4.9	87
428	New concepts on the role of human papillomavirus in cell cycle regulation. <i>Annals of Medicine</i> , 1999 , 31, 175-87	1.5	87
427	Expression of carbonic anhydrase IX suggests poor outcome in rectal cancer. <i>British Journal of Cancer</i> , 2009 , 100, 874-80	8.7	86
426	Immunohistochemical demonstration of human papilloma virus (HPV) antigens in oral squamous cell lesions. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1983 , 21, 147-53		84
425	Exposure of an infant to cervical human papillomavirus infection of the mother is common. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 176, 1039-45	6.4	82
424	p53 protein expression in breast cancer as related to histopathological characteristics and prognosis. <i>International Journal of Cancer</i> , 1993 , 55, 51-6	7.5	79
423	Current concepts of human papillomavirus infections in the genital tract and their relationship to intraepithelial neoplasia and squamous cell carcinoma. <i>Obstetrical and Gynecological Survey</i> , 1984 , 39, 252-65	2.4	79
422	Human papillomavirus testing with the hybrid capture 2 assay and PCR as screening tools. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 2470-5	9.7	78
421	Intense cytoplasmic ezrin immunoreactivity predicts poor survival in colorectal cancer. <i>Human Pathology</i> , 2008 , 39, 1737-43	3.7	77
420	Human papillomavirus in the placenta and umbilical cord blood. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008 , 87, 1181-8	3.8	77
419	Risk factors associated with cervical human papillomavirus infections: a case-control study. <i>American Journal of Epidemiology</i> , 1993 , 138, 735-45	3.8	77
418	Detection of human papillomavirus DNA in oral mucosal lesions using in situ DNA-hybridization applied on paraffin sections. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1986 , 62, 660-7		77
417	p21/WAF1 expression as related to p53, cell proliferation and prognosis in epithelial ovarian cancer. <i>British Journal of Cancer</i> , 1999 , 79, 1870-8	8.7	76
416	Prognostic factors in gastric cancer: the value of vascular invasion, mitotic rate and lymphoplasmacytic infiltration. <i>British Journal of Cancer</i> , 1996 , 74, 766-72	8.7	76
415	Human papillomavirus type 11 DNA in squamous cell carcinomas and pre-existing multiple laryngeal papillomas. <i>Acta Oto-Laryngologica</i> , 1989 , 107, 141-9	1.6	72
414	Infectious agents in the etiology of esophageal cancer. <i>Gastroenterology</i> , 1992 , 103, 1336-48	13.3	70

413	Natural history of cervical human papillomavirus (HPV) infections based on prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1985 , 92, 1086-1092	3.7	69
412	p16(INK4A) expression is related to grade of cin and high-risk human papillomavirus but does not predict virus clearance after conization or disease outcome. <i>International Journal of Gynecological Pathology</i> , 2004 , 23, 354-65	3.2	68
411	Expression of cyclins A and D and p21(waf1/cip1) proteins in renal cell cancer and their relation to clinicopathological variables and patient survival. <i>British Journal of Cancer</i> , 1999 , 80, 2001-7	8.7	67
410	Human papillomavirus genotypes present in the oral mucosa of newborns and their concordance with maternal cervical human papillomavirus genotypes. <i>Journal of Pediatrics</i> , 2012 , 160, 837-43	3.6	66
409	Failure to demonstrate human papillomavirus DNA in epithelial ovarian cancer by general primer PCR. <i>Gynecologic Oncology</i> , 1999 , 72, 337-41	4.9	66
408	Detection of human papillomavirus in sinonasal carcinoma: systematic review and meta-analysis. <i>Human Pathology</i> , 2013 , 44, 983-91	3.7	64
407	VEGF-1 expression in colorectal cancer is associated with disease localization, stage, and long-term disease-specific survival. <i>Anticancer Research</i> , 2008 , 28, 3865-70	2.3	63
406	Detection of human papillomavirus (HPV) DNA in oral squamous cell carcinomas by in situ hybridization and polymerase chain reaction. <i>Archives of Dermatological Research</i> , 1990 , 282, 493-7	3.3	62
405	MMP-9 (gelatinase B) expression is associated with disease-free survival and disease-specific survival in colorectal cancer patients. <i>Cancer Investigation</i> , 2010 , 28, 38-43	2.1	60
404	An improved in situ DNA hybridization protocol for detection of human papillomavirus (HPV) DNA sequences in paraffin-embedded biopsies. <i>Journal of Virological Methods</i> , 1986 , 14, 293-304	2.6	60
403	Detection of oncogenic viruses SV40, BKV, JCV, HCMV, HPV and p53 codon 72 polymorphism in lung carcinoma. <i>Lung Cancer</i> , 2007 , 57, 273-81	5.9	59
402	E-cadherin expression pattern in primary colorectal carcinomas and their metastases reflects disease outcome. <i>World Journal of Gastroenterology</i> , 2006 , 12, 4304-9	5.6	59
401	Clinical significance of alpha-catenin, collagen IV, and Ki-67 expression in epithelial ovarian cancer. <i>Journal of Clinical Oncology</i> , 1998 , 16, 2591-600	2.2	59
400	Smoking increases oral HPV persistence among men: 7-year follow-up study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 123-33	5.3	58
399	Expression and mutations of p53 in salivary gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 1997 , 26, 217-23	3.3	58
398	Human papillomavirus. International Academy of Cytology Task Force summary. Diagnostic Cytology Towards the 21st Century: An International Expert Conference and Tutorial. <i>Acta Cytologica</i> , 1998 , 42, 50-8	3	58
397	Performance of the Roche AMPLICOR human papillomavirus (HPV) test in prediction of cervical intraepithelial neoplasia (CIN) in women with abnormal PAP smear. <i>Gynecologic Oncology</i> , 2005 , 99, 160-8	4.9	57
396	Prospective follow-up of cervical HPV infections: life table analysis of histopathological, cytological and colposcopic data. <i>European Journal of Epidemiology</i> , 1989 , 5, 1-7	12.1	57

395	Oral mucosa as a reservoir of human papillomavirus: point prevalence, genotype distribution, and incident infections among males in a 7-year prospective study. <i>European Urology</i> , 2012 , 62, 1063-70	10.2	55
394	Cervical papillomavirus infection progressing to invasive cancer in less than three years. <i>Lancet, The</i> , 1985 , 1, 510-1	4.0	55
393	Survivin as a marker of cervical intraepithelial neoplasia and high-risk human papillomavirus and a predictor of virus clearance and prognosis in cervical cancer. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 113-21	1.9	54
392	Dynamics of human papillomavirus serology in women followed up for 36 months after pregnancy. <i>Journal of General Virology</i> , 2009 , 90, 1515-1526	4.9	53
391	Low concordance of genital human papillomavirus (HPV) lesions and viral types in HPV-infected women and their male sexual partners. <i>Sexually Transmitted Diseases</i> , 1994 , 21, 76-82	2.4	53
390	Dot blot hybridization in detection of human papillomavirus (HPV) infections in the oral cavity of women with genital HPV infections. <i>Oral Microbiology and Immunology</i> , 1992 , 7, 19-23		53
389	Factors associated with progression of cervical human papillomavirus (HPV) infections into carcinoma in situ during a long-term prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988 , 95, 1096-102	3.7	53
388	Detection of human papillomavirus DNA in cytologic specimens derived from esophageal precancer lesions and cancer. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 383-8	2.4	52
387	In situ DNA hybridization analysis of human papillomavirus (HPV) sequences in benign oral mucosal lesions. <i>Archives of Dermatological Research</i> , 1987 , 279, 543-9	3.3	52
386	Detection of human papillomavirus in laryngeal squamous cell carcinoma: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2016 , 126, 885-93	3.6	51
385	Prevalence, genotype distribution and persistence of human papillomavirus in oral mucosa of women: a six-year follow-up study. <i>PLoS ONE</i> , 2012 , 7, e42171	3.7	51
384	DNA flow cytometry, nuclear morphometry, mitotic indices and steroid receptors as independent prognostic factors in female breast cancer. <i>International Journal of Cancer</i> , 1992 , 51, 555-61	7.5	51
383	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. <i>Gynecologic Oncology</i> , 2004 , 95, 618-23	4.9	50
382	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. <i>International Journal of Cancer</i> , 1999 , 81, 225-8	7.5	50
381	HPV-associated lung cancers: an international pooled analysis. <i>Carcinogenesis</i> , 2014 , 35, 1267-75	4.6	49
380	Human papillomavirus involvement in esophageal precancerous lesions and squamous cell carcinomas as evidenced by microscopy and different DNA techniques. <i>Scandinavian Journal of Gastroenterology</i> , 1992 , 27, 553-63	2.4	49
379	Mitotic indexes as prognostic predictors in female breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1992 , 118, 75-81	4.9	49
378	Factors predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up. <i>International Journal of STD and AIDS</i> , 2003 , 14, 417-25	1.4	48

377	Expression of tumour-suppressor gene Rb, apoptosis-suppressing protein Bcl-2 and c-Myc have no independent prognostic value in renal adenocarcinoma. <i>British Journal of Cancer</i> , 1995 , 71, 863-7	8.7	48
376	Oral mucosal changes in women with genital HPV infection. <i>Journal of Oral Pathology and Medicine</i> , 1990 , 19, 142-8	3.3	48
375	Human papilloma virus (HPV) antigens in lesions of laryngeal squamous cell carcinomas. <i>Orl</i> , 1982 , 44, 323-34	2	48
374	Detection of human papillomavirus in lung cancer: systematic review and meta-analysis. <i>Anticancer Research</i> , 2012 , 32, 3235-50	2.3	48
373	The important prognostic value of Ki-67 expression as determined by image analysis in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996 , 122, 687-92	4.9	47
372	Human papillomavirus DNA in squamous cell carcinomas of the larynx demonstrated by in situ DNA hybridization. <i>Orl</i> , 1987 , 49, 175-86	2	47
371	Smoking impairs human papillomavirus (HPV) type 16 and 18 capsids antibody response following natural HPV infection. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 745-51		46
370	Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007 , 22, 723-35	12.1	46
369	Prognostic scores combining clinical, histological and morphometric variables in assessment of the disease outcome in female breast cancer. <i>International Journal of Cancer</i> , 1991 , 49, 886-92	7.5	46
368	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. <i>Cancer</i> , 1993 , 72, 2525-30	6.4	46
367	Human papillomavirus (HPV) DNA sequences demonstrated by in situ DNA hybridization in serial paraffin-embedded cervical biopsies. <i>Archives of Gynecology</i> , 1986 , 239, 39-48		46
366	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but Not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 902-911	1.9	45
365	Immunocytochemical expression of p16INK4A and Ki-67 in cytologically negative and equivocal pap smears positive for oncogenic human papillomavirus. <i>International Journal of Gynecological Pathology</i> , 2005 , 24, 118-24	3.2	45
364	Nuclear beta-catenin expression as a prognostic factor in advanced colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2008 , 14, 3866-71	5.6	45
363	Geographic origin is a significant determinant of human papillomavirus prevalence in oesophageal squamous cell carcinoma: systematic review and meta-analysis. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 1-18		43
362	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6	4.9	43
361	Detection of oncogenic DNA viruses in colorectal cancer. <i>Anticancer Research</i> , 2008 , 28, 1405-10	2.3	43
360	Up-regulation of VEGF, c-fms and COX-2 expression correlates with severity of cervical cancer precursor (CIN) lesions and invasive disease. <i>Gynecologic Oncology</i> , 2008 , 110, 445-51	4.9	42

359	Prognostic value of Ki-67 expression in renal cell carcinomas. <i>European Urology</i> , 1997 , 31, 350-5	10.2	41
358	Co-expression of HSV2 and Chlamydia trachomatis in HPV-positive cervical cancer and cervical intraepithelial neoplasia lesions is associated with aberrations in key intracellular pathways. <i>Intervirolgy</i> , 2008 , 51, 230-4	2.5	41
357	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006 , 16, 183-9	3.5	41
356	Amyloid beta-protein deposition in skin of patients with dementia. <i>Lancet, The</i> , 1992 , 339, 245	4.0	39
355	Human papillomavirus (HPV) type 6 and 16 DNA sequences in bronchial squamous cell carcinomas demonstrated by in situ DNA hybridization. <i>Lung</i> , 1989 , 167, 33-42	2.9	39
354	Prospective follow-up of genital HPV infections: survival analysis of the HPV typing data. <i>European Journal of Epidemiology</i> , 1990 , 6, 9-14	12.1	39
353	HPV genotypes and their prognostic significance in head and neck squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2012 , 53, 116-20	14.5	38
352	Histological evidence for the presence of condylomatous epithelial lesions in association with laryngeal squamous cell carcinoma. <i>Orl</i> , 1981 , 43, 181-94	2	38
351	Risk assessment and clinical impact of liquid-based cytology, oncogenic human papillomavirus (HPV) DNA and mRNA testing in primary cervical cancer screening (the FASE study). <i>Gynecologic Oncology</i> , 2012 , 125, 175-80	4.9	37
350	Genotype-specific incidence and clearance of human papillomavirus in oral mucosa of women: a six-year follow-up study. <i>PLoS ONE</i> , 2013 , 8, e53413	3.7	37
349	Human papillomavirus testing and conventional pap smear cytology as optional screening tools of women at different risks for cervical cancer in the countries of the former soviet union. <i>Journal of Lower Genital Tract Disease</i> , 2002 , 6, 97-110	3.6	37
348	Hormone receptors as prognostic factors in female breast cancer. <i>Annals of Medicine</i> , 1991 , 23, 643-8	1.5	37
347	A Panel of Serum Biomarkers (GastroPanel®) in Non-invasive Diagnosis of Atrophic Gastritis. Systematic Review and Meta-analysis. <i>Anticancer Research</i> , 2016 , 36, 5133-5144	2.3	37
346	High cyclooxygenase-2 expression is associated with advanced stages in colorectal cancer. <i>Anticancer Research</i> , 2013 , 33, 3137-43	2.3	37
345	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: an analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012 , 124, 490-5	4.9	36
344	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2004 , 94, 181-6	4.9	36
343	Transitional cell carcinoma of the bladder: failure to demonstrate human papillomavirus deoxyribonucleic acid by in situ hybridization and polymerase chain reaction. <i>Journal of Urology</i> , 1994 , 152, 1429-33	2.5	36
342	Morphologic survey of the condylomatous lesions in dysplastic and neoplastic epithelium of the uterine cervix. <i>Archives of Gynecology</i> , 1979 , 227, 153-61		36

341	Value of the International Federation for Cervical Pathology and Colposcopy (IFCPC) Terminology in predicting cervical disease. <i>Journal of Lower Genital Tract Disease</i> , 2007 , 11, 158-65	3.6	34
340	Age-specific incidence and clearance of high-risk human papillomavirus infections in women in the former Soviet Union. <i>International Journal of STD and AIDS</i> , 2005 , 16, 217-23	1.4	34
339	CD44 isoform 6 (CD44v6) is a prognostic indicator of the response to neoadjuvant chemotherapy in cervical carcinoma. <i>Gynecologic Oncology</i> , 2001 , 80, 67-73	4.9	34
338	Esophageal squamous cell papillomas. Failure to detect human papillomavirus DNA by in situ hybridization and polymerase chain reaction. <i>Scandinavian Journal of Gastroenterology</i> , 1991 , 26, 535-43 ^{2,4}		34
337	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 460, 577-85	5.1	33
336	Mitotic activity and prognosis in prostatic adenocarcinoma. <i>Prostate</i> , 1995 , 26, 80-6	4.2	33
335	The role of nucleolar organiser regions as prognostic factors in breast cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 989-92		33
334	Expression of p53 protein has no independent prognostic value in breast cancer. <i>Journal of Pathology</i> , 1995 , 177, 225-32	9.4	32
333	Colposcopy, punch biopsy, in situ DNA hybridization, and the polymerase chain reaction in searching for genital human papillomavirus (HPV) infections in women with normal PAP smears. <i>Journal of Medical Virology</i> , 1990 , 31, 259-66	19.7	32
332	Polymerase chain reaction amplification of human papillomavirus DNA from archival, Papanicolaou-stained cervical smears. <i>Acta Cytologica</i> , 1996 , 40, 391-5	3	31
331	Expression of proliferating cell nuclear antigen (PC10), p53 protein and c-erbB-2 in renal adenocarcinoma. <i>International Journal of Cancer</i> , 1994 , 57, 275-80	7.5	31
330	Bronchial squamous cell carcinomas associated with epithelial changes identical to condylomatous lesions of the uterine cervix. <i>Lung</i> , 1980 , 158, 131-42	2.9	31
329	Lack of type-specific concordance between human papillomavirus (HPV) serology and HPV DNA detection in the uterine cervix and oral mucosa. <i>Journal of General Virology</i> , 2011 , 92, 2034-2046	4.9	30
328	Loss of E-cadherin expression predicts disease recurrence and shorter survival in colorectal carcinoma. <i>Apmis</i> , 2012 , 120, 539-48	3.4	29
327	Serum antibody response to Human papillomavirus (HPV) infections detected by a novel ELISA technique based on denatured recombinant HPV16 L1, L2, E4, E6 and E7 proteins. <i>Infectious Agents and Cancer</i> , 2006 , 1, 6	3.5	29
326	Acquisition of high-risk human papillomavirus infections and pap smear abnormalities among women in the New Independent States of the Former Soviet Union. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 505-11	9.7	29
325	p53 and bcl-2 proteins as prognostic markers in human papillomavirus-associated cervical lesions. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2120-30	2.2	29
324	Prognostic significance of matrix metalloproteinase-9 (MMP-9) in stage II colorectal carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2009 , 40, 91-7	1.6	28

323	P16(INK4a) immunocytochemistry in liquid-based cytology samples in equivocal Pap smears: added value in management of women with equivocal Pap smear. <i>Acta Cytologica</i> , 2007 , 51, 755-66	3	28
322	Hybrid capture II and polymerase chain reaction for identifying HPV infections in samples collected in a new collection medium: a comparison. <i>Acta Cytologica</i> , 2004 , 48, 514-20	3	28
321	The value of histoquantitative measurements in prognostic assessment of renal adenocarcinoma. <i>International Journal of Cancer</i> , 1993 , 55, 547-54	7.5	28
320	PLA2 (group IIA phospholipase A2) as a prognostic determinant in stage II colorectal carcinoma. <i>Annals of Oncology</i> , 2009 , 20, 1230-5	10.3	27
319	Squamous cell carcinoma of the conjunctiva. Failure to demonstrate HPV DNA by in situ hybridization and polymerase chain reaction. <i>Acta Ophthalmologica</i> , 1992 , 70, 248-54	3.7	27
318	Upregulation of telomerase (hTERT) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus, virus persistence, or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006 , 34, 739-48	1.4	27
317	MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1473-8	2.4	27
316	Serum VEGF-C is associated with metastatic site in patients with malignant melanoma. <i>Acta Oncologica</i> , 2007 , 46, 678-84	3.2	27
315	Conventional Pap smear and liquid-based cytology as screening tools in low-resource settings in Latin America: experience of the Latin American screening study. <i>Acta Cytologica</i> , 2005 , 49, 500-6	3	27
314	Topical treatment with human leukocyte interferon of HPV 16 infections associated with cervical and vaginal intraepithelial neoplasias. <i>Gynecologic Oncology</i> , 1990 , 36, 353-7	4.9	27
313	Systemic alpha-interferon (Wellferon) treatment of genital human papillomavirus (HPV) type 6, 11, 16, and 18 infections: double-blind, placebo-controlled trial. <i>Gynecologic Oncology</i> , 1991 , 43, 55-60	4.9	27
312	Human papillomavirus genotypes in male genitalia and their concordance among pregnant spouses participating in the Finnish Family HPV study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2522-31	1.1	26
311	Serum matrix metalloproteinase-8 is associated with ulceration and vascular invasion of malignant melanoma. <i>Melanoma Research</i> , 2008 , 18, 268-73	3.3	26
310	Prevalence of the most common high-risk HPV genotypes among women in three new independent states of the former Soviet Union. <i>Journal of Medical Virology</i> , 2007 , 79, 771-81	19.7	26
309	Proliferating-cell nuclear antigen (PC10) immunolabelling and other proliferation indices as prognostic factors in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993 , 119, 288-94	4.9	26
308	A simple method for isolation of DNA from formalin-fixed paraffin-embedded samples for PCR. <i>Journal of Virological Methods</i> , 1991 , 35, 39-47	2.6	26
307	Prevalence of type-specific human papillomavirus infection among women in France: Implications for screening, vaccination, and a future generation of multivalent HPV vaccines. <i>Vaccine</i> , 2012 , 30, 5215-21	4.1	25
306	Needs of developing the skills of palliative care at the oncology ward: an audit of symptoms among 203 consecutive cancer patients in Finland. <i>Supportive Care in Cancer</i> , 2008 , 16, 3-8	3.9	25

305	Neoadjuvant chemotherapy in cervical carcinoma: regulators of cell cycle, apoptosis, and proliferation as determinants of response to therapy and disease outcome. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 729-37	1.9	25
304	Detection of human papillomavirus DNA by the nucleic acid sandwich hybridization method from cervical scraping. <i>Journal of Medical Virology</i> , 1986 , 20, 279-88	19.7	25
303	RASSF1A methylation is predictive of poor prognosis in female breast cancer in a background of overall low methylation frequency. <i>Anticancer Research</i> , 2011 , 31, 2975-81	2.3	25
302	Genotype-specific clearance of genital human papillomavirus (HPV) infections among mothers in the Finnish family HPV study. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2665-71	9.7	24
301	Outcome of conservatively treated microinvasive squamous cell carcinoma of the uterine cervix during a 10-year follow-up. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 33-8	3.5	24
300	Combined Pap smear, cervicography and HPV DNA testing in the detection of cervical intraepithelial neoplasia and cancer. <i>Acta Cytologica</i> , 2000 , 44, 310-8	3	24
299	Rapid and effective detection of mutations in the p53 gene using nonradioactive single-strand conformation polymorphism (SSCP) technique applied on PhastSystem. <i>Journal of Virological Methods</i> , 1995 , 51, 43-53	2.6	24
298	Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1477-82	6.4	24
297	Cationic liposomes mediated delivery of antisense oligonucleotides targeted to HPV 16 E7 mRNA in CaSki cells. <i>Antiviral Research</i> , 1994 , 23, 119-30	10.8	24
296	Prevalence of H. pylori infection and atrophic gastritis among symptomatic and dyspeptic adults in Kazakhstan. A hospital-based screening study using a panel of serum biomarkers. <i>Anticancer Research</i> , 2013 , 33, 4595-602	2.3	24
295	The effect of vascular endothelial growth factor-1 expression on survival of advanced colorectal cancer patients. <i>Libyan Journal of Medicine</i> , 2017 , 12, 1290741	1.4	23
294	HPV in Head and Neck Cancer-30 Years of History. <i>Recent Results in Cancer Research</i> , 2017 , 206, 3-25	1.5	23
293	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Experimentelle Medizin</i> , 2009 , 455, 505-17	5.1	23
292	Over-expression of topoisomerase IIalpha is related to the grade of cervical intraepithelial neoplasia (CIN) and high-risk human papillomavirus (HPV), but does not predict prognosis in cervical cancer or HPV clearance after cone treatment. <i>International Journal of Gynecological Pathology</i> , 2004 , 25, 363-68	3.2	23
291	Management of stage-I borderline ovarian tumors. <i>International Journal of Gynecology and Obstetrics</i> , 1996 , 54, 37-44	4	23
290	Concept of the existence of human papillomavirus (HPV) DNA in histologically normal squamous epithelium of the genital tract should be re-evaluated. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1989 , 68, 613-7	3.8	23
289	Verrucous squamous cell carcinoma of the female genital tract. Report of three cases and survey of the literature. <i>International Journal of Gynecology and Obstetrics</i> , 1981 , 19, 351-6	4	23
288	Cyclooxygenase-2 expression as a predictor of outcome in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1793-9	5.6	23

287	Comparison of DNA sequencing and Roche Linear array in human papillomavirus (HPV) genotyping. <i>Anticancer Research</i> , 2006 , 26, 3939-41	2.3	23
286	Increased risk of oncogenic human papillomavirus infections and incident high-grade cervical intraepithelial neoplasia among smokers: experience from the Latin American screening study. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 241-8	2.4	22
285	Failure to demonstrate human papillomavirus (HPV) involvement in Bowen's disease of the skin. <i>Archives of Dermatological Research</i> , 1996 , 289, 40-5	3.3	22
284	c-erbB-2 oncogene expression in salivary gland tumours. <i>Orl</i> , 1994 , 56, 206-12	2	22
283	Progression and survival in prostatic adenocarcinoma: a comparison of clinical stage, Gleason grade, S-phase fraction and DNA ploidy. <i>British Journal of Cancer</i> , 1994 , 70, 309-14	8.7	22
282	Association of DNA aneuploidy with human papillomavirus-induced malignant transformation of sinonasal transitional papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1989 , 100, 563-7	5.5	22
281	Prevalence of genital human papillomavirus infections in a mass-screened Finnish female population aged 20-65 years. <i>International Journal of STD and AIDS</i> , 1990 , 1, 410-5	1.4	22
280	Loss of MUC2 expression predicts disease recurrence and poor outcome in colorectal carcinoma. <i>Tumor Biology</i> , 2013 , 34, 621-8	2.9	21
279	Two different human papillomavirus (HPV) types associated with oral mucosal lesions in an HIV-seropositive man. <i>Journal of Oral Pathology and Medicine</i> , 1989 , 18, 366-70	3.3	21
278	Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. <i>Oncotarget</i> , 2017 , 8, 27328-27338	3.3	21
277	Hormonal contraceptives and the length of their use are not independent risk factors for high-risk HPV infections or high-grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 71, 93-103	2.5	20
276	Tobacco smoking and chewing as risk factors for multiple human papillomavirus infections and cervical squamous intraepithelial lesions in two countries (Côte d'Ivoire and Finland) with different tobacco exposure. <i>Cancer Causes and Control</i> , 2009 , 20, 163-70	2.8	20
275	Transmission of genital human papillomavirus infections is unlikely through the floor and seats of humid dwellings in countries of high-level hygiene. <i>Scandinavian Journal of Infectious Diseases</i> , 1996 , 28, 243-6		20
274	Estrogen response in buccal mucosa -- a cytological and immunohistological assay. <i>Maturitas</i> , 1997 , 27, 41-5	5	20
273	Cigarette smoking and high-risk HPV DNA as predisposing factors for high-grade cervical intraepithelial neoplasia (CIN) in young Brazilian women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998 , 77, 678-82	3.8	20
272	Upregulation of nuclear factor-kappaB (NF-kappaB) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006 , 34, 555-63	1.4	20
271	Sexual habits and human papillomavirus infection among females in three New Independent States of the former Soviet Union. <i>Sexually Transmitted Diseases</i> , 2003 , 30, 680-4	2.4	20
270	Altered expression of filaggrin in human papillomavirus (HPV) lesions of the uterine cervix. <i>Archives of Gynecology and Obstetrics</i> , 1988 , 241, 235-47	2.5	20

269	Renal adenomatosis. Report of an autopsy case. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979 , 13, 329-34		20
268	Activation of the ERK/MAP kinase pathway in cervical intraepithelial neoplasia is related to grade of the lesion but not to high-risk human papillomavirus, virus clearance, or prognosis in cervical cancer. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 902-11	1.9	20
267	Natural seroconversion to high-risk human papillomaviruses (hrHPVs) is not protective against related HPV genotypes. <i>Scandinavian Journal of Infectious Diseases</i> , 2010 , 42, 379-84		19
266	Detection of human papillomavirus genotypes among high-risk women: a comparison of hybrid capture and linear array tests. <i>Sexually Transmitted Diseases</i> , 2008 , 35, 521-7	2.4	19
265	Mismatch repair status is a predictive factor of tumour response to 5-fluorouracil and irinotecan chemotherapy in patients with advanced colorectal cancer. <i>Tumor Biology</i> , 2007 , 28, 212-20	2.9	19
264	Prognostic value of P53 codon 72 polymorphism in invasive cervical cancer in Brazil. <i>Gynecologic Oncology</i> , 2004 , 93, 374-80	4.9	19
263	Collagen IV and tenascin immunoreactivity as prognostic determinant in benign and malignant salivary gland tumours. <i>Acta Oto-Laryngologica</i> , 1995 , 115, 569-75	1.6	19
262	Tumour vascularity and basement membrane structure in breast cancer as related to tumour histology and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994 , 120, 645-50	4.9	19
261	Human papillomavirus infections in the respiratory tract. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1992 , 13, 210-25	2.8	19
260	Acetowhite staining and its significance in diagnosis of oral mucosal lesions in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1990 , 19, 278-83	3.3	19
259	Sexual behaviour of women with human papillomavirus (HPV) lesions of the uterine cervix. <i>Sexually Transmitted Infections</i> , 1984 , 60, 243-8	2.8	19
258	Lack of CD44 variant 6 expression in rectal cancer invasive front associates with early recurrence. <i>World Journal of Gastroenterology</i> , 2012 , 18, 4549-56	5.6	19
257	Phyllodes tumour: cytologic and histologic presentation of 22 cases, and immunohistochemical demonstration of p53. <i>Cytopathology</i> , 1997 , 8, 177-87	1.3	18
256	Predicting high-risk human papillomavirus infection, progression of cervical intraepithelial neoplasia, and prognosis of cervical cancer with a panel of 13 biomarkers tested in multivariate modeling. <i>International Journal of Gynecological Pathology</i> , 2008 , 27, 265-73	3.2	18
255	Regulation of cell cycles is of key importance in human papillomavirus (HPV)-associated cervical carcinogenesis. <i>Sao Paulo Medical Journal</i> , 2003 , 121, 128-32	1.6	18
254	Performance of cytology and colposcopy in diagnosis of cervical intraepithelial neoplasia (CIN) in HIV-positive and HIV-negative women. <i>Cytopathology</i> , 2001 , 12, 84-93	1.3	18
253	Nuclear morphometry is of independent prognostic value only in T1 prostatic adenocarcinomas. <i>Prostate</i> , 1995 , 27, 110-7	4.2	18
252	The changing importance of prognostic factors in breast cancer during long-term follow-up. <i>International Journal of Cancer</i> , 1992 , 51, 698-702	7.5	18

251	Behavior of cervical intraepithelial neoplasia (CIN) associated with various human papillomavirus (HPV) types. <i>Archives of Gynecology and Obstetrics</i> , 1993 , 252, 119-28	2.5	18
250	Cryotherapy and CO ₂ -laser vaporization in the treatment of cervical and vaginal human papillomavirus (HPV) infections. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1989 , 68, 619-25	3.8	18
249	Epstein-Barr virus involvement in salivary gland lesions associated with Sjögren's syndrome. <i>Orl</i> , 1990 , 52, 254-9	2	18
248	Oral contraceptives are not an independent risk factor for cervical intraepithelial neoplasia or high-risk human papillomavirus infections. <i>Anticancer Research</i> , 2006 , 26, 4729-40	2.3	18
247	Molecular markers implicating early malignant events in cervical carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2003-12	4	17
246	Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007 , 24, 567-74	4.7	17
245	Clinical course and prognostic factors of human papillomavirus infections in men. <i>Sexually Transmitted Diseases</i> , 1994 , 21, 272-9	2.4	17
244	Immunocompetent cells in uterine cervical lesions of human papillomavirus origin. <i>Gynecologic and Obstetric Investigation</i> , 1983 , 16, 327-40	2.5	17
243	Inflammatory cells and their subsets in lesions of juvenile periodontitis. A family study. <i>Acta Odontologica Scandinavica</i> , 1984 , 42, 285-92	2.2	17
242	Paracortical activity of the regional lymph nodes as a prognostic determinant in gastric carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1977 , 12, 897-902	2.4	17
241	Tumor-host relationships in colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1978 , 21, 29-36	3.1	17
240	Persistent high-risk human papillomavirus infections and other end-point markers of progressive cervical disease among women prospectively followed up in the New Independent States of the Former Soviet Union and the Latin American Screening study cohorts. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 824-30	3.5	17
239	Digital photography in skin cancer screening by mobile units in remote areas of Brazil. <i>BMC Dermatology</i> , 2014 , 14, 19	2.1	16
238	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. <i>Sao Paulo Medical Journal</i> , 2003 , 121, 238-43	1.6	16
237	Human papillomavirus in vulvar and vaginal carcinoma cell lines. <i>British Journal of Cancer</i> , 1995 , 72, 134-8.7		16
236	Expression of transforming growth factor-beta 1 and -beta 2 in human papillomavirus (HPV)-associated lesions of the uterine cervix. <i>Gynecologic Oncology</i> , 1994 , 54, 349-56	4.9	16
235	DNA ploidy, S phase fraction and G2 fraction as prognostic determinants in prostatic adenocarcinoma. <i>European Urology</i> , 1991 , 20, 62-6	10.2	16
234	Post-capillary venules of the lymphatic tissues in mice with special reference to the depletion of T-lymphocyte population. <i>Experimental and Molecular Pathology</i> , 1978 , 29, 291-302	4.4	16

233	Carbonic anhydrase IX, hypoxia-inducible factor-1, E-cadherin and glucose transporter-1 as predictors of disease outcome in rectal cancer: multivariate Cox survival models following data reduction by principal component analysis of the clinicopathological predictors. <i>Anticancer Research</i> , 2011 , 31, 4529-35	2.3	16
232	HPV in Head and Neck Carcinomas: Different HPV Profiles in Oropharyngeal Carcinomas - Why?. <i>Acta Cytologica</i> , 2019 , 63, 124-142	3	15
231	Expression of cell cycle regulators p21 and p27 as predictors of disease outcome in colorectal carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012 , 43, 279-87	1.6	15
230	Angiogenesis in urinary bladder carcinoma as defined by microvessel density (MVD) after immunohistochemical staining for Factor VIII and CD31. <i>Libyan Journal of Medicine</i> , 2011 , 6,	1.4	15
229	Prenatal screening for congenital nephrosis in east Finland: results and impact on the birth prevalence of the disease. <i>Prenatal Diagnosis</i> , 1996 , 16, 207-13	3.2	15
228	beta-Amyloid protein immunoreactivity in skin is not a reliable marker of Alzheimer's disease. An autopsy-controlled study. <i>Archives of Neurology</i> , 1994 , 51, 799-804		15
227	Demonstration of human papillomavirus (HPV) type 30 in esophageal squamous-cell carcinomas by in situ hybridization. <i>International Journal of Cancer</i> , 1993 , 55, 171-3	7.5	15
226	Prognostic factors in axillary lymph node-negative (pN-) breast carcinomas. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1555-9		15
225	Morphological and immunohistochemical evidence of human papilloma virus (HPV) involvement in the dysplastic lesions of the uterine cervix. <i>International Journal of Gynecology and Obstetrics</i> , 1983 , 21, 261-9	4	15
224	Opioids in pain management of mesothelioma and lung cancer patients. <i>Acta Oncologica</i> , 2013 , 52, 30-7	3.2	14
223	Detection of human papillomavirus type 11 DNA in a conjunctival squamous cell papilloma by in situ hybridization with biotinylated probes. <i>Acta Ophthalmologica</i> , 1989 , 67, 425-9	3.7	14
222	Value of conventional pap smear, liquid-based cytology, visual inspection and human papillomavirus testing as optional screening tools among latin american women or ≥35 years of age: experience from the Latin American Screening Study. <i>Acta Cytologica</i> , 2008 , 52, 641-53	3	14
221	Tissue localization of bovine dander allergen Bos d 2. <i>Journal of Allergy and Clinical Immunology</i> , 1998 , 101, 349-53	11.5	14
220	In situ hybridization analysis of HPV DNA in cervical precancer and cervical cancers from China. <i>Archives of Gynecology and Obstetrics</i> , 1990 , 247, 21-9	2.5	14
219	The relation between the type of immunoreactive cells found in human papillomavirus (HPV) lesions of the uterine cervix and the subsequent behaviour of these lesions. <i>Archives of Gynecology</i> , 1984 , 234, 189-96		14
218	Prevalence of H. pylori Infection and Atrophic Gastritis in a Population-based Screening with Serum Biomarker Panel (GastroPanel®) in St. Petersburg. <i>Anticancer Research</i> , 2016 , 36, 4129-38	2.3	14
217	HLA-G and vertical mother-to-child transmission of human papillomavirus infection. <i>Human Immunology</i> , 2018 , 79, 471-476	2.3	13
216	Detection of human papillomavirus in esophageal papillomas: systematic review and meta-analysis. <i>Apmis</i> , 2013 , 121, 363-74	3.4	13

215	Human papillomavirus 16-specific cell-mediated immunity in children born to mothers with incident cervical intraepithelial neoplasia (CIN) and to those constantly HPV negative. <i>Journal of Translational Medicine</i> , 2015 , 13, 370	8.5	13
214	Preoperative radiotherapy modulates ezrin expression and its value as a predictive marker in patients with rectal cancer. <i>Human Pathology</i> , 2011 , 42, 384-92	3.7	13
213	Prevalence of genital human papillomavirus infections established using different diagnostic techniques among males attending a urological clinic. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 138-43		13
212	Tumor size, nuclear morphometry, mitotic indices as prognostic factors in axillary-lymph-node-positive breast cancer. <i>European Surgical Research</i> , 1992 , 24, 160-8	1.1	13
211	JC virus infection and Alzheimer's disease: reappraisal of an in situ hybridization approach. <i>Annals of Neurology</i> , 1992 , 31, 439-41	9.4	13
210	Demonstration of human papilloma virus (HPV) antigens in a case of urethral condyloma. <i>Scandinavian Journal of Urology and Nephrology</i> , 1983 , 17, 267-70		13
209	Langerhans cells in human papillomavirus (HPV) lesions of the uterine cervix identified by the monoclonal antibody OKT-6. <i>International Journal of Gynecology and Obstetrics</i> , 1984 , 22, 375-83	4	13
208	Chlamydial cervicitis in women followed-up for human papillomavirus (HPV) lesions of the uterine cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1985 , 64, 467-71	3.8	13
207	Stomach-specific Biomarkers (GastroPanel) Can Predict the Development of Gastric Cancer in a Caucasian Population: A Longitudinal Nested Case-Control Study in Siberia. <i>Anticancer Research</i> , 2016 , 36, 247-53	2.3	13
206	GastroPanel® Biomarker Assay: The Most Comprehensive Test for Infection and Its Clinical Sequelae. A Critical Review. <i>Anticancer Research</i> , 2019 , 39, 1091-1104	2.3	12
205	Protein phosphatase methylesterase-1 (PME-1) expression predicts a favorable clinical outcome in colorectal cancer. <i>Cancer Medicine</i> , 2015 , 4, 1798-808	4.8	12
204	Cervical cancer screening in Mediterranean countries: implications for the future. <i>Cytopathology</i> , 2010 , 21, 359-67	1.3	12
203	Effect of second pregnancy on maternal carriage and outcome of high-risk human papillomavirus (HPV). Experience from the prospective finnish family HPV study. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 67, 208-16	2.5	12
202	Clinical relevance of p53 index and expression of proliferating cell nuclear antigen and Ki-67 in gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1998 , 124, 497-502	4.9	12
201	Linear array genotyping and hybrid capture II assay in detecting human papillomavirus genotypes in women referred for colposcopy due to abnormal Papanicolaou smear. <i>International Journal of STD and AIDS</i> , 2008 , 19, 385-92	1.4	12
200	Cell cycle regulators p105, p107, Rb2/p130, E2F4, p21CIP1/WAF1, cyclin A in predicting cervical intraepithelial neoplasia, high-risk human papillomavirus infections and their outcome in women screened in three new independent states of the former Soviet Union. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1250-6	4	12
199	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. <i>International Journal of Gynecology and Obstetrics</i> , 2000 , 71, 45-8	4	12
198	Prognostic significance of TGF-alpha expression in breast cancer. <i>Acta Oncologica</i> , 1996 , 35, 995-8	3.2	12

197	Genital human papillomavirus lesions of the male sexual partners: the diagnostic accuracy of peniscopy. <i>Sexually Transmitted Infections</i> , 1991 , 67, 291-6	2.8	12
196	Clinical course of cervical human papillomavirus lesions in relation to coexistent cervical infections. <i>Sexually Transmitted Diseases</i> , 1992 , 19, 137-9	2.4	12
195	Tumor differentiation and tumor-host interactions as prognostic determinants in squamous cell carcinoma of the lip. <i>Acta Oto-Laryngologica</i> , 1986 , 101, 152-60	1.6	12
194	Morphology of the regional lymph nodes of gastric carcinoma and ulcer of the stomach in relation to immunological function. <i>Scandinavian Journal of Gastroenterology</i> , 1977 , 12, 903-9	2.4	12
193	Physical state and copy numbers of HPV16 in oral asymptomatic infections that persisted or cleared during the 6-year follow-up. <i>Journal of General Virology</i> , 2017 , 98, 681-689	4.9	12
192	Fecal Occult Blood Tests in Colorectal Cancer Screening: Systematic Review and Meta-analysis of Traditional and New-generation Fecal Immunochemical Tests. <i>Anticancer Research</i> , 2020 , 40, 3591-3604	2.3	11
191	Protein phosphatase 2A (PP2A) inhibitor CIP2A indicates resistance to radiotherapy in rectal cancer. <i>Cancer Medicine</i> , 2018 , 7, 698-706	4.8	11
190	Associations of Body Mass Index and Physical Activity With Sexual Dysfunction in Breast Cancer Survivors. <i>Archives of Sexual Behavior</i> , 2016 , 45, 2057-2068	3.5	11
189	Cell mediated immunity against HPV16 E2, E6 and E7 peptides in women with incident CIN and in constantly HPV-negative women followed-up for 10-years. <i>Journal of Translational Medicine</i> , 2015 , 13, 163	8.5	11
188	Prophylactic HPV vaccines: the Finnish perspective. <i>Expert Review of Vaccines</i> , 2010 , 9, 45-57	5.2	11
187	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 514-20	3.8	11
186	The expression and distribution of group IIA phospholipase A2 in human colorectal tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010 , 457, 659-67	5.1	11
185	Circulating immune complexes in sera from patients with Alzheimer's disease, multi-infarct dementia and Down's syndrome. <i>Neuroscience Letters</i> , 1993 , 149, 67-70	3.3	11
184	Natural killer (NK) cells with HNK-1 phenotype in the cervical biopsies of women followed-up for human papillomavirus (HPV) lesions. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1986 , 65, 139-45	3.8	11
183	Condylomatous epithelial changes in the uterine cervix and their relationship to cervical carcinogenesis. <i>International Journal of Gynecology and Obstetrics</i> , 1980 , 17, 415-20	4	11
182	Condylomatous lesions of the uterine cervix with special reference to squamous cell carcinogenesis. <i>Gynecologic and Obstetric Investigation</i> , 1980 , 11, 350-64	2.5	11
181	Discrepancies in expression and prognostic value of tumor markers in adenocarcinoma and squamous cell carcinoma in cervical cancer. <i>Anticancer Research</i> , 2009 , 29, 2577-8	2.3	11
180	Breast Milk Is a Potential Vehicle for Human Papillomavirus Transmission to Oral Mucosa of the Spouse. <i>Pediatric Infectious Disease Journal</i> , 2017 , 36, 627-630	3.4	10

179	Thymidylate synthase and microsatellite instability in colorectal cancer: implications for disease free survival, treatment response and survival with metastases. <i>Acta Oncologica</i> , 2008 , 47, 1046-53	3.2	10
178	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005 , 126, 197-201	2.6	10
177	Cytokeratin pattern in normal and HPV infected oral mucosa in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1991 , 20, 26-31	3.3	10
176	Squamous cell carcinoma of the vulva with cutaneous metastases. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989 , 68, 271-3	3.8	10
175	Expression of cytokeratin No. 19 polypeptide in genital papillomavirus lesions. <i>Gynecologic and Obstetric Investigation</i> , 1990 , 29, 59-66	2.5	10
174	Detection of human papillomavirus DNA in anogenital condylomata in men using in situ DNA hybridisation applied to paraffin sections. <i>Sexually Transmitted Infections</i> , 1987 , 63, 32-9	2.8	10
173	Effect of confluence state and passaging on global cancer gene expression pattern in oral carcinoma cell lines. <i>Anticancer Research</i> , 2004 , 24, 2627-31	2.3	10
172	The clearance of oral high-risk human papillomavirus infection is impaired by long-term persistence of cervical human papillomavirus infection. <i>Clinical Microbiology and Infection</i> , 2014 , 20, 1167-72	9.5	9
171	Up-regulation of lipocalin 2 is associated with high-risk human papillomavirus and grade of cervical lesion at baseline but does not predict outcomes of infections or incident cervical intraepithelial neoplasia. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 50-9	1.9	9
170	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010 , 17, 195-203	1.4	9
169	Previous pregnancy is a favourable prognostic factor in women with localised cutaneous melanoma. <i>Acta Oncologica</i> , 2012 , 51, 662-8	3.2	9
168	Characterization of keratin and cell cycle protein expression in cell lines from squamous intraepithelial lesions progressing towards a malignant phenotype. <i>British Journal of Cancer</i> , 1998 , 77, 766-75	8.7	9
167	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008 , 19, 251-8	1.4	9
166	Molecular markers: how to apply in practice. <i>Gynecologic Oncology</i> , 2006 , 103, 18-20	4.9	9
165	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006 , 85, 444-50	3.8	9
164	Molecular strategies for identifying human papillomavirus infection in routinely processed samples: focus on paraffin sections. <i>Journal of Lower Genital Tract Disease</i> , 2005 , 9, 219-24	3.6	9
163	Quality assurance/control issues. International Academy of Cytology Task Force summary. Diagnostic Cytology Towards the 21st Century: An International Expert Conference and Tutorial. <i>Acta Cytologica</i> , 1998 , 42, 133-40	3	9
162	No evidence of human papillomavirus DNA in actinic keratosis. <i>Archives of Dermatological Research</i> , 1995 , 287, 649-51	3.3	9

161	Vitamin E concentration in breast adipose tissue of breast cancer patients (Kuopio, Finland). <i>Cancer Causes and Control</i> , 1996 , 7, 591-5	2.8	9
160	Detection of p53 protein and Ki-67 proliferation antigen in human papillomavirus (HPV)-positive and HPV-negative cervical lesions by immunohistochemical double-staining. <i>Cytopathology</i> , 1994 , 5, 282-93	1.3	9
159	Anal condylomas in men. 1. Histopathological and virological assessment. <i>Sexually Transmitted Infections</i> , 1989 , 65, 216-24	2.8	9
158	Screening of premalignant cervical lesions for HPV 16 DNA by sandwich and in situ hybridization techniques. <i>Gynecologic Oncology</i> , 1988 , 30, 251-64	4.9	9
157	A new combination of drugs intended to be used as a preventive measure for the postextraction complications. A preliminary report. <i>International Journal of Oral Surgery</i> , 1981 , 10, 17-22		9
156	Is improved detection of adenocarcinoma in situ by screening a key to reducing the incidence of cervical adenocarcinoma?. <i>Acta Cytologica</i> , 2004 , 48, 591-4	3	9
155	Polyomaviruses detectable in head and neck carcinomas. <i>Oncotarget</i> , 2018 , 9, 22642-22652	3.3	9
154	Cytoplasmic E-Cadherin Expression Is Associated With Higher Tumour Level of VEGFA, Lower Response Rate to Irinotecan-based Treatment and Poorer Prognosis in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2019 , 39, 1953-1957	2.3	8
153	Benefit of adjuvant interferon alfa-2b (IFN- β) therapy in melanoma patients with high serum MMP-8 levels. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 173-80	7.4	8
152	High-risk human papillomavirus associated with incident cervical intraepithelial neoplasia developing in mothers in the Finnish Family HPV Study cohort. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 115-25		8
151	Over-expression of HER-2 is associated with the stage in carcinomas of the urinary bladder. <i>Libyan Journal of Medicine</i> , 2012 , 7,	1.4	8
150	No Epstein Barr and cytomegalovirus DNA found in salivary gland tumours. <i>Orl</i> , 1997 , 59, 97-9	2	8
149	Prognostic value of epidermal growth factor expression in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997 , 123, 63-8	4.9	8
148	HLA types in women with cervical human papillomavirus (HPV) lesions prospectively followed up for 10 years. <i>Cytopathology</i> , 1996 , 7, 99-107	1.3	8
147	Biochemical parameters as prognostic factors in prostatic adenocarcinoma. <i>Acta Oncologica</i> , 1995 , 34, 53-9	3.2	8
146	Sandwich hybridization in solution: a rapid method to screen HPV 16 DNA in cervical scrapes. <i>Molecular and Cellular Probes</i> , 1989 , 3, 1-11	3.3	8
145	Peptide hormone immunoreactivity and prognosis in small-cell carcinoma of the lung. <i>Respiration</i> , 1986 , 49, 61-7	3.7	8
144	Morphology of the lymph nodes draining renal adenocarcinoma in relation to immunological functions. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979 , 13, 177-83		8

143	Angioleiomyoma of the larynx. Report of a case and review of the literature. <i>Laryngoscope</i> , 1983 , 93, 941-3	3.6	8
142	Retrospective analysis of breast cancer prognosis among young and older women in a Brazilian cohort of 738 patients, 1985-2002. <i>Oncology Letters</i> , 2016 , 12, 4911-4924	2.6	8
141	Colorectal Cancer Screening With Traditional and New-generation Fecal Immunochemical Tests: A Critical Review of Fecal Occult Blood Tests. <i>Anticancer Research</i> , 2020 , 40, 575-581	2.3	7
140	Preoperative radiotherapy downregulates the nuclear expression of hypoxia-inducible factor-1alpha in rectal cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 340-8	2.4	7
139	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. <i>International Journal of STD and AIDS</i> , 2011 , 22, 263-72	1.4	7
138	Anti-proliferative effect of retinoids and interferon-alpha-2a on vaginal cell lines derived from squamous intra-epithelial lesions. <i>International Journal of Cancer</i> , 1998 , 78, 338-45	7.5	7
137	New statistical software for intralaboratory and interlaboratory quality control in clinical cytology. Validation in a simulation study on clinical samples. <i>Acta Cytologica</i> , 2005 , 49, 398-404	3	7
136	Investigation on the carcinogenic effects of coal tar pitch in rat respiratory tract by intratracheal instillations. <i>Carcinogenesis</i> , 1992 , 13, 233-9	4.6	7
135	Detection of human papillomavirus infections in the male sexual partners of women attending an STD clinic in Bologna. <i>International Journal of STD and AIDS</i> , 1992 , 3, 338-46	1.4	7
134	The use of polymerase chain reaction in generation of biotinylated human papillomavirus DNA probes for in situ hybridization. <i>Journal of Virological Methods</i> , 1991 , 31, 147-59	2.6	7
133	Radiological interpretation of the periapical cysts and granulomas. <i>Dentomaxillofacial Radiology</i> , 1982 , 11, 89-92	3.9	7
132	Estrogen receptor, progesterone receptor, and nuclear size features in female breast cancer in Libya: correlation with clinical features and survival. <i>Anticancer Research</i> , 2012 , 32, 3485-93	2.3	7
131	A New-Generation Fecal Immunochemical Test (FIT) Is Superior to Quaiac-based Test in Detecting Colorectal Neoplasia Among Colonoscopy Referral Patients. <i>Anticancer Research</i> , 2015 , 35, 2873-80	2.3	7
130	Oral human papillomavirus infection in men might contribute to HPV serology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 237-45	5.3	6
129	p300 expression is related to high-risk human papillomavirus infections and severity of cervical intraepithelial neoplasia but not to viral or disease outcomes in a longitudinal setting. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 135-45	3.2	6
128	Age at menarche is not an independent risk factor for high-risk human papillomavirus infections and cervical intraepithelial neoplasia. <i>International Journal of STD and AIDS</i> , 2008 , 19, 16-25	1.4	6
127	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008 , 15, 97-104	1.4	6
126	Relationship of up-regulation of 67-kd laminin receptor to grade of cervical intraepithelial neoplasia and to high-risk HPV types and prognosis in cervical cancer. <i>Acta Cytologica</i> , 2006 , 50, 6-15	3	6

125	Human papillomavirus (HPV) typing as an adjunct to cervical cancer screening. <i>Cytopathology</i> , 1999 , 10, 8-15	1.3	6
124	Expression of PCNA is associated with the presence of HPV DNA in skin warts. <i>Archives of Dermatological Research</i> , 1996 , 289, 35-9	3.3	6
123	Diagnosis of genital human papillomavirus (HPV) lesions in the male: correlation of peniscopy, histology and in situ hybridisation. <i>Sexually Transmitted Infections</i> , 1993 , 69, 346-51	2.8	6
122	Comparison of classic and quantitative prognostic factors in hormone receptor-positive and hormone receptor-negative female breast cancer. <i>American Journal of Surgery</i> , 1993 , 165, 307-11	2.7	6
121	Phenotypic transformation of primary mouse fibroblasts by BPV 1 DNA. <i>Archives of Virology</i> , 1988 , 100, 17-25	2.6	6
120	Immunophenotypes of lymphocytes in prospectively followed up human papillomavirus lesions of the cervix. <i>Sexually Transmitted Infections</i> , 1985 , 61, 190-6	2.8	6
119	Up-regulation of alpha-catenin is associated with increased lymph node involvement in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4903-8	5.6	6
118	Oral Human Papillomavirus Infection in Children during the First 6 Years of Life, Finland. <i>Emerging Infectious Diseases</i> , 2021 , 27, 759-766	10.2	6
117	Comparison of a New-generation Fecal Immunochemical Test (FIT) With Guaiac Fecal Occult Blood Test (gFOBT) in Detecting Colorectal Neoplasia Among Colonoscopy-referral Patients. <i>Anticancer Research</i> , 2019 , 39, 261-269	2.3	6
116	HPV-Associated Benign Squamous Cell Papillomas in the Upper Aero-Digestive Tract and Their Malignant Potential. <i>Viruses</i> , 2021 , 13,	6.2	6
115	Nuclear size as prognostic determinant in stage II and stage III colorectal adenocarcinoma. <i>Anticancer Research</i> , 2006 , 26, 455-62	2.3	6
114	The impact of breast cancer screening among younger women in the Barretos Region, Brazil. <i>Anticancer Research</i> , 2013 , 33, 2651-5	2.3	6
113	Slow-release L-cysteine capsule prevents gastric mucosa exposure to carcinogenic acetaldehyde: results of a randomised single-blinded, cross-over study of Helicobacter-associated atrophic gastritis. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 230-237	2.4	5
112	Mitotic index in the subrenal capsule assay as an indicator of the chemosensitivity of ovarian cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1997 , 41, 15-21	3.5	5
111	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009 , 127, 122-7	1.6	5
110	Thymidylate synthase expression in primary colorectal tumours is correlated with its expression in metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 471-6	2.4	5
109	Conization for CIN associated with human papillomavirus infection. <i>Archives of Gynecology and Obstetrics</i> , 1991 , 249, 59-65	2.5	5
108	Detection of human papillomavirus (HPV) in genital warts and carcinomas by DNA in situ hybridization in Chinese patients. <i>Cytopathology</i> , 1990 , 1, 97-103	1.3	5

107	Local immunoreactivity and human papillomavirus (HPV) in oral precancer and cancer lesions. <i>European Journal of Oral Sciences</i> , 1986 , 94, 419-26	2.3	5
106	Type IV collagen in the basal membrane of human papillomavirus associated premalignant and malignant squamous cell lesions of the uterine cervix. <i>Gynecologic and Obstetric Investigation</i> , 1988 , 26, 324-31	2.5	5
105	The effects on extraction wound healing of a new drug combination introduced for use in the prevention of post-extraction complications. A preliminary report. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1981 , 19, 57-66		5
104	Serological Biomarker Test (GastroPanel) in the Diagnosis of Functional Gastric Disorders, and Atrophic Gastritis in Patients Examined for Dyspeptic Symptoms. <i>Anticancer Research</i> , 2021 , 41, 811-819 ^{2,3}		5
103	Main effects and interactions of carbonic anhydrase IX, hypoxia-inducible factor-1 β ezrin and glucose transporter-1 in multivariate analysis for disease outcome in rectal cancer. <i>Anticancer Research</i> , 2012 , 32, 3299-303	2.3	5
102	Impact of Brush Cytology Analysis for the Diagnosis of Esophageal Squamous Cell Carcinoma: The Quality of Liquid-Based Preparation of Cytological Slides. <i>Acta Cytologica</i> , 2019 , 63, 240-246	3	4
101	Circulating levels of VEGFR-1 and VEGFR-2 in patients with metastatic melanoma treated with chemoimmunotherapy alone or combined with bevacizumab. <i>Melanoma Research</i> , 2011 , 21, 431-7	3.3	4
100	Human papillomavirus and predictors of cervical intraepithelial neoplasia among young mothers in a prospective follow-up study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011 , 90, 167-73	3.8	4
99	Up-regulation of 14-3-3sigma (Stratifin) is associated with high-grade CIN and high-risk human papillomavirus (HPV) at baseline but does not predict outcomes of HR-HPV infections or incident CIN in the LAMS study. <i>American Journal of Clinical Pathology</i> , 2010 , 133, 232-40	1.9	4
98	Securin identifies a subgroup of patients with poor outcome in rectal cancer treated with long-course (chemo)radiotherapy. <i>Acta Oncologica</i> , 2011 , 50, 1158-66	3.2	4
97	Up-regulation of plasminogen activator inhibitor-2 is associated with high-risk HPV and grade of cervical lesion at baseline but does not predict outcomes of high-risk HPV infections or incident CIN. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 883-92	1.9	4
96	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Countries. <i>International Journal of Gynecology and Obstetrics</i> , 2011 , 99, 215-22	1.4	4
95	Nuclear morphometry as a predictor of disease outcome in gastric cancer. <i>Journal of Pathology</i> , 1997 , 181, 46-50	9.4	4
94	Cervical cancer screening in Porto Alegre, Brazil: alternative methods for detecting cancer precursors in a developing country. <i>Journal of Lower Genital Tract Disease</i> , 2001 , 5, 24-8	3.6	4
93	Generation of cell-mediated cytotoxicity against bovine-papilloma-virus-transformed primary mouse cell lines. <i>Cancer Immunology, Immunotherapy</i> , 1990 , 30, 351-6	7.4	4
92	Short biotinylated oligonucleotides bind non-specifically to senile plaques of Alzheimer's disease. <i>Neuroscience Letters</i> , 1991 , 130, 89-91	3.3	4
91	Colposcopic analysis of genital human papillomavirus infections during an 8-year prospective follow-up. <i>International Journal of Gynecology and Obstetrics</i> , 1991 , 36, 291-300	4	4
90	Fine needle aspiration cytology of the thyroid osteosarcoma. Report of a case. <i>Journal of Cancer Research and Clinical Oncology</i> , 1980 , 96, 319-23	4.9	4

89	Structure and function of salivary glands in psoriatics. <i>Archives of Dermatological Research</i> , 1982 , 274, 295-301	3.3	4
88	(Hp) IgG ELISA of the New-Generation GastroPanel [®] Is Highly Accurate in Diagnosis of Hp-Infection in Gastroscopy Referral Patients. <i>Anticancer Research</i> , 2020 , 40, 6387-6398	2.3	4
87	Genotype-specific concordance of oral and genital human papillomavirus infections among marital couples is low. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016 , 35, 697-704	5.3	4
86	Interferon- γ and IL-5 associated cell-mediated immune responses to HPV16 E2 and E6 distinguish between persistent oral HPV16 infections and noninfected mucosa. <i>Clinical and Experimental Dental Research</i> , 2021 , 7, 903-913	1.9	4
85	Pediatric Acute Appendicitis Score in Children With Acute Abdominal Pain (AAP). <i>Anticancer Research</i> , 2021 , 41, 297-306	2.3	4
84	Implementation of a clinical quality control program in a mammography screening service of Brazil. <i>Anticancer Research</i> , 2014 , 34, 5057-65	2.3	4
83	Solitary bronchial squamous cell papilloma - another human papillomavirus (HPV)-associated benign tumor: systematic review and meta-analysis. <i>Wspolczesna Onkologia</i> , 2013 , 17, 427-34	1	3
82	Reproducibility of classification and correction for verification bias as determinants of performance of Papanicolaou smear cytology in the screening setting: experience from the New Independent States of the former Soviet Union cohort study. <i>Acta Cytologica</i> , 2009 , 53, 548-57	3	3
81	Tumour-associated antigens in primary mouse fibroblasts induced by transformation with bovine papillomavirus type 1. <i>Experimental Pathology</i> , 1988 , 35, 25-33		3
80	Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. <i>European Journal of Oral Sciences</i> , 1984 , 92, 358-70	2.3	3
79	Gingival beta 2-microglobulin in juvenile and chronic periodontitis. <i>Acta Odontologica Scandinavica</i> , 1985 , 43, 133-8	2.2	3
78	Post-capillary venules of the mouse lymphatic tissues with special reference to the distribution of their endothelial IgG. <i>Experimentelle Pathologie</i> , 1979 , 17, 134-42		3
77	Spleen white pulp morphology in evaluation of immunologic reactivity of patients with widespread colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1980 , 23, 228-35	3.1	3
76	Morphology of the spleen white pulp in relation to the immunological functions in patients with far advanced bronchial carcinoma. <i>Immunobiology</i> , 1980 , 157, 67-77	3.4	3
75	Neurofibromin Expression is Associated with Aggressive Disease and Poor Outcome in Colorectal Carcinoma. <i>Anticancer Research</i> , 2016 , 36, 5301-5306	2.3	3
74	Bcl-2 expression significantly correlates with thymidylate synthase expression in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2008 , 14, 6218-23	5.6	3
73	Performance of a Diagnostic Score in Confirming Acute Cholecystitis Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2020 , 40, 6947-6956	2.3	3
72	Leucocyte Count Does Not Improve the Diagnostic Performance of a Diagnostic Score (DS) in Distinguishing Acute Appendicitis (AA) from Nonspecific Abdominal Pain (NSAP). <i>In Vivo</i> , 2020 , 34, 3327-3339	2.3	3

71	Human Papillomavirus Infections of the Genital Tract: Clinical Significance and Diagnosis by Polymerase Chain Reaction. <i>Frontiers of Virology</i> , 1992 , 185-207		3
70	A Diagnostic Score (DS) Is a Powerful Tool in Diagnosis of Acute Appendicitis in Elderly Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021 , 41, 1459-1469	2.3	3
69	Methylation profile of colon cancer genes in colorectal precursor lesions and tumor tissue: perspectives for screening. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 920-928	2.4	3
68	Keynotes from the New Editor-in-Chief. <i>Acta Cytologica</i> , 2013 , 57, 543-544	3	2
67	Type I diabetic pregnancy and subclinical human papillomavirus infection. <i>Clinical Infectious Diseases</i> , 1997 , 24, 153-6	11.6	2
66	Clinical and epidemiological correlates of antibody response to human papillomaviruses (HPVs) as measured by a novel ELISA based on denatured recombinant HPV16 late (L) and early (E) antigens. <i>Infectious Agents and Cancer</i> , 2008 , 3, 9	3.5	2
65	Interlaboratory quality control in gynecologic cytopathology using the novel CONQUISTADOR software. Interobserver reproducibility in the Latin American screening study. <i>Acta Cytologica</i> , 2007 , 51, 872-81	3	2
64	Use of antibodies against a synthetic peptide of the E6 protein of human papillomavirus (HPV) type 16 for the diagnosis of genital HPV lesions. <i>Cytopathology</i> , 1993 , 4, 3-15	1.3	2
63	Local immune reaction in syngeneic mice against tumorigenic and nontumorigenic BPV-transformed mouse cell lines. <i>Apmis</i> , 1990 , 98, 909-15	3.4	2
62	Verrucous carcinoma of the anus containing human papillomavirus type 16 DNA detected by in situ hybridisation: a case report. <i>Sexually Transmitted Infections</i> , 1990 , 66, 342-5	2.8	2
61	Transferrin reactivity in oral mucosa adjacent to different dental restorations. <i>Acta Odontologica Scandinavica</i> , 1984 , 42, 321-5	2.2	2
60	A case of malignant myxoma (myxosarcoma) of the maxilla. <i>European Journal of Oral Sciences</i> , 1984 , 92, 352-7	2.3	2
59	Endothelium-associated IgG in the post-capillary venules of the lymphatic tissues in mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1979 , 17, 264-70		2
58	IgG in the walls of the post-capillary venules of mouse lymphatic tissue. <i>Experimentelle Pathologie</i> , 1979 , 17, 40-3		2
57	Morphology of the spleen in women who died of metastatic genital tract cancer. <i>Archives of Gynecology</i> , 1980 , 230, 33-40		2
56	Spleen white pulp architecture in the assessment of immunity in patients with far-advanced pancreatic carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1980 , 15, 609-15	2.4	2
55	Spleen white pulp morphology as an indicator of the immunological state in DBA/2 mice bearing mastocytoma. <i>Experimentelle Pathologie</i> , 1980 , 18, 223-31		2
54	Histologic changes in mouse lymph nodes after treatment with antitheta-globulin. <i>Experimentelle Pathologie</i> , 1977 , 14, 171-9		2

53	The effects of anti-theta-globulin treatment on the morphology of the mouse spleen. <i>Experimentelle Pathologie</i> , 1978 , 15, 38-45		2
52	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer		2
51	Gender-specific Performance of a Diagnostic Score in Acute Appendicitis. <i>In Vivo</i> , 2020 , 34, 3687-3703	2.3	2
50	A Diagnostic Score for Acute Small Bowel Obstruction. <i>Anticancer Research</i> , 2021 , 41, 1959-1970	2.3	2
49	A Diagnostic Score for Reliable Confirmation of Acute Renal Colic Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021 , 41, 3045-3054	2.3	2
48	Oncoprotein Bcl-2 and microsatellite instability are associated with disease-free survival and treatment response in colorectal cancer. <i>Oncology Reports</i> , 2008 , 20, 999-1004	3.5	2
47	Prognostic value of mitotic counts in breast cancer of Saudi Arabian patients. <i>Anticancer Research</i> , 2011 , 31, 97-103	2.3	2
46	Two Landmark Studies Published in 1976/1977 Paved the Way for the Recognition of Human Papillomavirus as the Major Cause of the Global Cancer Burden. <i>Acta Cytologica</i> , 2017 , 61, 316-337	3	1
45	Serological biomarker testing helps avoiding unnecessary endoscopies in obese patients before bariatric surgery. <i>BMC Obesity</i> , 2018 , 5, 9	3.6	1
44	Competing-risks regression models in analysis of biomarkers as predictors of high-risk human papillomavirus (HPV) infection outcomes and incident CIN in the LAMS cohort. <i>International Journal of Gynecological Pathology</i> , 2013 , 32, 406-15	3.2	1
43	Reply: expression of carbonic anhydrase IX suggests poor response to therapy in rectal cancer. <i>British Journal of Cancer</i> , 2009 , 101, 373-373	8.7	1
42	Molecular Techniques 2008 , 1071-1090		1
41	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006 , 16, 183	3.5	1
40	Epstein-Barr virus (EBV) genomes and c-myc oncogene in oral Burkitt's lymphomas. <i>European Journal of Oral Sciences</i> , 1992 , 100, 176-80	2.3	1
39	Coexistent chlamydial infections related to natural history of human papillomavirus lesions in uterine cervix. <i>Sexually Transmitted Infections</i> , 1986 , 62, 345-51	2.8	1
38	Enumeration of T cell subsets with monoclonal antibodies in minor salivary glands of patients with rheumatoid arthritis. <i>European Journal of Oral Sciences</i> , 1984 , 92, 275-81	2.3	1
37	Inflammatory cell infiltrate in labial salivary glands of patients with rheumatoid arthritis with special emphasis on tissue mast cells. <i>European Journal of Oral Sciences</i> , 1984 , 92, 557-63	2.3	1
36	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. I. Morphometric assessment of lymph node immunoreactivity and analysis of circulating antibodies. <i>Experimental Pathology</i> , 1986 , 30, 65-74		1

35	The use of polymerised autologous tumor tissue particles for experimental cancer immunotherapy in rats bearing Shay chloroma. <i>Experimental Pathology</i> , 1981 , 19, 122-9		1
34	Post-capillary venules in the lymphatic tissues of mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1978 , 15, 348-54		1
33	The Automatically Analyzed (AA) ColonView (CV) Quick Test for Fecal Occult Blood Shows Higher Diagnostic Accuracy in Detection of Colorectal Adenoma than Visually Analyzed Tests. <i>Anticancer Research</i> , 2021 , 41, 5517-5525	2.3	1
32	Slow-release L-Cysteine (Acetium [®]) Lozenge Is an Effective New Method in Smoking Cessation. A Randomized, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2017 , 37, 3639-3648	2.3	1
31	HLA-G polymorphism impacts the outcome of oral HPV infections in women. <i>BMC Infectious Diseases</i> , 2021 , 21, 419	4	1
30	Patients with hMLH1 or/and hMSH2-deficient Metastatic Colorectal Cancer Are Associated with Reduced Levels of Vascular Endothelial Growth Factor-1 Expression and Higher Response Rate to Irinotecan-based Regimen. <i>Anticancer Research</i> , 2018 , 38, 6399-6404	2.3	1
29	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China 1999 , 81, 225		1
28	Nuclear area is a prognostic determinant in advanced colorectal cancer. <i>Anticancer Research</i> , 2005 , 25, 3083-8	2.3	1
27	Nuclear morphometry in prognostication of breast cancer in Saudi Arabian patients: comparison with European and African breast cancer. <i>Anticancer Research</i> , 2010 , 30, 2185-91	2.3	1
26	The history of papillomavirus research. <i>Central European Journal of Public Health</i> , 2008 , 16 Suppl, S7-13	1.2	1
25	Correlation of Insulin-like Growth Factor 1 Receptor Expression With Different Molecular Subtypes of Breast Cancer in the UAE. <i>Anticancer Research</i> , 2020 , 40, 1555-1561	2.3	0
24	Maternal HPV-antibodies and seroconversion to HPV in children during the first 3 years of life.. <i>Scientific Reports</i> , 2022 , 12, 2227	4.9	0
23	Serological Biomarker Panel in Diagnosis of Atrophic Gastritis and Infection in Gastroscopy Referral Patients: Clinical Validation of the New-Generation GastroPanel Test. <i>Anticancer Research</i> , 2021 , 41, 5527-5537	2.3	0
22	Immunohistochemical Assessment of TNFAIP3/A20 Expression Correlates With Early Tumorigenesis in Breast Cancer. <i>Anticancer Research</i> , 2021 , 41, 739-745	2.3	0
21	Non-invasive Screening of Autoimmune Atrophic Gastritis in Asymptomatic Subjects by Serological Biomarker Test (GastroPanel).. <i>Anticancer Research</i> , 2022 , 42, 1517-1526	2.3	0
20	Accuracy of Serum Biomarker Panel (GastroPanel) in the Diagnosis of Atrophic Gastritis of the Corpus. Systematic Review and Meta-analysis.. <i>Anticancer Research</i> , 2022 , 42, 1679-1696	2.3	0
19	Reply to Kathleen D'Hauwers, Gunter De Win and Wiebren Tjalma's letter to the editor re: Katja Kero, Jaana Rautava, Kari Syrj�en, Seija Grenman, Stina Syrj�en. Oral mucosa as a reservoir of human papillomavirus: point prevalence, genotype distribution, and incident infections among males in a 7-year prospective study. <i>Eur Urol</i> 2012;62:1063-70. <i>European Urology</i> , 2013 , 64, e8-9	10.2	
18	Papillomavirus from the bench to the clinics. <i>Journal of Oncology</i> , 2012 , 2012, 437438	4.5	

- 17 Prognostic factors in gastric carcinoma. *British Journal of Cancer*, **1997**, 76, 279-279 8.7
- 16 Speculoscopy for Triage of Patients with an Abnormal Pap Smear: Data from the GISPE Study. *Journal of Lower Genital Tract Disease*, **2000**, 4, 212-6 3.6
- 15 Nasal cytology of patients with hypertrophic inferior conchae in panoramic radiographs. *Dentomaxillofacial Radiology*, **1984**, 13, 129-33 3.9
- 14 Localization of transferrin in the labial salivary glands of patients with rheumatoid arthritis. *Clinical Rheumatology*, **1984**, 3, 345-50 3.9
- 13 Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. II. Morphometric assessment of immunoreactivity in the thymus and spleen related to lymphocyte subsets in peripheral blood. *Experimental Pathology*, **1986**, 30, 75-82
- 12 Experimental cancer immunotherapy in DBA/2 mouse-mastocytoma model utilizing autologous tumor tissue polymerised with ethylchloroformiate. *Experimentelle Pathologie*, **1980**, 18, 346-52
- 11 Tumor-host cell interactions in rats bearing Shay chloroma--ultrastructural observations in animals receiving specific and nonspecific cancer immunotherapy. *Experimental Pathology*, **1981**, 20, 135-45
- 10 The influence of anti-theta-globulin treatment on the growth of mastocytoma in mice. *Experimentelle Pathologie*, **1977**, 14, 208-14
- 9 Thymic morphology in mice following treatment with anti-theta- and anti-thymus-globulins. *Experimentelle Pathologie*, **1978**, 15, 169-77
- 8 History-taking, Clinical Signs, Tests and Scores for Detection of Non-organic Dyspepsia (NOD) Among Patients With Acute Abdominal Pain (AAP).. *Cancer Diagnosis & Prognosis*, **2021**, 1, 265-274
- 7 Amyloid-Protein Immunoreactivity in Skin is Not a Reliable Marker of Alzheimer Disease: An Autopsy Controlled Study. *Advances in Behavioral Biology*, **1995**, 157-163
- 6 Dynamics of genital human papillomavirus (HPV) infections among males eventually being uncovered. *Asian Journal of Andrology*, **2011**, 13, 361-2 2.8
- 5 A Diagnostic Score (DS) in the Difficult Diagnosis of Non-specific Abdominal Pain (NSAP). *In Vivo*, **2021**, 35, 2729-2738 2.3
- 4 The New Generation Immunochemical Test for Fecal Occult Blood (ColonView Quick Test) Shows a High Diagnostic Accuracy in Colorectal Cancer Detection. *Anticancer Research*, **2021**, 41, 5071-5079 2.3
- 3 Elimination of Cigarette Smoke-derived Acetaldehyde in Saliva by Slow-release L-Cysteine Lozenge Is a Potential New Method to Assist Smoking Cessation. A Randomised, Double-blind, Placebo-controlled Intervention. *Anticancer Research*, **2016**, 36, 2297-306 2.3
- 2 The ColonView (CV) Quick Test for Fecal Occult Blood Shows Significantly Higher Diagnostic Accuracy in Detecting Distal than Proximal Colorectal Cancer.. *Anticancer Research*, **2022**, 42, 1879-1891 2.3
- 1 Outcomes of HPV type-specific serostatus do not associate with oral or genital HPV-carriage in non-vaccinated women followed for three years.. *BMC Womens Health*, **2022**, 22, 141 2.9