Kari Syrjnen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1043637/kari-syrjanen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

448
papers
10,997
citations
55
h-index

461
ext. papers
11,814
ext. citations
3.7
avg, IF

55
g-index

5-91
L-index

#	Paper	IF	Citations
448	Maternal HPV-antibodies and seroconversion to HPV in children during the first 3lyears of life <i>Scientific Reports</i> , 2022 , 12, 2227	4.9	O
447	Non-invasive Screening of Autoimmune Atrophic Gastritis in Asymptomatic Subjects by Serological Biomarker Test (GastroPanel) <i>Anticancer Research</i> , 2022 , 42, 1517-1526	2.3	0
446	Accuracy of Serum Biomarker Panel (GastroPanel) in the Diagnosis of Atrophic Gastritis of the Corpus. Systematic Review and Meta-analysis <i>Anticancer Research</i> , 2022 , 42, 1679-1696	2.3	O
445	The ColonView (CV) Quick Test for Fecal Occult Blood Shows Significantly Higher Diagnostic Accuracy in Detecting Distal than Proximal Colorectal Cancer <i>Anticancer Research</i> , 2022 , 42, 1879-189	1 ^{2.3}	
444	Outcomes of HPV type-specific serostatus do not associate with oral or genital HPV-carriage in non-vaccinated women followed for three years <i>BMC Womenks Health</i> , 2022 , 22, 141	2.9	
443	History-taking, Clinical Signs, Tests and Scores for Detection of Non-organic Dyspepsia (NOD) Among Patients With Acute Abdominal Pain (AAP) <i>Cancer Diagnosis & Prognosis</i> , 2021 , 1, 265-274		
442	Serological Biomarker Panel in Diagnosis of Atrophic Gastritis and Infection in Gastroscopy Referral Patients: Clinical Validation of the New-Generation GastroPanel Test. <i>Anticancer Research</i> , 2021 , 41, 55	2 7 -353	37 ⁰
441	The Automatically Analyzed (AA) ColonView (CV) Quick Test for Fecal Occult Blood Shows Higher Diagnostic Accuracy in Detection of Colorectal Adenoma than Visually Analyzed Tests. <i>Anticancer Research</i> , 2021 , 41, 5517-5525	2.3	1
440	A Diagnostic Score (DS) Is a Powerful Tool in Diagnosis of Acute Appendicitis in Elderly Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021 , 41, 1459-1469	2.3	3
439	Oral Human Papillomavirus Infection in Children during the First 6 Years of Life, Finland. <i>Emerging Infectious Diseases</i> , 2021 , 27, 759-766	10.2	6
438	A Diagnostic Score for Acute Small Bowel Obstruction. <i>Anticancer Research</i> , 2021 , 41, 1959-1970	2.3	2
437	HLA-G polymorphism impacts the outcome of oral HPV infections in women. <i>BMC Infectious Diseases</i> , 2021 , 21, 419	4	1
436	A Diagnostic Score for Reliable Confirmation of Acute Renal Colic Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021 , 41, 3045-3054	2.3	2
435	Methylation profile of colon cancer genes in colorectal precursor lesions and tumor tissue: perspectives for screening. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 920-928	2.4	3
434	A Diagnostic Score (DS) in the Difficult Diagnosis of Non-specific Abdominal Pain (NSAP). <i>In Vivo</i> , 2021 , 35, 2729-2738	2.3	
433	Interferon-land IL-5 associated cell-mediated immune responses to HPV16 E2 and E6 distinguish between persistent oral HPV16 infections and noninfected mucosa. <i>Clinical and Experimental Dental Research</i> , 2021 , 7, 903-913	1.9	4
432	Serological Biomarker Test (GastroPanel) in the Diagnosis of Functional Gastric Disorders, and Atrophic Gastritis in Patients Examined for Dyspeptic Symptoms. <i>Anticancer Research</i> , 2021 , 41, 811-81	9 ^{2.3}	5

431	HPV-Associated Benign Squamous Cell Papillomas in the Upper Aero-Digestive Tract and Their Malignant Potential. <i>Viruses</i> , 2021 , 13,	6.2	6
430	The New Generation Immunochemical Test for Fecal Occult Blood (ColonView Quick Test) Shows a High Diagnostic Accuracy in Colorectal Cancer Detection. <i>Anticancer Research</i> , 2021 , 41, 5071-5079	2.3	
429	Immunohistochemical Assessment of TNFAIP3/A20 Expression Correlates With Early Tumorigenesis in Breast Cancer. <i>Anticancer Research</i> , 2021 , 41, 739-745	2.3	0
428	Pediatric Acute Appendicitis Score in Children With Acute Abdominal Pain (AAP). <i>Anticancer Research</i> , 2021 , 41, 297-306	2.3	4
427	Correlation of Insulin-like Growth Factor 1 Receptor Expression With Different Molecular Subtypes of Breast Cancer in the UAE. <i>Anticancer Research</i> , 2020 , 40, 1555-1561	2.3	0
426	Fecal Occult Blood Tests in Colorectal Cancer Screening: Systematic Review and Meta-analysis of Traditional and New-generation Fecal Immunochemical Tests. <i>Anticancer Research</i> , 2020 , 40, 3591-3604	2.3	11
425	Colorectal Cancer Screening With Traditional and New-generation Fecal Immunochemical Tests: A Critical Review of Fecal Occult Blood Tests. <i>Anticancer Research</i> , 2020 , 40, 575-581	2.3	7
424	Gender-specific Performance of a Diagnostic Score in Acute Appendicitis. <i>In Vivo</i> , 2020 , 34, 3687-3703	2.3	2
423	Performance of a Diagnostic Score in Confirming Acute Cholecystitis Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2020 , 40, 6947-6956	2.3	3
422	Leucocyte Count Does Not Improve the Diagnostic Performance of a Diagnostic Score (DS) in Distinguishing Acute Appendicitis (AA) from Nonspecific Abdominal Pain (NSAP). <i>In Vivo</i> , 2020 , 34, 3327	- 3 : 3 39	3
421	(Hp) IgG ELISA of the New-Generation GastroPanel Is Highly Accurate in Diagnosis of Hp-Infection in Gastroscopy Referral Patients. <i>Anticancer Research</i> , 2020 , 40, 6387-6398	2.3	4
420	Impact of Brush Cytology Analysis for the Diagnosis of Esophageal Squamous Cell Carcinoma: The Quality of Liquid-Based Preparation of Cytological Slides. <i>Acta Cytologica</i> , 2019 , 63, 240-246	3	4
419	HPV in Head and Neck Carcinomas: Different HPV Profiles in Oropharyngeal Carcinomas - Why?. <i>Acta Cytologica</i> , 2019 , 63, 124-142	3	15
418	GastroPanel Biomarker Assay: The Most Comprehensive Test for Infection and Its Clinical Sequelae. A Critical Review. <i>Anticancer Research</i> , 2019 , 39, 1091-1104	2.3	12
417	Cytoplasmic E-Cadherin Expression Is Associated With Higher Tumour Level of VEGFA, Lower Response Rate to Irinotecan-based Treatment and Poorer Prognosis in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2019 , 39, 1953-1957	2.3	8
416	Comparison of a New-generation Fecal Immunochemical Test (FIT) With Guaiac Fecal Occult Blood Test (gFOBT) in Detecting Colorectal Neoplasia Among Colonoscopy-referral Patients. <i>Anticancer Research</i> , 2019 , 39, 261-269	2.3	6
415	Protein phosphatase 2A (PP2A) inhibitor CIP2A indicates resistance to radiotherapy in rectal cancer. <i>Cancer Medicine</i> , 2018 , 7, 698-706	4.8	11
414	HLA-G and vertical mother-to-child transmission of human papillomavirus infection. <i>Human Immunology</i> , 2018 , 79, 471-476	2.3	13

413	Serological biomarker testing helps avoiding unnecessary endoscopies in obese patients before bariatric surgery. <i>BMC Obesity</i> , 2018 , 5, 9	3.6	1
412	Patients with hMLH1 or/and hMSH2-deficient Metastatic Colorectal Cancer Are Associated with Reduced Levels of Vascular Endothelial Growth Factor-1 Expression and Higher Response Rate to Irinotecan-based Regimen. <i>Anticancer Research</i> , 2018 , 38, 6399-6404	2.3	1
411	Polyomaviruses detectable in head and neck carcinomas. <i>Oncotarget</i> , 2018 , 9, 22642-22652	3.3	9
410	The effect of vascular endothelial growth factor-1 expression on survival of advanced colorectal cancer patients. <i>Libyan Journal of Medicine</i> , 2017 , 12, 1290741	1.4	23
409	Slow-release L-cysteine capsule prevents gastric mucosa exposure to carcinogenic acetaldehyde: results of a randomised single-blinded, cross-over study of Helicobacter-associated atrophic gastritis. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 230-237	2.4	5
408	Two Landmark Studies Published in 1976/1977 Paved the Way for the Recognition of Human Papillomavirus as the Major Cause of the Global Cancer Burden. <i>Acta Cytologica</i> , 2017 , 61, 316-337	3	1
407	Breast Milk Is a Potential Vehicle for Human Papillomavirus Transmission to Oral Mucosa of the Spouse. <i>Pediatric Infectious Disease Journal</i> , 2017 , 36, 627-630	3.4	10
406	HPV in Head and Neck Cancer-30 Years of History. <i>Recent Results in Cancer Research</i> , 2017 , 206, 3-25	1.5	23
405	Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. <i>Oncotarget</i> , 2017 , 8, 27328-27338	3.3	21
404	Physical state and copy numbers of HPV16 in oral asymptomatic infections that persisted or cleared during the 6-year follow-up. <i>Journal of General Virology</i> , 2017 , 98, 681-689	4.9	12
403	Slow-release L-Cysteine (Acetium[]) Lozenge Is an Effective New Method in Smoking Cessation. A Randomized, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2017 , 37, 3639-3648	2.3	1
402	Detection of human papillomavirus in laryngeal squamous cell carcinoma: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2016 , 126, 885-93	3.6	51
401	Associations of Body Mass Index and Physical Activity With Sexual Dysfunction in Breast Cancer Survivors. <i>Archives of Sexual Behavior</i> , 2016 , 45, 2057-2068	3.5	11
400	A Panel of Serum Biomarkers (GastroPanel) in Non-invasive Diagnosis of Atrophic Gastritis. Systematic Review and Meta-analysis. <i>Anticancer Research</i> , 2016 , 36, 5133-5144	2.3	37
399	Neurofibromin Expression is Associated with Aggressive Disease and Poor Outcome in Colorectal Carcinoma. <i>Anticancer Research</i> , 2016 , 36, 5301-5306	2.3	3
398	Retrospective analysis of breast cancer prognosis among young and older women in a Brazilian cohort of 738 patients, 1985-2002. <i>Oncology Letters</i> , 2016 , 12, 4911-4924	2.6	8
397	Genotype-specific concordance of oral and genital human papillomavirus infections among marital couples is low. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016 , 35, 697-704	5.3	4
396	Stomach-specific Biomarkers (GastroPanel) Can Predict the Development of Gastric Cancer in a Caucasian Population: A Longitudinal Nested Case-Control Study in Siberia. <i>Anticancer Research</i> , 2016 , 36, 247-53	2.3	13

(2013-2016)

395	Is a Potential New Method to Assist Smoking Cessation. A Randomised, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2016 , 36, 2297-306	2.3		
394	Prevalence of H. pylori Infection and Atrophic Gastritis in a Population-based Screening with Serum Biomarker Panel (GastroPanel) in St. Petersburg. <i>Anticancer Research</i> , 2016 , 36, 4129-38	2.3	14	
393	Oral human papillomavirus infection in men might contribute to HPV serology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 237-45	5.3	6	
392	Benefit of adjuvant interferon alfa-2b (IFN-I)therapy in melanoma patients with high serum MMP-8 levels. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 173-80	7.4	8	
391	Protein phosphatase methylesterase-1 (PME-1) expression predicts a favorable clinical outcome in colorectal cancer. <i>Cancer Medicine</i> , 2015 , 4, 1798-808	4.8	12	
390	Human papillomavirus 16-specific cell-mediated immunity in children born to mothers with incident cervical intraepithelial neoplasia (CIN) and to those constantly HPV negative. <i>Journal of Translational Medicine</i> , 2015 , 13, 370	8.5	13	
389	Cell mediated immunity against HPV16 E2, E6 and E7 peptides in women with incident CIN and in constantly HPV-negative women followed-up for 10-years. <i>Journal of Translational Medicine</i> , 2015 , 13, 163	8.5	11	
388	A New-Generation Fecal Immunochemical Test (FIT) Is Superior to Quaiac-based Test in Detecting Colorectal Neoplasia Among Colonoscopy Referral Patients. <i>Anticancer Research</i> , 2015 , 35, 2873-80	2.3	7	
387	HPV-associated lung cancers: an international pooled analysis. <i>Carcinogenesis</i> , 2014 , 35, 1267-75	4.6	49	
386	Digital photography in skin cancer screening by mobile units in remote areas of Brazil. <i>BMC Dermatology</i> , 2014 , 14, 19	2.1	16	
385	The clearance of oral high-risk human papillomavirus infection is impaired by long-term persistence of cervical human papillomavirus infection. <i>Clinical Microbiology and Infection</i> , 2014 , 20, 1167-72	9.5	9	
384	Smoking increases oral HPV persistence among men: 7-year follow-up study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 123-33	5.3	58	
383	Implementation of a clinical quality control program in a mammography screening service of Brazil. <i>Anticancer Research</i> , 2014 , 34, 5057-65	2.3	4	
382	Loss of MUC2 expression predicts disease recurrence and poor outcome in colorectal carcinoma. <i>Tumor Biology</i> , 2013 , 34, 621-8	2.9	21	
381	Reply to Kathleen D'Hauwers, Gunter De Win and Wiebren Tjalma's letter to the editor re: Katja Kero, Jaana Rautava, Kari Syrjfien, Seija Grenman, Stina Syrjfien. Oral mucosa as a reservoir of human papillomavirus: point prevalence, genotype distribution, and incident infections among	10.2		
380	Geographic origin is a significant determinant of human papillomavirus prevalence in oesophageal squamous cell carcinoma: systematic review and meta-analysis. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 1-18		43	
379	Detection of human papillomavirus in sinonasal carcinoma: systematic review and meta-analysis. <i>Human Pathology</i> , 2013 , 44, 983-91	3.7	64	
378	Detection of human papillomavirus in esophageal papillomas: systematic review and meta-analysis. <i>Apmis</i> , 2013 , 121, 363-74	3.4	13	

377	Detection of human papillomavirus in sinonasal papillomas: systematic review and meta-analysis. Laryngoscope, 2013 , 123, 181-92	3.6	87
376	Competing-risks regression models in analysis of biomarkers as predictors of high-risk human papillomavirus (HPV) infection outcomes and incident CIN in the LAMS cohort. <i>International Journal of Gynecological Pathology</i> , 2013 , 32, 406-15	3.2	1
375	Opioids in pain management of mesothelioma and lung cancer patients. <i>Acta Oncolgica</i> , 2013 , 52, 30-7	3.2	14
374	Solitary bronchial squamous cell papilloma - another human papillomavirus (HPV)-associated benign tumor: systematic review and meta-analysis. <i>Wspolczesna Onkologia</i> , 2013 , 17, 427-34	1	3
373	Keynotes from the New Editor-in-Chief. <i>Acta Cytologica</i> , 2013 , 57, 543-544	3	2
372	Genotype-specific incidence and clearance of human papillomavirus in oral mucosa of women: a six-year follow-up study. <i>PLoS ONE</i> , 2013 , 8, e53413	3.7	37
371	The impact of breast cancer screening among younger women in the Barretos Region, Brazil. <i>Anticancer Research</i> , 2013 , 33, 2651-5	2.3	6
370	High cyclooxygenase-2 expression is associated with advanced stages in colorectal cancer. <i>Anticancer Research</i> , 2013 , 33, 3137-43	2.3	37
369	Prevalence of H. pylori infection and atrophic gastritis among symptomatic and dyspeptic adults in Kazakhstan. A hospital-based screening study using a panel of serum biomarkers. <i>Anticancer Research</i> , 2013 , 33, 4595-602	2.3	24
368	Loss of E-cadherin expression predicts disease recurrence and shorter survival in colorectal carcinoma. <i>Apmis</i> , 2012 , 120, 539-48	3.4	29
367	Human papillomavirus genotypes present in the oral mucosa of newborns and their concordance with maternal cervical human papillomavirus genotypes. <i>Journal of Pediatrics</i> , 2012 , 160, 837-43	3.6	66
366	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: an analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012 , 124, 490-5	4.9	36
365	Risk assessment and clinical impact of liquid-based cytology, oncogenic human papillomavirus (HPV) DNA and mRNA testing in primary cervical cancer screening (the FASE study). <i>Gynecologic Oncology</i> , 2012 , 125, 175-80	4.9	37
364	Oral mucosa as a reservoir of human papillomavirus: point prevalence, genotype distribution, and incident infections among males in a 7-year prospective study. <i>European Urology</i> , 2012 , 62, 1063-70	10.2	55
363	High-risk human papillomavirus associated with incident cervical intraepithelial neoplasia developing in mothers in the Finnish Family HPV Study cohort. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 115-25		8
362	Prevalence of type-specific human papillomavirus infection among women in France: Implications for screening, vaccination, and a future generation of multivalent HPV vaccines. <i>Vaccine</i> , 2012 , 30, 5215	5-27	25
361	HPV genotypes and their prognostic significance in head and neck squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2012 , 53, 116-20	14.5	38
360	Prevalence, genotype distribution and persistence of human papillomavirus in oral mucosa of women: a six-year follow-up study. <i>PLoS ONE</i> , 2012 , 7, e42171	3.7	51

359	Papillomavirus from the bench to the clinics. <i>Journal of Oncology</i> , 2012 , 2012, 437438	4.5	
358	Expression of cell cycle regulators p21 and p27 as predictors of disease outcome in colorectal carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012 , 43, 279-87	1.6	15
357	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 460, 577-85	5.1	33
356	Previous pregnancy is a favourable prognostic factor in women with localised cutaneous melanoma. <i>Acta Oncolgica</i> , 2012 , 51, 662-8	3.2	9
355	Over-expression of HER-2 is associated with the stage in carcinomas of the urinary bladder. <i>Libyan Journal of Medicine</i> , 2012 , 7,	1.4	8
354	Cyclooxygenase-2 expression as a predictor of outcome in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1793-9	5.6	23
353	Lack of CD44 variant 6 expression in rectal cancer invasive front associates with early recurrence. World Journal of Gastroenterology, 2012 , 18, 4549-56	5.6	19
352	Detection of human papillomavirus in lung cancer: systematic review and meta-analysis. <i>Anticancer Research</i> , 2012 , 32, 3235-50	2.3	48
351	Main effects and interactions of carbonic anhydrase IX, hypoxia-inducible factor-1 pezrin and glucose transporter-1 in multivariate analysis for disease outcome in rectal cancer. <i>Anticancer Research</i> , 2012 , 32, 3299-303	2.3	5
350	Estrogen receptor, progesterone receptor, and nuclear size features in female breast cancer in Libya: correlation with clinical features and survival. <i>Anticancer Research</i> , 2012 , 32, 3485-93	2.3	7
349	Hormonal contraceptives and the length of their use are not independent risk factors for high-risk HPV infections or high-grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 71, 93-103	2.5	20
348	Preoperative radiotherapy modulates ezrin expression and its value as a predictive marker in patients with rectal cancer. <i>Human Pathology</i> , 2011 , 42, 384-92	3.7	13
347	Circulating levels of VEGFR-1 and VEGFR-2 in patients with metastatic melanoma treated with chemoimmunotherapy alone or combined with bevacizumab. <i>Melanoma Research</i> , 2011 , 21, 431-7	3.3	4
346	Human papillomavirus and predictors of cervical intraepithelial neoplasia among young mothers in a prospective follow-up study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011 , 90, 167-73	3.8	4
345	Human papillomavirus genotypes in male genitalia and their concordance among pregnant spouses participating in the Finnish Family HPV study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2522-31	1.1	26
344	Evaluation of oncogenic human papillomavirus RNA and DNA tests with liquid-based cytology in primary cervical cancer screening: the FASE study. <i>International Journal of Cancer</i> , 2011 , 129, 691-701	7.5	98
343	Securin identifies a subgroup of patients with poor outcome in rectal cancer treated with long-course (chemo)radiotherapy. <i>Acta Oncolgica</i> , 2011 , 50, 1158-66	3.2	4
342	Lack of type-specific concordance between human papillomavirus (HPV) serology and HPV DNA detection in the uterine cervix and oral mucosa. <i>Journal of General Virology</i> , 2011 , 92, 2034-2046	4.9	30

341	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American	1.4	4
340	Screening studies. International Journal of STD and AIDS, 2011, 22, 315-23 Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. International Journal of STD and AIDS, 2011, 22, 263-72	1.4	7
339	Angiogenesis in urinary bladder carcinoma as defined by microvessel density (MVD) after immunohistochemical staining for Factor VIII and CD31. <i>Libyan Journal of Medicine</i> , 2011 , 6,	1.4	15
338	Dynamics of genital human papillomavirus (HPV) infections among males eventually being uncovered. <i>Asian Journal of Andrology</i> , 2011 , 13, 361-2	2.8	
337	Prognostic value of mitotic counts in breast cancer of Saudi Arabian patients. <i>Anticancer Research</i> , 2011 , 31, 97-103	2.3	2
336	RASSF1A methylation is predictive of poor prognosis in female breast cancer in a background of overall low methylation frequency. <i>Anticancer Research</i> , 2011 , 31, 2975-81	2.3	25
335	Carbonic anhydrase IX, hypoxia-inducible factor-1 pezrin and glucose transporter-1 as predictors of disease outcome in rectal cancer: multivariate Cox survival models following data reduction by principal component analysis of the clinicopathological predictors. <i>Anticancer Research</i> , 2011 , 31, 4529-	2.3 35	16
334	Cervical cancer screening in Mediterranean countries: implications for the future. <i>Cytopathology</i> , 2010 , 21, 359-67	1.3	12
333	Up-regulation of lipocalin 2 is associated with high-risk human papillomavirus and grade of cervical lesion at baseline but does not predict outcomes of infections or incident cervical intraepithelial neoplasia. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 50-9	1.9	9
332	Up-regulation of 14-3-3sigma (Stratifin) is associated with high-grade CIN and high-risk human papillomavirus (HPV) at baseline but does not predict outcomes of HR-HPV infections or incident CIN in the LAMS study. <i>American Journal of Clinical Pathology</i> , 2010 , 133, 232-40	1.9	4
331	Genotype-specific clearance of genital human papillomavirus (HPV) infections among mothers in the Finnish family HPV study. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2665-71	9.7	24
330	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010 , 17, 195-203	1.4	9
329	Molecular markers implicating early malignant events in cervical carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2003-12	4	17
328	Natural seroconversion to high-risk human papillomaviruses (hrHPVs) is not protective against related HPV genotypes. <i>Scandinavian Journal of Infectious Diseases</i> , 2010 , 42, 379-84		19
327	Preoperative radiotherapy downregulates the nuclear expression of hypoxia-inducible factor-1alpha in rectal cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 340-8	2.4	7
326	Prophylactic HPV vaccines: the Finnish perspective. <i>Expert Review of Vaccines</i> , 2010 , 9, 45-57	5.2	11
325	MMP-9 (gelatinase B) expression is associated with disease-free survival and disease-specific survival in colorectal cancer patients. <i>Cancer Investigation</i> , 2010 , 28, 38-43	2.1	60
324	p300 expression is related to high-risk human papillomavirus infections and severity of cervical intraepithelial neoplasia but not to viral or disease outcomes in a longitudinal setting. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 135-45	3.2	6

323	The expression and distribution of group IIA phospholipase A2 in human colorectal tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010 , 457, 659-67	7 ^{5.1}	11
322	Nuclear morphometry in prognostication of breast cancer in Saudi Arabian patients: comparison with European and African breast cancer. <i>Anticancer Research</i> , 2010 , 30, 2185-91	2.3	1
321	Reproducibility of classification and correction for verification bias as determinants of performance of Papanicolaou smear cytology in the screening setting: experience from the New Independent States of the former Soviet Union cohort study. <i>Acta Cytologica</i> , 2009 , 53, 548-57	3	3
320	Dynamics of human papillomavirus serology in women followed up for 36 months after pregnancy. Journal of General Virology, 2009 , 90, 1515-1526	4.9	53
319	Reply: expression of carbonic anhydrase IX suggests poor response to therapy in rectal cancer. <i>British Journal of Cancer</i> , 2009 , 101, 373-373	8.7	1
318	PLA2 (group IIA phospholipase A2) as a prognostic determinant in stage II colorectal carcinoma. <i>Annals of Oncology</i> , 2009 , 20, 1230-5	10.3	27
317	Effect of second pregnancy on maternal carriage and outcome of high-risk human papillomavirus (HPV). Experience from the prospective finnish family HPV study. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 67, 208-16	2.5	12
316	Up-regulation of plasminogen activator inhibitor-2 is associated with high-risk HPV and grade of cervical lesion at baseline but does not predict outcomes of high-risk HPV infections or incident CIN. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 883-92	1.9	4
315	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und</i>	5.1	23
314	Tobacco smoking and chewing as risk factors for multiple human papillomavirus infections and cervical squamous intraepithelial lesions in two countries (CEe d'Ivoire and Finland) with different tobacco exposure. Cancer Causes and Control, 2009 , 20, 163-70	2.8	20
313	Prognostic significance of matrix metalloproteinase-9 (MMP-9) in stage II colorectal carcinoma. Journal of Gastrointestinal Cancer, 2009 , 40, 91-7	1.6	28
312	Expression of carbonic anhydrase IX suggests poor outcome in rectal cancer. <i>British Journal of Cancer</i> , 2009 , 100, 874-80	8.7	86
311	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009 , 88, 514-20	3.8	11
310	Outcome of conservatively treated microinvasive squamous cell carcinoma of the uterine cervix during a 10-year follow-up. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 33-8	3.5	24
309	Increased risk of oncogenic human papillomavirus infections and incident high-grade cervical intraepithelial neoplasia among smokers: experience from the Latin American screening study. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 241-8	2.4	22
308	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009 , 127, 122-7	1.6	5
307	Persistent high-risk human papillomavirus infections and other end-point markers of progressive cervical disease among women prospectively followed up in the New Independent States of the Former Soviet Union and the Latin American Screening study cohorts. <i>International Journal of</i>	3.5	17
306	Gynecological Cancer, 2009, 19, 934-42 Discrepancies in expression and prognostic value of tumor markers in adenocarcinoma and squamous cell carcinoma in cervical cancer. Anticancer Research, 2009, 29, 2577-8	2.3	11

305	Up-regulation of VEGF, c-fms and COX-2 expression correlates with severity of cervical cancer precursor (CIN) lesions and invasive disease. <i>Gynecologic Oncology</i> , 2008 , 110, 445-51	4.9	42
304	Clinical and epidemiological correlates of antibody response to human papillomaviruses (HPVs) as measured by a novel ELISA based on denatured recombinant HPV16 late (L) and early (E) antigens. <i>Infectious Agents and Cancer</i> , 2008 , 3, 9	3.5	2
303	Intense cytoplasmic ezrin immunoreactivity predicts poor survival in colorectal cancer. <i>Human Pathology</i> , 2008 , 39, 1737-43	3.7	77
302	Co-expression of HSV2 and Chlamydia trachomatis in HPV-positive cervical cancer and cervical intraepithelial neoplasia lesions is associated with aberrations in key intracellular pathways. <i>Intervirology</i> , 2008 , 51, 230-4	2.5	41
301	Smoking impairs human papillomavirus (HPV) type 16 and 18 capsids antibody response following natural HPV infection. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 745-51		46
300	Linear array genotyping and hybrid capture II assay in detecting human papillomavirus genotypes in women referred for colposcopy due to abnormal Papanicolaou smear. <i>International Journal of STD and AIDS</i> , 2008 , 19, 385-92	1.4	12
299	Age at menarche is not an independent risk factor for high-risk human papillomavirus infections and cervical intraepithelial neoplasia. <i>International Journal of STD and AIDS</i> , 2008 , 19, 16-25	1.4	6
298	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008 , 19, 251-8	1.4	9
297	Thymidylate synthase and microsatellite instability in colorectal cancer: implications for disease free survival, treatment response and survival with metastases. <i>Acta Oncolgica</i> , 2008 , 47, 1046-53	3.2	10
296	Value of conventional pap smear, liquid-based cytology, visual inspection and human papillomavirus testing as optional screening tools among latin american women or =35 years of age: experience from the Latin American Screening Study. <i>Acta Cytologica</i> , 2008 , 52, 641-53	3	14
295	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008 , 15, 97-104	1.4	6
294	Predicting high-risk human papillomavirus infection, progression of cervical intraepithelial neoplasia, and prognosis of cervical cancer with a panel of 13 biomarkers tested in multivariate modeling. <i>International Journal of Gynecological Pathology</i> , 2008 , 27, 265-73	3.2	18
293	Serum matrix metalloproteinase-8 is associated with ulceration and vascular invasion of malignant melanoma. <i>Melanoma Research</i> , 2008 , 18, 268-73	3.3	26
292	Detection of human papillomavirus genotypes among high-risk women: a comparison of hybrid capture and linear array tests. <i>Sexually Transmitted Diseases</i> , 2008 , 35, 521-7	2.4	19
291	Molecular Techniques 2008, 1071-1090		1
290	Needs of developing the skills of palliative care at the oncology ward: an audit of symptoms among 203 consecutive cancer patients in Finland. <i>Supportive Care in Cancer</i> , 2008 , 16, 3-8	3.9	25
289	Human papillomavirus in the placenta and umbilical cord blood. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 1181-8	3.8	77
288	Nuclear beta-catenin expression as a prognostic factor in advanced colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2008 , 14, 3866-71	5.6	45

287	Up-regulation of alpha-catenin is associated with increased lymph node involvement in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4903-8	5.6	6
286	Bcl-2 expression significantly correlates with thymidylate synthase expression in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2008 , 14, 6218-23	5.6	3
285	Detection of oncogenic DNA viruses in colorectal cancer. <i>Anticancer Research</i> , 2008 , 28, 1405-10	2.3	43
284	Oncoprotein Bcl-2 and microsatellite instability are associated with disease-free survival and treatment response in colorectal cancer. <i>Oncology Reports</i> , 2008 , 20, 999-1004	3.5	2
283	VEGF-1 expression in colorectal cancer is associated with disease localization, stage, and long-term disease-specific survival. <i>Anticancer Research</i> , 2008 , 28, 3865-70	2.3	63
282	The history of papillomavirus research. <i>Central European Journal of Public Health</i> , 2008 , 16 Suppl, S7-13	1.2	1
281	Detection of oncogenic viruses SV40, BKV, JCV, HCMV, HPV and p53 codon 72 polymorphism in lung carcinoma. <i>Lung Cancer</i> , 2007 , 57, 273-81	5.9	59
280	Interlaboratory quality control in gynecologic cytopathology using the novel CONQUISTADOR software. Interobserver reproducibility in the Latin American screening study. <i>Acta Cytologica</i> , 2007 , 51, 872-81	3	2
279	Prevalence of the most common high-risk HPV genotypes among women in three new independent states of the former Soviet Union. <i>Journal of Medical Virology</i> , 2007 , 79, 771-81	19.7	26
278	Macrophages, inflammation and risk of cervical intraepithelial neoplasia (CIN) progressionclinicopathological correlation. <i>Gynecologic Oncology</i> , 2007 , 105, 157-65	4.9	101
277	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6	4.9	43
277 276		4.9	43
	treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6 Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not		
276	treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6 Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007 , 22, 723-35 Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical</i>	12.1	46
276 275	treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6 Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007 , 22, 723-35 Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007 , 24, 567-74 MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian</i>	12.1 4·7	46 17
276 275 274	treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6 Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007 , 22, 723-35 Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007 , 24, 567-74 MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1473-8 Thymidylate synthase expression in primary colorectal tumours is correlated with its expression in	12.1 4·7 2.4	46 17 27
276 275 274 273	treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 106, 170-6 Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007 , 22, 723-35 Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007 , 24, 567-74 MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1473-8 Thymidylate synthase expression in primary colorectal tumours is correlated with its expression in metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 471-6 Serum VEGF-C is associated with metastatic site in patients with malignant melanoma. <i>Acta</i>	12.1 4·7 2.4	46 17 27 5

269	Value of the International Federation for Cervical Pathology and Colposcopy (IFCPC) Terminology in predicting cervical disease. <i>Journal of Lower Genital Tract Disease</i> , 2007 , 11, 158-65	3.6	34
268	Molecular markers: how to apply in practice. <i>Gynecologic Oncology</i> , 2006 , 103, 18-20	4.9	9
267	Upregulation of nuclear factor-kappaB (NF-kappaB) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006 , 34, 555-63	1.4	20
266	Upregulation of telomerase (hTERT) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus, virus persistence, or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006 , 34, 739-48	1.4	27
265	Cell cycle regulators p105, p107, Rb2/p130, E2F4, p21CIP1/WAF1, cyclin A in predicting cervical intraepithelial neoplasia, high-risk human papillomavirus infections and their outcome in women screened in three new independent states of the former Soviet Union. <i>Cancer Epidemiology</i>	4	12
264	Prevalence of genital human papillomavirus infections established using different diagnostic techniques among males attending a urological clinic. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 138-43		13
263	Serum antibody response to Human papillomavirus (HPV) infections detected by a novel ELISA technique based on denatured recombinant HPV16 L1, L2, E4, E6 and E7 proteins. <i>Infectious Agents and Cancer</i> , 2006 , 1, 6	3.5	29
262	E-cadherin expression pattern in primary colorectal carcinomas and their metastases reflects disease outcome. <i>World Journal of Gastroenterology</i> , 2006 , 12, 4304-9	5.6	59
261	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006 , 16, 183	3.5	1
2 60	Relationship of up-regulation of 67-kd laminin receptor to grade of cervical intraepithelial neoplasia and to high-risk HPV types and prognosis in cervical cancer. <i>Acta Cytologica</i> , 2006 , 50, 6-15	3	6
259	Over-expression of topoisomerase IIalpha is related to the grade of cervical intraepithelial neoplasia (CIN) and high-risk human papillomavirus (HPV), but does not predict prognosis in cervical cancer or HPV clearance after cone treatment. <i>International Journal of Gynecological</i>	3.2	23
258	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006 , 85, 444-50	3.8	9
257	Nuclear size as prognostic determinant in stage II and stage III colorectal adenocarcinoma. <i>Anticancer Research</i> , 2006 , 26, 455-62	2.3	6
256	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006 , 16, 183-9	3.5	41
255	Comparison of DNA sequencing and Roche Linear array in human papillomavirus (HPV) genotyping. <i>Anticancer Research</i> , 2006 , 26, 3939-41	2.3	23
254	Oral contraceptives are not an independent risk factor for cervical intraepithelial neoplasia or high-risk human papillomavirus infections. <i>Anticancer Research</i> , 2006 , 26, 4729-40	2.3	18
253	Molecular strategies for identifying human papillomavirus infection in routinely processed samples: focus on paraffin sections. <i>Journal of Lower Genital Tract Disease</i> , 2005 , 9, 219-24	3.6	9
252	Immunocytochemical expression of p16INK4A and Ki-67 in cytologically negative and equivocal pap smears positive for oncogenic human papillomavirus. <i>International Journal of Gynecological Pathology</i> , 2005 , 24, 118-24	3.2	45

251	New statistical software for intralaboratory and interlaboratory quality control in clinical cytology. Validation in a simulation study on clinical samples. <i>Acta Cytologica</i> , 2005 , 49, 398-404	3	7
250	Conventional Pap smear and liquid-based cytology as screening tools in low-resource settings in Latin America: experience of the Latin American screening study. <i>Acta Cytologica</i> , 2005 , 49, 500-6	3	27
249	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005 , 126, 197-201	2.6	10
248	Performance of the Roche AMPLICOR human papillomavirus (HPV) test in prediction of cervical intraepithelial neoplasia (CIN) in women with abnormal PAP smear. <i>Gynecologic Oncology</i> , 2005 , 99, 160	o- \$ ·9	57
247	Age-specific incidence and clearance of high-risk human papillomavirus infections in women in the former Soviet Union. <i>International Journal of STD and AIDS</i> , 2005 , 16, 217-23	1.4	34
246	Survivin as a marker of cervical intraepithelial neoplasia and high-risk human papillomavirus and a predictor of virus clearance and prognosis in cervical cancer. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 113-21	1.9	54
245	High-risk types of human papillomavirus (HPV) DNA in oral and genital mucosa of infants during their first 3 years of life: experience from the Finnish HPV Family Study. <i>Clinical Infectious Diseases</i> , 2005 , 41, 1728-33	11.6	100
244	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America. This report refers to partial results from the LAMS (Latin AMerican Screening) study. <i>Journal of Medical Screening</i> , 2005 , 12, 142-9	1.4	107
243	Nuclear area is a prognostic determinant in advanced colorectal cancer. <i>Anticancer Research</i> , 2005 , 25, 3083-8	2.3	1
242	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but Not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 902-911	1.9	45
241	Acquisition of high-risk human papillomavirus infections and pap smear abnormalities among women in the New Independent States of the Former Soviet Union. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 505-11	9.7	29
240	Human papillomavirus testing with the hybrid capture 2 assay and PCR as screening tools. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 2470-5	9.7	78
239	Prognostic value of P53 codon 72 polymorphism in invasive cervical cancer in Brazil. <i>Gynecologic Oncology</i> , 2004 , 93, 374-80	4.9	19
238	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2004 , 94, 181-6	4.9	36
237	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. <i>Gynecologic Oncology</i> , 2004 , 95, 618-23	4.9	50
236	Hybrid capture II and polymerase chain reaction for identifying HPV infections in samples collected in a new collection medium: a comparison. <i>Acta Cytologica</i> , 2004 , 48, 514-20	3	28
235	p16(INK4A) expression is related to grade of cin and high-risk human papillomavirus but does not predict virus clearance after conization or disease outcome. <i>International Journal of Gynecological Pathology</i> , 2004 , 23, 354-65	3.2	68
234	Is improved detection of adenocarcinoma in situ by screening a key to reducing the incidence of cervical adenocarcinoma?. <i>Acta Cytologica</i> , 2004 , 48, 591-4	3	9

233	Activation of the ERK/MAP kinase pathway in cervical intraepithelial neoplasia is related to grade of the lesion but not to high-risk human papillomavirus, virus clearance, or prognosis in cervical cancer. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 902-11	1.9	20
232	Effect of confluence state and passaging on global cancer gene expression pattern in oral carcinoma cell lines. <i>Anticancer Research</i> , 2004 , 24, 2627-31	2.3	10
231	Sexual habits and human papillomavirus infection among females in three New Independent States of the former Soviet Union. <i>Sexually Transmitted Diseases</i> , 2003 , 30, 680-4	2.4	20
230	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. <i>Sao Paulo Medical Journal</i> , 2003 , 121, 238-43	1.6	16
229	Regulation of cell cycles is of key importance in human papillomavirus (HPV)-associated cervical carcinogenesis. <i>Sao Paulo Medical Journal</i> , 2003 , 121, 128-32	1.6	18
228	Factors predicting human papillomavirus clearance in cervical intraepithelial neoplasia lesions treated by conization. <i>Gynecologic Oncology</i> , 2003 , 90, 358-65	4.9	87
227	Factors predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up. <i>International Journal of STD and AIDS</i> , 2003 , 14, 417-25	1.4	48
226	Human papillomavirus testing and conventional pap smear cytology as optional screening tools of women at different risks for cervical cancer in the countries of the former soviet union. <i>Journal of Lower Genital Tract Disease</i> , 2002 , 6, 97-110	3.6	37
225	Performance of cytology and colposcopy in diagnosis of cervical intraepithelial neoplasia (CIN) in HIV-positive and HIV-negative women. <i>Cytopathology</i> , 2001 , 12, 84-93	1.3	18
224	CD44 isoform 6 (CD44v6) is a prognostic indicator of the response to neoadjuvant chemotherapy in cervical carcinoma. <i>Gynecologic Oncology</i> , 2001 , 80, 67-73	4.9	34
223	Endometriosis-associated ovarian carcinoma (EAOC): an entity distinct from other ovarian carcinomas as suggested by a nested case-control study. <i>Gynecologic Oncology</i> , 2001 , 83, 100-8	4.9	123
222	Cervical cancer screening in Porto Alegre, Brazil: alternative methods for detecting cancer precursors in a developing country. <i>Journal of Lower Genital Tract Disease</i> , 2001 , 5, 24-8	3.6	4
221	Neoadjuvant chemotherapy in cervical carcinoma: regulators of cell cycle, apoptosis, and proliferation as determinants of response to therapy and disease outcome. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 729-37	1.9	25
220	Combined Pap smear, cervicography and HPV DNA testing in the detection of cervical intraepithelial neoplasia and cancer. <i>Acta Cytologica</i> , 2000 , 44, 310-8	3	24
219	Report on consensus conference on cervical cancer screening and management. <i>International Journal of Cancer</i> , 2000 , 86, 440-7	7.5	89
218	Speculoscopy for Triage of Patients with an Abnormal Pap Smear: Data from the GISPE Study. Journal of Lower Genital Tract Disease, 2000 , 4, 212-6	3.6	
217	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. <i>International Journal of Gynecology and Obstetrics</i> , 2000 , 71, 45-8	4	12
216	New concepts on the role of human papillomavirus in cell cycle regulation. <i>Annals of Medicine</i> , 1999 , 31, 175-87	1.5	87

215	Human papillomavirus (HPV) typing as an adjunct to cervical cancer screening. <i>Cytopathology</i> , 1999 , 10, 8-15	1.3	6
214	p21/WAF1 expression as related to p53, cell proliferation and prognosis in epithelial ovarian cancer. <i>British Journal of Cancer</i> , 1999 , 79, 1870-8	8.7	76
213	Expression of cyclins A and D and p21(waf1/cip1) proteins in renal cell cancer and their relation to clinicopathological variables and patient survival. <i>British Journal of Cancer</i> , 1999 , 80, 2001-7	8.7	67
212	Failure to demonstrate human papillomavirus DNA in epithelial ovarian cancer by general primer PCR. <i>Gynecologic Oncology</i> , 1999 , 72, 337-41	4.9	66
211	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. <i>International Journal of Cancer</i> , 1999 , 81, 225-8	7.5	50
2 10	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China 1999 , 81, 225		1
209	Characterization of keratin and cell cycle protein expression in cell lines from squamous intraepithelial lesions progressing towards a malignant phenotype. <i>British Journal of Cancer</i> , 1998 , 77, 766-75	8.7	9
208	Anti-proliferative effect of retinoids and interferon-alpha-2a on vaginal cell lines derived from squamous intra-epithelial lesions. <i>International Journal of Cancer</i> , 1998 , 78, 338-45	7.5	7
207	Clinical relevance of p53 index and expression of proliferating cell nuclear antigen and Ki-67 in gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1998 , 124, 497-502	4.9	12
206	Cigarette smoking and high-risk HPV DNA as predisposing factors for high-grade cervical intraepithelial neoplasia (CIN) in young Brazilian women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998 , 77, 678-82	3.8	20
205	Tissue localization of bovine dander allergen Bos d 2. <i>Journal of Allergy and Clinical Immunology</i> , 1998 , 101, 349-53	11.5	14
204	Quality assurance/control issues. International Academy of Cytology Task Force summary. Diagnostic Cytology Towards the 21st Century: An International Expert Conference and Tutorial. <i>Acta Cytologica</i> , 1998 , 42, 133-40	3	9
203	Human papillomavirus. International Academy of Cytology Task Force summary. Diagnostic Cytology Towards the 21st Century: An International Expert Conference and Tutorial. <i>Acta Cytologica</i> , 1998 , 42, 50-8	3	58
202	Clinical significance of alpha-catenin, collagen IV, and Ki-67 expression in epithelial ovarian cancer. <i>Journal of Clinical Oncology</i> , 1998 , 16, 2591-600	2.2	59
201	Type I diabetic pregnancy and subclinical human papillomavirus infection. <i>Clinical Infectious Diseases</i> , 1997 , 24, 153-6	11.6	2
2 00	No Epstein Barr and cytomegalovirus DNA found in salivary gland tumours. <i>Orl</i> , 1997 , 59, 97-9	2	8
199	Estrogen response in buccal mucosa a cytological and immunohistological assay. <i>Maturitas</i> , 1997 , 27, 41-5	5	20
198	Prognostic value of Ki-67 expression in renal cell carcinomas. <i>European Urology</i> , 1997 , 31, 350-5	10.2	41

197	Expression and mutations of p53 in salivary gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 1997 , 26, 217-23	3.3	58
196	Prognostic factors in gastric carcinoma. <i>British Journal of Cancer</i> , 1997 , 76, 279-279	8.7	
195	Exposure of an infant to cervical human papillomavirus infection of the mother is common. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 176, 1039-45	6.4	82
194	Mitotic index in the subrenal capsule assay as an indicator of the chemosensitivity of ovarian cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1997 , 41, 15-21	3.5	5
193	Prognostic value of epidermal growth factor expression in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997 , 123, 63-8	4.9	8
192	Phyllodes tumour: cytologic and histologic presentation of 22 cases, and immunohistochemical demonstration of p53. <i>Cytopathology</i> , 1997 , 8, 177-87	1.3	18
191	Nuclear morphometry as a predictor of disease outcome in gastric cancer. <i>Journal of Pathology</i> , 1997 , 181, 46-50	9.4	4
190	Transmission of genital human papillomavirus infections is unlikely through the floor and seats of humid dwellings in countries of high-level hygiene. <i>Scandinavian Journal of Infectious Diseases</i> , 1996 , 28, 243-6		20
189	Management of stage-I borderline ovarian tumors. <i>International Journal of Gynecology and Obstetrics</i> , 1996 , 54, 37-44	4	23
188	Prognostic significance of TGF-alpha expression in breast cancer. <i>Acta Oncolgica</i> , 1996 , 35, 995-8	3.2	12
187	Polymerase chain reaction amplification of human papillomavirus DNA from archival, Papanicolaou-stained cervical smears. <i>Acta Cytologica</i> , 1996 , 40, 391-5	3	31
186	p53 and bcl-2 proteins as prognostic markers in human papillomavirus-associated cervical lesions. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2120-30	2.2	29
185	The important prognostic value of Ki-67 expression as determined by image analysis in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996 , 122, 687-92	4.9	47
184	Expression of PCNA is associated with the presence of HPV DNA in skin warts. <i>Archives of Dermatological Research</i> , 1996 , 289, 35-9	3.3	6
183	Failure to demonstrate human papillomavirus (HPV) involvement in Bowen's disease of the skin. <i>Archives of Dermatological Research</i> , 1996 , 289, 40-5	3.3	22
182	Vertical transmission of human papillomavirus from infected mothers to their newborn babies and persistence of the virus in childhood. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 694-9	6.4	121
181	Prenatal screening for congenital nephrosis in east Finland: results and impact on the birth prevalence of the disease. <i>Prenatal Diagnosis</i> , 1996 , 16, 207-13	3.2	15
180	HLA types in women with cervical human papillomavirus (HPV) lesions prospectively followed up for 10 years. <i>Cytopathology</i> , 1996 , 7, 99-107	1.3	8

179	Vitamin E concentration in breast adipose tissue of breast cancer patients (Kuopio, Finland). <i>Cancer Causes and Control</i> , 1996 , 7, 591-5	2.8	9	
178	Prognostic factors in gastric cancer: the value of vascular invasion, mitotic rate and lymphoplasmacytic infiltration. <i>British Journal of Cancer</i> , 1996 , 74, 766-72	8.7	76	
177	No evidence of human papillomavirus DNA in actinic keratosis. <i>Archives of Dermatological Research</i> , 1995 , 287, 649-51	3.3	9	
176	Expression of p53 protein has no independent prognostic value in breast cancer. <i>Journal of Pathology</i> , 1995 , 177, 225-32	9.4	32	
175	Mitotic activity and prognosis in prostatic adenocarcinoma. <i>Prostate</i> , 1995 , 26, 80-6	4.2	33	
174	Nuclear morphometry is of independent prognostic value only in T1 prostatic adenocarcinomas. <i>Prostate</i> , 1995 , 27, 110-7	4.2	18	
173	Human papillomavirus in vulvar and vaginal carcinoma cell lines. British Journal of Cancer, 1995, 72, 134	-9 8.7	16	
172	Rapid and effective detection of mutations in the p53 gene using nonradioactive single-strand conformation polymorphism (SSCP) technique applied on PhastSystem. <i>Journal of Virological Methods</i> , 1995 , 51, 43-53	2.6	24	
171	Collagen IV and tenascin immunoreactivity as prognostic determinant in benign and malignant salivary gland tumours. <i>Acta Oto-Laryngologica</i> , 1995 , 115, 569-75	1.6	19	
170	Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1477-82	6.4	24	
169	Expression of tumour-suppressor gene Rb, apoptosis-suppressing protein Bcl-2 and c-Myc have no independent prognostic value in renal adenocarcinoma. <i>British Journal of Cancer</i> , 1995 , 71, 863-7	8.7	48	
168	Biochemical parameters as prognostic factors in prostatic adenocarcinoma. <i>Acta Oncolgica</i> , 1995 , 34, 53-9	3.2	8	
167	EAmyloid-Protein Immunoreactivity in Skin is Not a Reliable Marker of Alzheimer Disease: An Autopsy Controlled Study. <i>Advances in Behavioral Biology</i> , 1995 , 157-163			
166	c-erbB-2 oncogene expression in salivary gland tumours. <i>Orl</i> , 1994 , 56, 206-12	2	22	
165	beta-Amyloid protein immunoreactivity in skin is not a reliable marker of Alzheimer's disease. An autopsy-controlled study. <i>Archives of Neurology</i> , 1994 , 51, 799-804		15	
164	Clinical course and prognostic factors of human papillomavirus infections in men. <i>Sexually Transmitted Diseases</i> , 1994 , 21, 272-9	2.4	17	
163	Expression of proliferating cell nuclear antigen (PC10), p53 protein and c-erbB-2 in renal adenocarcinoma. <i>International Journal of Cancer</i> , 1994 , 57, 275-80	7.5	31	
162	Tumour vascularity and basement membrane structure in breast cancer as related to tumour histology and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994 , 120, 645-50	4.9	19	

161	Comparison of cell proliferation and toxicity assays using two cationic liposomes. <i>Pharmaceutical Research</i> , 1994 , 11, 1127-31	4.5	178
160	Detection of p53 protein and Ki-67 proliferation antigen in human papillomavirus (HPV)-positive and HPV-negative cervical lesions by immunohistochemical double-staining. <i>Cytopathology</i> , 1994 , 5, 287	<u>2¹93</u>	9
159	Expression of transforming growth factor-beta 1 and -beta 2 in human papillomavirus (HPV)-associated lesions of the uterine cervix. <i>Gynecologic Oncology</i> , 1994 , 54, 349-56	4.9	16
158	Cationic liposomes mediated delivery of antisense oligonucleotides targeted to HPV 16 E7 mRNA in CaSki cells. <i>Antiviral Research</i> , 1994 , 23, 119-30	10.8	24
157	Progression and survival in prostatic adenocarcinoma: a comparison of clinical stage, Gleason grade, S-phase fraction and DNA ploidy. <i>British Journal of Cancer</i> , 1994 , 70, 309-14	8.7	22
156	Transitional cell carcinoma of the bladder: failure to demonstrate human papillomavirus deoxyribonucleic acid by in situ hybridization and polymerase chain reaction. <i>Journal of Urology</i> , 1994 , 152, 1429-33	2.5	36
155	Low concordance of genital human papillomavirus (HPV) lesions and viral types in HPV-infected women and their male sexual partners. <i>Sexually Transmitted Diseases</i> , 1994 , 21, 76-82	2.4	53
154	Circulating immune complexes in sera from patients with Alzheimer's disease, multi-infarct dementia and Down's syndrome. <i>Neuroscience Letters</i> , 1993 , 149, 67-70	3.3	11
153	Diagnosis of genital human papillomavirus (HPV) lesions in the male: correlation of peniscopy, histology and in situ hybridisation. <i>Sexually Transmitted Infections</i> , 1993 , 69, 346-51	2.8	6
152	Prevalence and Risk Factors of Genital Human Papillomavirus (HPV) Infections in Healthy Males. <i>Sexually Transmitted Diseases</i> , 1993 , 20, 321-328	2.4	88
151	Risk factors associated with cervical human papillomavirus infections: a case-control study. <i>American Journal of Epidemiology</i> , 1993 , 138, 735-45	3.8	77
150	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. <i>Cancer</i> , 1993 , 72, 2525-30	6.4	46
149	p53 protein expression in breast cancer as related to histopathological characteristics and prognosis. <i>International Journal of Cancer</i> , 1993 , 55, 51-6	7.5	79
148	Demonstration of human papillomavirus (HPV) type 30 in esophageal squamous-cell carcinomas by in situ hybridization. <i>International Journal of Cancer</i> , 1993 , 55, 171-3	7.5	15
147	The value of histoquantitative measurements in prognostic assessment of renal adenocarcinoma. <i>International Journal of Cancer</i> , 1993 , 55, 547-54	7.5	28
146	Tumourigenesis associated with the p53 tumour suppressor gene. <i>British Journal of Cancer</i> , 1993 , 68, 653-61	8.7	106
145	Use of antibodies against a synthetic peptide of the E6 protein of human papillomavirus (HPV) type 16 for the diagnosis of genital HPV lesions. <i>Cytopathology</i> , 1993 , 4, 3-15	1.3	2
144	Proliferating-cell nuclear antigen (PC10) immunolabelling and other proliferation indices as prognostic factors in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993 , 119, 288-94	4.9	26

143	Behavior of cervical intraepithelial neoplasia (CIN) associated with various human papillomavirus (HPV) types. <i>Archives of Gynecology and Obstetrics</i> , 1993 , 252, 119-28	2.5	18	
142	Comparison of classic and quantitative prognostic factors in hormone receptor-positive and hormone receptor-negative female breast cancer. <i>American Journal of Surgery</i> , 1993 , 165, 307-11	2.7	6	
141	Squamous cell carcinoma of the conjunctiva. Failure to demonstrate HPV DNA by in situ hybridization and polymerase chain reaction. <i>Acta Ophthalmologica</i> , 1992 , 70, 248-54	3.7	27	
140	Investigation on the carcinogenic effects of coal tar pitch in rat respiratory tract by intratracheal instillations. <i>Carcinogenesis</i> , 1992 , 13, 233-9	4.6	7	
139	Human papillomavirus involvement in esophageal precancerous lesions and squamous cell carcinomas as evidenced by microscopy and different DNA techniques. <i>Scandinavian Journal of Gastroenterology</i> , 1992 , 27, 553-63	2.4	49	
138	Infectious agents in the etiology of esophageal cancer. <i>Gastroenterology</i> , 1992 , 103, 1336-48	13.3	70	
137	Tumor size, nuclear morphometry, mitotic indices as prognostic factors in axillary-lymph-node-positive breast cancer. <i>European Surgical Research</i> , 1992 , 24, 160-8	1.1	13	
136	Epstein-Barr virus (EBV) genomes and c-myc oncogene in oral Burkitt's lymphomas. <i>European Journal of Oral Sciences</i> , 1992 , 100, 176-80	2.3	1	
135	Dot blot hybridization in detection of human papillomavirus (HPV) infections in the oral cavity of women with genital HPV infections. <i>Oral Microbiology and Immunology</i> , 1992 , 7, 19-23		53	
134	Clinical course of cervical human papillomavirus lesions in relation to coexistent cervical infections. <i>Sexually Transmitted Diseases</i> , 1992 , 19, 137-9	2.4	12	
133	Human papillomavirus infections in the respiratory tract. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1992 , 13, 210-25	2.8	19	
132	Amyloid beta-protein deposition in skin of patients with dementia. <i>Lancet, The</i> , 1992 , 339, 245	40	39	
131	Detection of human papillomavirus infections in the male sexual partners of women attending an STD clinic in Bologna. <i>International Journal of STD and AIDS</i> , 1992 , 3, 338-46	1.4	7	
130	Southern blot hybridization and PCR in detection of oral human papillomavirus (HPV) infections in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1992 , 21, 459-64	3.3	91	
129	Mitotic indexes as prognostic predictors in female breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1992 , 118, 75-81	4.9	49	
128	DNA flow cytometry, nuclear morphometry, mitotic indices and steroid receptors as independent prognostic factors in female breast cancer. <i>International Journal of Cancer</i> , 1992 , 51, 555-61	7.5	51	
127	The changing importance of prognostic factors in breast cancer during long-term follow-up. <i>International Journal of Cancer</i> , 1992 , 51, 698-702	7.5	18	
126	JC virus infection and Alzheimer's disease: reappraisal of an in situ hybridization approach. <i>Annals of Neurology</i> , 1992 , 31, 439-41	9.4	13	

125	Human Papillomavirus Infections of the Genital Tract: Clinical Significance and Diagnosis by Polymerase Chain Reaction. <i>Frontiers of Virology</i> , 1992 , 185-207		3
124	Esophageal squamous cell papillomas. Failure to detect human papillomavirus DNA by in situ hybridization and polymerase chain reaction. <i>Scandinavian Journal of Gastroenterology</i> , 1991 , 26, 535-43	3 ^{2.4}	34
123	Hormone receptors as prognostic factors in female breast cancer. <i>Annals of Medicine</i> , 1991 , 23, 643-8	1.5	37
122	Cytokeratin pattern in normal and HPV infected oral mucosa in women with genital HPV infections. Journal of Oral Pathology and Medicine, 1991, 20, 26-31	3.3	10
121	Human papillomavirus (HPV) infections and their associations with oral disease. <i>Journal of Oral Pathology and Medicine</i> , 1991 , 20, 305-17	3.3	141
120	Prognostic scores combining clinical, histological and morphometric variables in assessment of the disease outcome in female breast cancer. <i>International Journal of Cancer</i> , 1991 , 49, 886-92	7.5	46
119	Conization for CIN associated with human papillomavirus infection. <i>Archives of Gynecology and Obstetrics</i> , 1991 , 249, 59-65	2.5	5
118	Genital human papillomavirus lesions of the male sexual partners: the diagnostic accuracy of peniscopy. <i>Sexually Transmitted Infections</i> , 1991 , 67, 291-6	2.8	12
117	Prognostic factors in axillary lymph node-negative (pN-) breast carcinomas. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1555-9		15
116	Short biotinylated oligonucleotides bind non-specifically to senile plaques of Alzheimer's disease. <i>Neuroscience Letters</i> , 1991 , 130, 89-91	3.3	4
115	Systemic alpha-interferon (Wellferon) treatment of genital human papillomavirus (HPV) type 6, 11, 16, and 18 infections: double-blind, placebo-controlled trial. <i>Gynecologic Oncology</i> , 1991 , 43, 55-60	4.9	27
114	The role of nucleolar organiser regions as prognostic factors in breast cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 989-92		33
113	A simple method for isolation of DNA from formalin-fixed paraffin-embedded samples for PCR. Journal of Virological Methods, 1991 , 35, 39-47	2.6	26
112	The use of polymerase chain reaction in generation of biotinylated human papillomavirus DNA probes for in situ hybridization. <i>Journal of Virological Methods</i> , 1991 , 31, 147-59	2.6	7
111	Colposcopic analysis of genital human papillomavirus infections during an 8-year prospective follow-up. <i>International Journal of Gynecology and Obstetrics</i> , 1991 , 36, 291-300	4	4
110	DNA ploidy, S phase fraction and G2 fraction as prognostic determinants in prostatic adenocarcinoma. <i>European Urology</i> , 1991 , 20, 62-6	10.2	16
109	Expression of cytokeratin No. 19 polypeptide in genital papillomavirus lesions. <i>Gynecologic and Obstetric Investigation</i> , 1990 , 29, 59-66	2.5	10
108	Detection of human papillomavirus DNA in cytologic specimens derived from esophageal precancer lesions and cancer. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 383-8	2.4	52

107	Prevalence of genital human papillomavirus infections in a mass-screened Finnish female population aged 20-65 years. <i>International Journal of STD and AIDS</i> , 1990 , 1, 410-5	1.4	22
106	Detection of human papillomavirus (HPV) in genital warts and carcinomas by DNA in situ hybridization in Chinese patients. <i>Cytopathology</i> , 1990 , 1, 97-103	1.3	5
105	Oral mucosal changes in women with genital HPV infection. <i>Journal of Oral Pathology and Medicine</i> , 1990 , 19, 142-8	3.3	48
104	Acetowhite staining and its significance in diagnosis of oral mucosal lesions in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1990 , 19, 278-83	3.3	19
103	Local immune reaction in syngeneic mice against tumorigenic and nontumorigenic BPV-transformed mouse cell lines. <i>Apmis</i> , 1990 , 98, 909-15	3.4	2
102	In situ hybridization analysis of HPV DNA in cervical precancer and cervical cancers from China. <i>Archives of Gynecology and Obstetrics</i> , 1990 , 247, 21-9	2.5	14
101	Generation of cell-mediated cytotoxicity against bovine-papilloma-virus-transformed primary mouse cell lines. <i>Cancer Immunology, Immunotherapy</i> , 1990 , 30, 351-6	7.4	4
100	Detection of human papillomavirus (HPV) DNA in oral squamous cell carcinomas by in situ hybridization and polymerase chain reaction. <i>Archives of Dermatological Research</i> , 1990 , 282, 493-7	3.3	62
99	Prospective follow-up of genital HPV infections: survival analysis of the HPV typing data. <i>European Journal of Epidemiology</i> , 1990 , 6, 9-14	12.1	39
98	Human papillomavirus (HPV) DNA in esophageal precancer lesions and squamous cell carcinomas from China. <i>International Journal of Cancer</i> , 1990 , 45, 21-5	7.5	111
97	Colposcopy, punch biopsy, in situ DNA hybridization, and the polymerase chain reaction in searching for genital human papillomavirus (HPV) infections in women with normal PAP smears. <i>Journal of Medical Virology</i> , 1990 , 31, 259-66	19.7	32
96	Verrucous carcinoma of the anus containing human papillomavirus type 16 DNA detected by in situ hybridisation: a case report. <i>Sexually Transmitted Infections</i> , 1990 , 66, 342-5	2.8	2
95	Epstein-Barr virus involvement in salivary gland lesions associated with Sjgren's syndrome. <i>Orl</i> , 1990 , 52, 254-9	2	18
94	Prevalence, Incidence, and Estimated Life-time Risk of Cervical Human Papillomavirus Infections in a Nonselected Finnish Female Population. <i>Sexually Transmitted Diseases</i> , 1990 , 17, 15-19	2.4	95
93	Topical treatment with human leukocyte interferon of HPV 16 infections associated with cervical and vaginal intraepithelial neoplasias. <i>Gynecologic Oncology</i> , 1990 , 36, 353-7	4.9	27
92	Detection of human papillomavirus type 11 DNA in a conjunctival squamous cell papilloma by in situ hybridization with biotinylated probes. <i>Acta Ophthalmologica</i> , 1989 , 67, 425-9	3.7	14
91	Anal condylomas in men. 1. Histopathological and virological assessment. <i>Sexually Transmitted Infections</i> , 1989 , 65, 216-24	2.8	9
90	Human papillomavirus (HPV) type 6 and 16 DNA sequences in bronchial squamous cell carcinomas demonstrated by in situ DNA hybridization. <i>Lung</i> , 1989 , 167, 33-42	2.9	39

89	Prospective follow-up of cervical HPV infections: life table analysis of histopathological, cytological and colposcopic data. <i>European Journal of Epidemiology</i> , 1989 , 5, 1-7	12.1	57
88	Two different human papillomavirus (HPV) types associated with oral mucosal lesions in an HIV-seropositive man. <i>Journal of Oral Pathology and Medicine</i> , 1989 , 18, 366-70	3.3	21
87	Sandwich hybridization in solution: a rapid method to screen HPV 16 DNA in cervical scrapes. <i>Molecular and Cellular Probes</i> , 1989 , 3, 1-11	3.3	8
86	Concept of the existence of human papillomavirus (HPV) DNA in histologically normal squamous epithelium of the genital tract should be re-evaluated. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989 , 68, 613-7	3.8	23
85	Cryotherapy and CO2-laser vaporization in the treatment of cervical and vaginal human papillomavirus (HPV) infections. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989 , 68, 619-25	3.8	18
84	Human papillomavirus type 11 DNA in squamous cell carcinomas and pre-existing multiple laryngeal papillomas. <i>Acta Oto-Laryngologica</i> , 1989 , 107, 141-9	1.6	72
83	Squamous cell carcinoma of the vulva with cutaneous metastases. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989 , 68, 271-3	3.8	10
82	Association of DNA aneuploidy with human papillomavirus-induced malignant transformation of sinonasal transitional papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1989 , 100, 563-7	5.5	22
81	Phenotypic transformation of primary mouse fibroblasts by BPV 1 DNA. <i>Archives of Virology</i> , 1988 , 100, 17-25	2.6	6
80	Altered expression of filaggrin in human papillomavirus (HPV) lesions of the uterine cervix. <i>Archives of Gynecology and Obstetrics</i> , 1988 , 241, 235-47	2.5	20
79	Human papillomavirus (HPV) DNA sequences in oral precancerous lesions and squamous cell carcinoma demonstrated by in situ hybridization. <i>Journal of Oral Pathology and Medicine</i> , 1988 , 17, 273-2	83.3	89
78	Factors associated with progression of cervical human papillomavirus (HPV) infections into carcinoma in situ during a long-term prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988 , 95, 1096-102	3.7	53
77	Screening of premalignant cervical lesions for HPV 16 DNA by sandwich and in situ hybridization techniques. <i>Gynecologic Oncology</i> , 1988 , 30, 251-64	4.9	9
76	Sensitivity of in situ hybridization techniques using biotin- and 35S-labeled human papillomavirus (HPV) DNA probes. <i>Journal of Virological Methods</i> , 1988 , 19, 225-38	2.6	116
75	Tumour-associated antigens in primary mouse fibroblasts induced by transformation with bovine papillomavirus type 1. <i>Experimental Pathology</i> , 1988 , 35, 25-33		3
74	Type IV collagen in the basal membrane of human papillomavirus associated premalignant and malignant squamous cell lesions of the uterine cervix. <i>Gynecologic and Obstetric Investigation</i> , 1988 , 26, 324-31	2.5	5
73	Detection of human papillomavirus (HPV) structural antigens and DNA types in inverted papillomas and squamous cell carcinomas of the nasal cavities and paranasal sinuses. <i>Acta Oto-Laryngologica</i> , 1987 , 104, 334-41	1.6	98
72	Detection of human papillomavirus DNA in anogenital condylomata in men using in situ DNA hybridisation applied to paraffin sections. <i>Sexually Transmitted Infections</i> , 1987 , 63, 32-9	2.8	10

71	Human papillomavirus DNA in squamous cell carcinomas of the larynx demonstrated by in situ DNA hybridization. <i>Orl</i> , 1987 , 49, 175-86	2	47
70	In situ DNA hybridization analysis of human papillomavirus (HPV) sequences in benign oral mucosal lesions. <i>Archives of Dermatological Research</i> , 1987 , 279, 543-9	3.3	52
69	Local immunoreactivity and human papillomavirus (HPV) in oral precancer and cancer lesions. <i>European Journal of Oral Sciences</i> , 1986 , 94, 419-26	2.3	5
68	Natural killer (NK) cells with HNK-1 phenotype in the cervical biopsies of women followed-up for human papillomavirus (HPV) lesions. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1986 , 65, 139-45	3.8	11
67	Detection of human papillomavirus DNA by the nucleic acid sandwich hybridization method from cervical scraping. <i>Journal of Medical Virology</i> , 1986 , 20, 279-88	19.7	25
66	Detection of human papillomavirus DNA in oral mucosal lesions using in situ DNA-hybridization applied on paraffin sections. <i>Oral Surgery, Oral Medicine, and Oral Pathology,</i> 1986 , 62, 660-7		77
65	Human papillomavirus (HPV) DNA sequences demonstrated by in situ DNA hybridization in serial paraffin-embedded cervical biopsies. <i>Archives of Gynecology</i> , 1986 , 239, 39-48		46
64	Tumor differentiation and tumor-host interactions as prognostic determinants in squamous cell carcinoma of the lip. <i>Acta Oto-Laryngologica</i> , 1986 , 101, 152-60	1.6	12
63	Coexistent chlamydial infections related to natural history of human papillomavirus lesions in uterine cervix. <i>Sexually Transmitted Infections</i> , 1986 , 62, 345-51	2.8	1
62	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. I. Morphometric assessment of lymph node immunoreactivity and analysis of circulating antibodies. <i>Experimental Pathology</i> , 1986 , 30, 65-74		1
61	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. II. Morphometric assessment of immunoreactivity in the thymus and spleen related to lymphocyte subsets in peripheral blood. <i>Experimental Pathology</i> , 1986 , 30, 75-82		
60	An improved in situ DNA hybridization protocol for detection of human papillomavirus (HPV) DNA sequences in paraffin-embedded biopsies. <i>Journal of Virological Methods</i> , 1986 , 14, 293-304	2.6	60
59	Peptide hormone immunoreactivity and prognosis in small-cell carcinoma of the lung. <i>Respiration</i> , 1986 , 49, 61-7	3.7	8
58	Chlamydial cervicitis in women followed-up for human papillomavirus (HPV) lesions of the uterine cervix. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1985 , 64, 467-71	3.8	13
57	Natural history of cervical human papillomavirus (HPV) infections based on prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1985 , 92, 1086-1092	3.7	69
56	Gingival beta 2-microglobulin in juvenile and chronic periodontitis. <i>Acta Odontologica Scandinavica</i> , 1985 , 43, 133-8	2.2	3
55	Immunophenotypes of lymphocytes in prospectively followed up human papillomavirus lesions of the cervix. <i>Sexually Transmitted Infections</i> , 1985 , 61, 190-6	2.8	6
54	Cervical papillomavirus infection progressing to invasive cancer in less than three years. <i>Lancet, The</i> , 1985 , 1, 510-1	40	55

53	Inflammatory cells and their subsets in lesions of juvenile periodontitis. A family study. <i>Acta Odontologica Scandinavica</i> , 1984 , 42, 285-92	2.2	17
52	Nasal cytology of patients with hypertrophic inferior conchae in panoramic radiographs. <i>Dentomaxillofacial Radiology</i> , 1984 , 13, 129-33	3.9	
51	Sexual behaviour of women with human papillomavirus (HPV) lesions of the uterine cervix. <i>Sexually Transmitted Infections</i> , 1984 , 60, 243-8	2.8	19
50	Transferrin reactivity in oral mucosa adjacent to different dental restorations. <i>Acta Odontologica Scandinavica</i> , 1984 , 42, 321-5	2.2	2
49	Localization of transferrin in the labial salivary glands of patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 1984 , 3, 345-50	3.9	
48	The relation between the type of immunoreactive cells found in human papillomavirus (HPV) lesions of the uterine cervix and the subsequent behaviour of these lesions. <i>Archives of Gynecology</i> , 1984 , 234, 189-96		14
47	Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. <i>European Journal of Oral Sciences</i> , 1984 , 92, 358-70	2.3	3
46	Langerhans cells in human papillomavirus (HPV) lesions of the uterine cervix identified by the monoclonal antibody OKT-6. <i>International Journal of Gynecology and Obstetrics</i> , 1984 , 22, 375-83	4	13
45	Enumeration of T cell subsets with monoclonal antibodies in minor salivary glands of patients with rheumatoid arthritis. <i>European Journal of Oral Sciences</i> , 1984 , 92, 275-81	2.3	1
44	Current concepts of human papillomavirus infections in the genital tract and their relationship to intraepithelial neoplasia and squamous cell carcinoma. <i>Obstetrical and Gynecological Survey</i> , 1984 , 39, 252-65	2.4	79
43	Inflammatory cell infiltrate in labial salivary glands of patients with rheumatoid arthritis with special emphasis on tissue mast cells. <i>European Journal of Oral Sciences</i> , 1984 , 92, 557-63	2.3	1
42	A case of malignant myxoma (myxosarcoma) of the maxilla. <i>European Journal of Oral Sciences</i> , 1984 , 92, 352-7	2.3	2
41	Demonstration of human papilloma virus (HPV) antigens in a case of urethral condyloma. <i>Scandinavian Journal of Urology and Nephrology</i> , 1983 , 17, 267-70		13
40	Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. <i>International Journal of Oral Surgery</i> , 1983 , 12, 418-2	4	278
39	Morphological and immunohistochemical evidence of human papilloma virus (HPV) involvement in the dysplastic lesions of the uterine cervix. <i>International Journal of Gynecology and Obstetrics</i> , 1983 , 21, 261-9	4	15
38	Immunocompetent cells in uterine cervical lesions of human papillomavirus origin. <i>Gynecologic and Obstetric Investigation</i> , 1983 , 16, 327-40	2.5	17
37	Angioleiomyoma of the larynx. Report of a case and review of the literature. <i>Laryngoscope</i> , 1983 , 93, 941-3	3.6	8
36	Immunohistochemical demonstration of human papilloma virus (HPV) antigens in oral squamous cell lesions. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1983 , 21, 147-53		84

(1980-1982)

35	Human papilloma virus (HPV) antigens in lesions of laryngeal squamous cell carcinomas. <i>Orl</i> , 1982 , 44, 323-34	2	48
34	Radiological interpretation of the periapical cysts and granulomas. <i>Dentomaxillofacial Radiology</i> , 1982 , 11, 89-92	3.9	7
33	Structure and function of salivary glands in psoriatics. <i>Archives of Dermatological Research</i> , 1982 , 274, 295-301	3.3	4
32	Verrucous squamous cell carcinoma of the female genital tract. Report of three cases and survey of the literature. <i>International Journal of Gynecology and Obstetrics</i> , 1981 , 19, 351-6	4	23
31	The use of polymerised autologous tumor tissue particles for experimental cancer immunotherapy in rats bearing Shay chloroma. <i>Experimental Pathology</i> , 1981 , 19, 122-9		1
30	Tumor-host cell interactions in rats bearing Shay chloromaultrastructural observations in animals receiving specific and nonspecific cancer immunotherapy. <i>Experimental Pathology</i> , 1981 , 20, 135-45		
29	A new combination of drugs intended to be used as a preventive measure for the postextraction complications. A preliminary report. <i>International Journal of Oral Surgery</i> , 1981 , 10, 17-22		9
28	Histological evidence for the presence of condylomatous epithelial lesions in association with laryngeal squamous cell carcinoma. <i>Orl</i> , 1981 , 43, 181-94	2	38
27	The effects on extraction wound healing of a new drug combination introduced for use in the prevention of post-extraction complications. A preliminary report. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1981 , 19, 57-66		5
26	Condylomatous epithelial changes in the uterine cervix and their relationship to cervical carcinogenesis. <i>International Journal of Gynecology and Obstetrics</i> , 1980 , 17, 415-20	4	11
25	Condylomatous lesions of the uterine cervix with special reference to squamous cell carcinogenesis. <i>Gynecologic and Obstetric Investigation</i> , 1980 , 11, 350-64	2.5	11
24	Bronchial squamous cell carcinomas associated with epithelial changes identical to condylomatous lesions of the uterine cervix. <i>Lung</i> , 1980 , 158, 131-42	2.9	31
23	Morphology of the spleen in women who died of metastatic genital tract cancer. <i>Archives of Gynecology</i> , 1980 , 230, 33-40		2
22	Fine needle aspiration cytology of the thyroid osteosarcoma. Report of a case. <i>Journal of Cancer Research and Clinical Oncology</i> , 1980 , 96, 319-23	4.9	4
21	Spleen white pulp morphology in evaluation of immunologic reactivity of patients with widespread colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1980 , 23, 228-35	3.1	3
20	Spleen white pulp architecture in the assessment of immunity in patients with far-advanced pancreatic carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1980 , 15, 609-15	2.4	2
19	Spleen white pulp morphology as an indicator of the immunological state in DBA/2 mice bearing mastocytoma. <i>Experimentelle Pathologie</i> , 1980 , 18, 223-31		2
18	Morphology of the spleen white pulp in relation to the immunological functions in patients with far advanced bronchial carcinoma. <i>Immunobiology</i> , 1980 , 157, 67-77	3.4	3

17	Experimental cancer immunotherapy in DBA/2 mouse-mastocytoma model utilizing autologous tumor tissue polymerised with ethylchlorformiate. <i>Experimentelle Pathologie</i> , 1980 , 18, 346-52		
16	Morphologic survey of the condylomatous lesions in dysplastic and neoplastic epithelium of the uterine cervix. <i>Archives of Gynecology</i> , 1979 , 227, 153-61		36
15	Renal adenomatosis. Report of an autopsy case. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979 , 13, 329-34		20
14	Endothelium-associated IgG in the post-capillary venules of the lymphatic tissues in mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1979 , 17, 264-70		2
13	IgG in the walls of the post-capillary venules of mouse lymphatic tissue. <i>Experimentelle Pathologie</i> , 1979 , 17, 40-3		2
12	Post-capillary venules of the mouse lymphatic tissues with special reference to the distribution of their endothelial IgG. <i>Experimentelle Pathologie</i> , 1979 , 17, 134-42		3
11	Morphology of the lymph nodes draining renal adenocarcinoma in relation to immunological functions. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979 , 13, 177-83		8
10	Post-capillary venules of the lymphatic tissues in mice with special reference to the depletion of T-lymphocyte population. <i>Experimental and Molecular Pathology</i> , 1978 , 29, 291-302	4.4	16
9	Tumor-host relationships in colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1978 , 21, 29-36	3.1	17
8	Post-capillary venules in the lymphatic tissues of mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1978 , 15, 348-54		1
7	Thymic morphology in mice following treatment with anti-theta- and anti-thymus-globulins. <i>Experimentelle Pathologie</i> , 1978 , 15, 169-77		
6	The effects of anti-theta-globulin treatment on the morphology of the mouse spleen. <i>Experimentelle Pathologie</i> , 1978 , 15, 38-45		2
5	The influence of anti-theta-globulin treatment on the growth of mastocytoma in mice. <i>Experimentelle Pathologie</i> , 1977 , 14, 208-14		
4	Histologic changes in mouse lymph nodes after treatment with antitheta-globulin. <i>Experimentelle Pathologie</i> , 1977 , 14, 171-9		2
3	Paracortical activity of the regional lymph nodes as a prognostic determinant in gastric carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1977 , 12, 897-902	2.4	17
2	Morphology of the regional lymph nodes of gastric carcinoma and ulcer of the stomach in relation to immunological function. <i>Scandinavian Journal of Gastroenterology</i> , 1977 , 12, 903-9	2.4	12
1	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer		2