

Hans Garmo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1044114/publications.pdf>

Version: 2024-02-01

152
papers

4,637
citations

87723

38
h-index

123241

61
g-index

155
all docs

155
docs citations

155
times ranked

6929
citing authors

#	ARTICLE	IF	CITATIONS
1	Radical Prostatectomy or Watchful Waiting in Prostate Cancer â€” 29-Year Follow-up. <i>New England Journal of Medicine</i> , 2018, 379, 2319-2329.	13.9	338
2	Risk and Timing of Cardiovascular Disease After Androgen-Deprivation Therapy in Men With Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 1243-1251.	0.8	225
3	Cohort Profile: The National Prostate Cancer Register of Sweden and Prostate Cancer data Base Sweden 2.0. <i>International Journal of Epidemiology</i> , 2013, 42, 956-967.	0.9	194
4	Effect of Radiotherapy After Breast-Conserving Surgery for Ductal Carcinoma in Situ: 20 Years Follow-Up in the Randomized SweDCIS Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 3613-3618.	0.8	184
5	Absolute and Relative Risk of Cardiovascular Disease in Men With Prostate Cancer: Results From the Population-Based PCBaSe Sweden. <i>Journal of Clinical Oncology</i> , 2010, 28, 3448-3456.	0.8	173
6	Comorbidity, Treatment and Mortality: A Population Based Cohort Study of Prostate Cancer in PCBaSe Sweden. <i>Journal of Urology</i> , 2011, 185, 833-840.	0.2	104
7	Prostate cancer risk in the Swedish AMORIS study. <i>Cancer</i> , 2011, 117, 2086-2095.	2.0	87
8	Predicting Prostate Cancer Death with Different Pretreatment Risk Stratification Tools: A Head-to-head Comparison in a Nationwide Cohort Study. <i>European Urology</i> , 2020, 77, 180-188.	0.9	87
9	Anabolic steroids and cardiovascular risk: A national population-based cohort study. <i>Drug and Alcohol Dependence</i> , 2015, 152, 87-92.	1.6	86
10	Nationwide Population Based Study of Infections after Transrectal Ultrasound Guided Prostate Biopsy. <i>Journal of Urology</i> , 2014, 192, 1116-1122.	0.2	84
11	Gamma-glutamyltransferase and risk of cancer in a cohort of 545,460 persons â€” the Swedish AMORIS study. <i>European Journal of Cancer</i> , 2011, 47, 2033-2041.	1.3	83
12	Long-term outcome in young women with breast cancer: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2016, 160, 131-143.	1.1	82
13	Impaired glucose metabolism and diabetes and the risk of breast, endometrial, and ovarian cancer. <i>Cancer Causes and Control</i> , 2011, 22, 1163-1171.	0.8	81
14	Cohort Profile Update: The National Prostate Cancer Register of Sweden and Prostate Cancer data Baseâ€”a refined prostate cancer trajectory. <i>International Journal of Epidemiology</i> , 2016, 45, 73-82.	0.9	78
15	Use of Phosphodiesterase Type 5 Inhibitors for Erectile Dysfunction and Risk of Malignant Melanoma. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 2449.	3.8	76
16	The relationship between radiation doses to coronary arteries and location of coronary stenosis requiring intervention in breast cancer survivors. <i>Radiation Oncology</i> , 2019, 14, 40.	1.2	74
17	Family History and Probability of Prostate Cancer, Differentiated by Risk Category: A Nationwide Population-Based Study. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw110.	3.0	69
18	The Metabolic Syndrome and the Risk of Prostate Cancer under Competing Risks of Death from Other Causes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2088-2096.	1.1	68

#	ARTICLE	IF	CITATIONS
19	Serum Lipids and the Risk of Gastrointestinal Malignancies in the Swedish AMORIS Study. <i>Journal of Cancer Epidemiology</i> , 2012, 2012, 1-10.	0.5	67
20	Serum lactate dehydrogenase and survival following cancer diagnosis. <i>British Journal of Cancer</i> , 2015, 113, 1389-1396.	2.9	66
21	Mortality Among Men with Locally Advanced Prostate Cancer Managed with Noncurative Intent: A Nationwide Study in PCBaSe Sweden. <i>European Urology</i> , 2011, 60, 554-563.	0.9	65
22	Low levels of apolipoprotein A-I and HDL are associated with risk of prostate cancer in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2011, 22, 1011-1019.	0.8	63
23	Serum inflammatory markers and colorectal cancer risk and survival. <i>British Journal of Cancer</i> , 2017, 116, 1358-1365.	2.9	61
24	Association between serum calcium concentration and risk of incident and fatal cardiovascular disease in the prospective AMORIS study. <i>Atherosclerosis</i> , 2016, 251, 85-93.	0.4	56
25	PCBaSe Sweden: A register-based resource for prostate cancer research. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 342-349.	1.4	54
26	The association between individual metabolic syndrome components, primary liver cancer and cirrhosis: A study in the Swedish AMORIS cohort. <i>International Journal of Cancer</i> , 2017, 141, 1148-1160.	2.3	53
27	Association between Levels of C-Reactive Protein and Leukocytes and Cancer: Three Repeated Measurements in the Swedish AMORIS Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 428-437.	1.1	52
28	Differences according to socioeconomic status in the management and mortality in men with high risk prostate cancer. <i>European Journal of Cancer</i> , 2012, 48, 75-84.	1.3	52
29	Iron metabolism and risk of cancer in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2013, 24, 1393-1402.	0.8	51
30	Immunoglobulin E and cancer: a meta-analysis and a large Swedish cohort study. <i>Cancer Causes and Control</i> , 2010, 21, 1657-1667.	0.8	49
31	The interplay between lipid profiles, glucose, BMI and risk of kidney cancer in the Swedish AMORIS study. <i>International Journal of Cancer</i> , 2012, 130, 2118-2128.	2.3	47
32	Prospective study of Type 2 diabetes mellitus, anti-diabetic drugs and risk of prostate cancer. <i>International Journal of Cancer</i> , 2017, 140, 611-617.	2.3	47
33	Tumor Stage Affects Risk and Prognosis of Contralateral Breast Cancer: Results From a Large Swedish-Population-Based Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 3478-3485.	0.8	46
34	Association between baseline serum glucose, triglycerides and total cholesterol, and prostate cancer risk categories. <i>Cancer Medicine</i> , 2016, 5, 1307-1318.	1.3	46
35	Population-based study on use of chemotherapy in men with castration resistant prostate cancer. <i>Acta Oncologica</i> , 2013, 52, 1593-1601.	0.8	44
36	Cohort profile: The Swedish National Register of Urinary Bladder Cancer (SNRUBC) and the Bladder Cancer Data Base Sweden (BladderBaSe). <i>BMJ Open</i> , 2017, 7, e016606.	0.8	44

#	ARTICLE	IF	CITATIONS
37	Prediagnostic serum inflammatory markers in relation to breast cancer risk, severity at diagnosis and survival in breast cancer patients. <i>Carcinogenesis</i> , 2015, 36, 1121-1128.	1.3	43
38	Causes of death in men with localized prostate cancer: a nationwide, population-based study. <i>BJU International</i> , 2016, 117, 507-514.	1.3	43
39	Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. <i>Breast Cancer Research</i> , 2016, 18, 119.	2.2	40
40	Risk of prostate cancer is not associated with levels of C-reactive protein and other commonly used markers of inflammation. <i>International Journal of Cancer</i> , 2011, 129, 1485-1492.	2.3	39
41	Prognosis of metachronous contralateral breast cancer: importance of stage, age and interval time between the two diagnoses. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 609-618.	1.1	37
42	Circulating uric acid levels and subsequent development of cancer in 493,281 individuals: findings from the AMORIS Study. <i>Oncotarget</i> , 2017, 8, 42332-42342.	0.8	37
43	Prostate Cancer Death After Radiotherapy or Radical Prostatectomy: A Nationwide Population-based Observational Study. <i>European Urology</i> , 2018, 73, 502-511.	0.9	37
44	Investigating the association between allergen-specific immunoglobulin E, cancer risk and survival. <i>Oncolmmunology</i> , 2016, 5, e1154250.	2.1	34
45	Cancer Specific Mortality in Men Diagnosed with Prostate Cancer before Age 50 Years: A Nationwide Population Based Study. <i>Journal of Urology</i> , 2017, 197, 61-66.	0.2	34
46	Radiation dose distribution in coronary arteries in breast cancer radiotherapy. <i>Acta Oncologica</i> , 2016, 55, 959-963.	0.8	31
47	Chronic inflammation markers are associated with risk of pancreatic cancer in the Swedish AMORIS cohort study. <i>BMC Cancer</i> , 2019, 19, 858.	1.1	30
48	Association between duration and type of androgen deprivation therapy and risk of diabetes in men with prostate cancer. <i>International Journal of Cancer</i> , 2016, 139, 2698-2704.	2.3	29
49	Long-term risk of ischemic heart disease after adjuvant radiotherapy in breast cancer: results from a large population-based cohort. <i>Breast Cancer Research</i> , 2020, 22, 10.	2.2	29
50	Serum Calcium and the Risk of Breast Cancer: Findings from the Swedish AMORIS Study and a Meta-Analysis of Prospective Studies. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1487.	1.8	28
51	Incidence of Second Malignancies for Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e102596.	1.1	27
52	Inter-observer variation in delineating the coronary arteries as organs at risk. <i>Radiotherapy and Oncology</i> , 2017, 122, 72-78.	0.3	27
53	Serum calcium and risk of gastrointestinal cancer in the Swedish AMORIS study. <i>BMC Public Health</i> , 2013, 13, 663.	1.2	26
54	Androgen deprivation therapy for prostate cancer and risk of dementia. <i>BJU International</i> , 2019, 124, 87-92.	1.3	26

#	ARTICLE	IF	CITATIONS
55	Biomarker-based score to predict mortality in persons aged 50 years and older: a new approach in the Swedish AMORIS study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012, 3, 66-76.	0.4	24
56	Risk of thromboembolic disease in men with prostate cancer undergoing androgen deprivation therapy. <i>BJU International</i> , 2016, 118, 391-398.	1.3	23
57	Prediction of metastatic prostate cancer by prostate-specific antigen in combination with T stage and Gleason Grade: Nationwide, population-based register study. <i>PLoS ONE</i> , 2020, 15, e0228447.	1.1	23
58	Prediagnostic serum glucose and lipids in relation to survival in breast cancer patients: a competing risk analysis. <i>BMC Cancer</i> , 2015, 15, 913.	1.1	22
59	Immediate versus delayed prostatectomy: Nationwide population-based study. <i>Scandinavian Journal of Urology</i> , 2016, 50, 246-254.	0.6	22
60	Phosphodiesterase Type 5 Inhibitor Use and Disease Recurrence After Prostate Cancer Treatment. <i>European Urology</i> , 2016, 70, 824-828.	0.9	22
61	Lipid profiles and the risk of endometrial cancer in the Swedish AMORIS study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012, 3, 122-33.	0.4	22
62	Serum calcium and incident and fatal prostate cancer in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2012, 23, 1349-1358.	0.8	21
63	Gonadotropin-releasing Hormone Agonists, Orchiectomy, and Risk of Cardiovascular Disease: Semi-ecologic, Nationwide, Population-based Study. <i>European Urology</i> , 2017, 72, 920-928.	0.9	21
64	Association of Radical Local Treatment with Mortality in Men with Very High-risk Prostate Cancer: A Semiecologic, Nationwide, Population-based Study. <i>European Urology</i> , 2017, 72, 125-134.	0.9	21
65	A systematic review of the literature exploring the interplay between prostate cancer and type two diabetes mellitus. <i>Ecanermedscience</i> , 2018, 12, 802.	0.6	19
66	Risk of cardiovascular disease following gonadotropin-releasing hormone agonists vs antagonists in prostate cancer: Real-world evidence from five databases. <i>International Journal of Cancer</i> , 2021, 148, 2203-2211.	2.3	19
67	An Aggregated Comorbidity Measure Based on History of Filled Drug Prescriptions: Development and Evaluation in Two Separate Cohorts. <i>Epidemiology</i> , 2021, 32, 607-615.	1.2	19
68	Effect of selective serotonin reuptake inhibitors use on endocrine therapy adherence and breast cancer mortality: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 293-303.	1.1	18
69	Progression of breast cancer following locoregional ipsilateral recurrence: importance of interval time. <i>British Journal of Cancer</i> , 2016, 114, 88-95.	2.9	18
70	Aromatase inhibitors use and risk for cardiovascular disease in breast cancer patients: A population-based cohort study. <i>Breast</i> , 2021, 59, 157-164.	0.9	18
71	Androgen deprivation therapy and excess mortality in men with prostate cancer during the initial phase of the COVID-19 pandemic. <i>PLoS ONE</i> , 2021, 16, e0255966.	1.1	18
72	Patterns of androgen deprivation therapies among men diagnosed with localised prostate cancer: A population-based study. <i>European Journal of Cancer</i> , 2014, 50, 1789-1798.	1.3	17

#	ARTICLE	IF	CITATIONS
73	Quantifying the Transition from Active Surveillance to Watchful Waiting Among Men with Very Low-risk Prostate Cancer. <i>European Urology</i> , 2017, 72, 534-541.	0.9	17
74	Proportion and characteristics of men with unknown risk category in the National Prostate Cancer Register of Sweden. <i>Acta Oncologica</i> , 2016, 55, 1461-1466.	0.8	16
75	Satisfaction with Care Among Men with Localised Prostate Cancer: A Nationwide Population-based Study. <i>European Urology Oncology</i> , 2018, 1, 37-45.	2.6	16
76	Baseline serum folate, vitamin B12 and the risk of prostate and breast cancer using data from the Swedish AMORIS cohort. <i>Cancer Causes and Control</i> , 2019, 30, 603-615.	0.8	15
77	The Influence of Preoperative Symptoms on the Death of Patients with Small Intestinal Neuroendocrine Tumors. <i>Annals of Surgical Oncology</i> , 2017, 24, 1214-1220.	0.7	14
78	Serum glucose, triglycerides, and cholesterol in relation to prostate cancer death in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2019, 30, 195-206.	0.8	14
79	Mortality after radical prostatectomy in a matched contemporary cohort in Sweden compared to the Scandinavian Prostate Cancer Group 4 (<sc>SPCG</sc>â€4) study. <i>BJU International</i> , 2019, 123, 421-428.	1.3	14
80	Spirolactone use is associated with lower prostate cancer risk: a population-wide case-control study. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 527-533.	2.0	14
81	Risk of malignant melanoma in men with prostate cancer: Nationwide, population-based cohort study. <i>International Journal of Cancer</i> , 2016, 138, 2154-2160.	2.3	13
82	Leukemic transformation and second cancers in 3649 patients with high-risk essential thrombocythemia in the EXELS study. <i>Leukemia Research</i> , 2018, 74, 105-109.	0.4	13
83	Glucose and lipoprotein biomarkers and breast cancer severity using data from the Swedish AMORIS cohort. <i>BMC Cancer</i> , 2017, 17, 246.	1.1	12
84	Survival after radiotherapy versus radical cystectomy for primary muscleâ€invasive bladder cancer: A Swedish nationwide populationâ€based cohort study. <i>Cancer Medicine</i> , 2019, 8, 2196-2204.	1.3	12
85	Androgen Deprivation Therapies and Changes in Comorbidity: A Comparison of Gonadotropin-releasing Hormone Agonists and Antiandrogen Monotherapy as Primary Therapy in Men with High-risk Prostate Cancer. <i>European Urology</i> , 2019, 75, 676-683.	0.9	12
86	Temporal changes in survival in men with <i>de novo</i> metastatic prostate cancer: nationwide population-based study. <i>Acta Oncologica</i> , 2020, 59, 106-111.	0.8	12
87	Changes in treatment and mortality in men with locally advanced prostate cancer between 2000 and 2016: a nationwide, populationâ€based study in Sweden. <i>BJU International</i> , 2020, 126, 142-151.	1.3	12
88	Prescription-based prediction of baseline mortality risk among older men. <i>PLoS ONE</i> , 2020, 15, e0241439.	1.1	12
89	Mortality in men with castrationâ€resistant prostate cancerâ€A longâ€term followâ€up of a populationâ€based realâ€world cohort. <i>BJU Compass</i> , 2022, 3, 173-183.	0.7	12
90	How to model temporal changes in comorbidity for cancer patients using prospective cohort data. <i>BMC Medical Informatics and Decision Making</i> , 2015, 15, 96.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Long-term adherence to GnRH agonists in men with prostate cancer. A nation-wide population-based study in prostate cancer data base Sweden. <i>Scandinavian Journal of Urology</i> , 2020, 54, 20-26.	0.6	11
92	Radical radiotherapy for prostate cancer: patterns of care in Sweden 1998–2016. <i>Acta Oncologica</i> , 2020, 59, 549-557.	0.8	11
93	The use of palliative medications before death from prostate cancer: Swedish population-based study with a comparative overview of European data. <i>European Journal of Cancer</i> , 2018, 88, 101-108.	1.3	10
94	PSA testing patterns in a large Swedish cohort before the implementation of organized PSA testing. <i>Scandinavian Journal of Urology</i> , 2020, 54, 376-381.	0.6	10
95	Association of type 2 diabetes mellitus and antidiabetic medication with risk of prostate cancer: a population-based case-control study. <i>BMC Cancer</i> , 2020, 20, 551.	1.1	10
96	Risk of primary lung cancer after adjuvant radiotherapy in breast cancer—a large population-based study. <i>Npj Breast Cancer</i> , 2021, 7, 71.	2.3	10
97	Interpretation of conventional survival analysis and competing risk analysis: an example of hypertension and prostate cancer. <i>BJU International</i> , 2016, 118, 850-852.	1.3	9
98	Prostate Cancer Radiation Therapy and Risk of Thromboembolic Events. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 1026-1031.	0.4	9
99	Circulating gamma-glutamyl transferase and development of specific breast cancer subtypes: findings from the Apolipoprotein Mortality Risk (AMORIS) cohort. <i>Breast Cancer Research</i> , 2017, 19, 22.	2.2	9
100	Heterogeneity in risk of prostate cancer: A Swedish population-based cohort study of competing risks and Type 2 diabetes mellitus. <i>International Journal of Cancer</i> , 2018, 143, 1868-1875.	2.3	9
101	Chronic inflammatory diseases, anti-inflammatory medications and risk of prostate cancer: a population-based case-control study. <i>BMC Cancer</i> , 2019, 19, 612.	1.1	9
102	Androgen deprivation therapy, comorbidity, cancer stage and mortality from COVID-19 in men with prostate cancer. <i>Scandinavian Journal of Urology</i> , 2022, 56, 104-111.	0.6	9
103	Does a prostate cancer diagnosis affect management of pre-existing diabetes? Results from PCBaSe Sweden: a nationwide cohort study. <i>BMJ Open</i> , 2018, 8, e020787.	0.8	8
104	5 α -Reductase Inhibitors and Risk of Prostate Cancer Death. <i>Journal of Urology</i> , 2020, 204, 714-719.	0.2	8
105	Risk of Fractures and Falls during and after 5 α -Reductase Inhibitor Use: A Nationwide Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0140598.	1.1	8
106	Observational study on time on treatment with abiraterone and enzalutamide. <i>PLoS ONE</i> , 2020, 15, e0244462.	1.1	8
107	Population-based estimates of age and comorbidity specific life expectancy: a first application in Swedish males. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 35.	1.5	8
108	No generally increased risk of cancer after total hip arthroplasty performed due to osteoarthritis. <i>International Journal of Cancer</i> , 2020, 147, 76-83.	2.3	7

#	ARTICLE	IF	CITATIONS
109	Serum Immunoglobulin G Is Associated With Decreased Risk of Pancreatic Cancer in the Swedish AMORIS Study. <i>Frontiers in Oncology</i> , 2020, 10, 263.	1.3	7
110	Risk of cardiovascular events in men on abiraterone or enzalutamide combined with GnRH agonists: nation-wide, population-based cohort study in Sweden. <i>Acta Oncologica</i> , 2021, 60, 459-465.	0.8	7
111	Association between serum markers of the humoral immune system and inflammation in the Swedish AMORIS study. <i>BMC Immunology</i> , 2021, 22, 61.	0.9	7
112	Thyroid cancer risk in the Swedish AMORIS study: the role of inflammatory biomarkers in serum. <i>Oncotarget</i> , 2018, 9, 774-782.	0.8	7
113	Serum biomarkers to predict risk of testicular and penile cancer in AMORIS. <i>Ecancermedalscience</i> , 2017, 11, 762.	0.6	6
114	Adherence to guidelines for androgen deprivation therapy after radical prostatectomy: Swedish population-based study. <i>Scandinavian Journal of Urology</i> , 2020, 54, 208-214.	0.6	6
115	The Value of Real-World Data in Understanding Prostate Cancer Risk and Improving Clinical Care: Examples from Swedish Registries. <i>Cancers</i> , 2021, 13, 875.	1.7	6
116	A case-control study of lower urinary-tract infections, associated antibiotics and the risk of developing prostate cancer using PCBaSe 3.0. <i>PLoS ONE</i> , 2018, 13, e0195690.	1.1	6
117	An investigation into the relationship between statins and cancer using population-based data. <i>BJU International</i> , 2015, 116, 681-683.	1.3	5
118	Can pre-diagnostic serum levels of sodium and potassium predict prostate cancer survival?. <i>BMC Cancer</i> , 2018, 18, 1169.	1.1	5
119	Comparative Effectiveness of Different Radical Radiotherapy Treatment Regimens for Prostate Cancer: A Population-Based Cohort Study. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa006.	1.4	5
120	Short-term ciprofloxacin prophylaxis for prostate biopsy and risk of aortic aneurysm. Nationwide, population-based cohort study. <i>Scandinavian Journal of Urology</i> , 2021, 55, 221-226.	0.6	5
121	Variation in Prostate-Specific Antigen Testing Rates and Prostate Cancer Treatments and Outcomes in a National 20-Year Cohort. <i>JAMA Network Open</i> , 2021, 4, e219444.	2.8	5
122	Association between type 2 diabetes, curative treatment and survival in men with intermediate- and high-risk localized prostate cancer. <i>BJU International</i> , 2018, 121, 209-216.	1.3	4
123	Metabolic profiles to predict long-term cancer and mortality: the use of latent class analysis. <i>BMC Molecular and Cell Biology</i> , 2019, 20, 28.	1.0	4
124	Anti-androgen monotherapy versus gonadotropin-releasing hormone agonists in men with advanced, non-metastatic prostate cancer: a register-based, observational study. <i>Acta Oncologica</i> , 2019, 58, 110-118.	0.8	4
125	Use of Warfarin or Direct Oral Anticoagulants and Risk of Prostate Cancer in PCBaSe: A Nationwide Case-Control Study. <i>Frontiers in Oncology</i> , 2020, 10, 571838.	1.3	4
126	Simulation model of disease incidence driven by diagnostic activity. <i>Statistics in Medicine</i> , 2021, 40, 1172-1188.	0.8	4

#	ARTICLE	IF	CITATIONS
127	Drugs for metabolic conditions and prostate cancer death in men on GnRH agonists. BJU International, 2018, 121, 260-267.	1.3	3
128	Glucose, lipids and gamma-glutamyl transferase measured before prostate cancer diagnosis and secondly diagnosed primary tumours: a prospective study in the Swedish AMORIS cohort. BMC Cancer, 2018, 18, 205.	1.1	3
129	How to measure temporal changes in care pathways for chronic diseases using health care registry data. BMC Medical Informatics and Decision Making, 2019, 19, 103.	1.5	3
130	Real-world insights into risk of developing cardiovascular disease following GnRH agonists versus antagonists for prostate cancer: a methodological protocol to a study using five European databases. Fundamental and Clinical Pharmacology, 2019, 33, 479-499.	1.0	3
131	A drug comorbidity index to predict mortality in men with castration resistant prostate cancer. PLoS ONE, 2021, 16, e0255239.	1.1	3
132	Time on treatment with abiraterone and enzalutamide in the Patient-overview Prostate Cancer in The National Prostate Cancer Register of Sweden. Acta Oncologica, 2021, 60, 1589-1596.	0.8	3
133	Data Resource Profile: Breast Cancer Data Base Sweden (BCBaSe 2.0). International Journal of Epidemiology, 2021, , .	0.9	3
134	Time on treatment with abiraterone in men with <i>de novo</i> metastatic castration sensitive prostate cancer: a drug utilization study. Acta Oncologica, 2022, 61, 328-332.	0.8	3
135	Satisfaction with Nurse-led Follow-up in Prostate Cancer Patients – A Nationwide Population-based Study. European Urology Open Science, 2022, 38, 25-31.	0.2	2
136	Qualitative Analysis of Interviews and Focus Groups Exploring Factors Contributing to Adherence to GnRH Agonists in Men with Prostate Cancer. Seminars in Oncology Nursing, 2022, 38, 151236.	0.7	2
137	Susceptibility to SARS-CoV-2 infection and risk for severe COVID-19 in patients with prostate cancer on androgen deprivation therapy. International Journal of Cancer, 2022, 151, 1925-1934.	2.3	2
138	Temporal changes in cause-specific death in men with localised prostate cancer treated with radical prostatectomy: a population-based, nationwide study. Journal of Surgical Oncology, 2021, 124, 867-875.	0.8	1
139	Dietary Patterns and prostate cancer risk: a population based cohort study in elderly Swedish men. FASEB Journal, 2013, 27, 847.8.	0.2	1
140	Exploring the association between use of gonadotropin releasing hormones agonists and prostate cancer diagnosis per se and diabetes control in men with type 2 diabetes mellitus: a nationwide, population-based cohort study. BMC Cancer, 2021, 21, 1259.	1.1	1
141	Time to castration-resistant prostate cancer and prostate cancer death according to PSA response in men with non-metastatic prostate cancer treated with gonadotropin releasing hormone agonists. Scandinavian Journal of Urology, 2022, 56, 169-175.	0.6	1
142	Re: Adi J. Klil-Drori, Hui Yin, Vicky Tagalakis, Armen Aprikian, Laurent Azoulay. Androgen Deprivation Therapy for Prostate Cancer and Risk of Venous Thromboembolism. Eur Urol 2016;70:56–61. European Urology, 2017, 71, e61-e62.	0.9	0
143	Determinants of non-adherence to adjuvant endocrine treatment in early stage breast cancer patients: A Swedish population-based registry linkage study.. Journal of Clinical Oncology, 2016, 34, 535-535.	0.8	0
144	Abstract P3-20-02: The association of clinicopathological variables and patient's preference with surgical decision-making for early breast cancer. Cancer Research, 2022, 82, P3-20-02-P3-20-02.	0.4	0

#	ARTICLE	IF	CITATIONS
145	Title is missing!. , 2020, 15, e0228447.		0
146	Title is missing!. , 2020, 15, e0228447.		0
147	Title is missing!. , 2020, 15, e0228447.		0
148	Title is missing!. , 2020, 15, e0228447.		0
149	Prescription-based prediction of baseline mortality risk among older men. , 2020, 15, e0241439.		0
150	Prescription-based prediction of baseline mortality risk among older men. , 2020, 15, e0241439.		0
151	Prescription-based prediction of baseline mortality risk among older men. , 2020, 15, e0241439.		0
152	Prescription-based prediction of baseline mortality risk among older men. , 2020, 15, e0241439.		0