

Per Alström

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1044390/per-alstrom-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

4,216
citations

26
h-index

64
g-index

102
ext. papers

5,173
ext. citations

4.2
avg, IF

4.97
L-index

#	Paper	IF	Citations
96	Most Genomic Loci Misrepresent the Phylogeny of an Avian Radiation Because of Ancient Gene Flow. <i>Systematic Biology</i> , 2021 , 70, 961-975	8.4	4
95	Morphology, vocalizations, and mitochondrial DNA suggest that the Graceful Prinia is two species. <i>Auk</i> , 2021 , 138,	2.1	1
94	Multiple species delimitation approaches applied to the avian lark genus <i>Alaudala</i> . <i>Molecular Phylogenetics and Evolution</i> , 2021 , 154, 106994	4.1	3
93	Mongolian Short-toed Lark <i>Calandrella dukhunensis</i> , an overlooked East Asian species. <i>Journal of Ornithology</i> , 2021 , 162, 165-177	1.5	1
92	Asymmetric introgression reveals the genetic architecture of a plumage trait. <i>Nature Communications</i> , 2021 , 12, 1019	17.4	9
91	A new genus for the White-tailed Flycatcher <i>Cyornis concretus</i> (Aves: Muscicapidae).. <i>Zootaxa</i> , 2021 , 5072, 599-600	0.5	0
90	Great journey of Great Tits (<i>Parus major</i> group): Origin, diversification and historical demographics of a broadly distributed bird lineage. <i>Journal of Biogeography</i> , 2020 , 47, 1585-1598	4.1	4
89	Densely sampled phylogenetic analyses of the Lesser Short-toed Lark (<i>Alaudala rufescens</i>) and Lark (<i>A. raytal</i>) species complex (Aves, Passeriformes) reveal cryptic diversity. <i>Zoologica Scripta</i> , 2020 , 49, 427-439	2.5	6
88	A comprehensive phylogeny and taxonomic evaluation of the waxbills (Aves: Estrildidae). <i>Molecular Phylogenetics and Evolution</i> , 2020 , 146, 106757	4.1	11
87	The role of evolutionary time, diversification rates and dispersal in determining the global diversity of a large radiation of passerine birds. <i>Journal of Biogeography</i> , 2020 , 47, 1612-1625	4.1	12
86	Taxonomic revision of the Long-tailed Rosefinch <i>Carpodacus sibiricus</i> complex. <i>Journal of Ornithology</i> , 2020 , 161, 1061-1070	1.5	1
85	Molecular Species Delimitation of Larks (Aves: Alaudidae), and Integrative Taxonomy of the Genus <i>Calandrella</i> , with the Description of a Range-Restricted African Relic Taxon. <i>Diversity</i> , 2020 , 12, 428	2.5	1
84	Multiple species within the Striated Prinia <i>Prinia crinigera</i> Brown Prinia <i>P. polychroa</i> complex revealed through an integrative taxonomic approach. <i>Ibis</i> , 2020 , 162, 936-967	1.9	4
83	Taxonomy of cryptic species in the <i>Cyornis rubeculoides</i> complex in the Indian subcontinent. <i>Ibis</i> , 2020 , 162, 924-935	1.9	2
82	Mitochondrial phylogeography of the genus <i>Eremophila</i> confirms underestimated species diversity in the Palearctic. <i>Journal of Ornithology</i> , 2020 , 161, 297-312	1.5	9
81	Elevational patterns of bird species richness on the eastern slope of Mt. Gongga, Sichuan Province, China. <i>Avian Research</i> , 2019 , 10,	2	7
80	Cryptic diversity in <i>Cyornis</i> (Aves: Muscicapidae) jungle-flycatchers flagged by simple bioacoustic approaches. <i>Zoological Journal of the Linnean Society</i> , 2019 , 186, 725-741	2.4	15

79	Earth history and the passerine superradiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 7916-7925	11.5	121
78	Miocene diversification of an open-habitat predatorial passerine radiation, the shrikes (Aves: Passeriformes: Laniidae). <i>Zoologica Scripta</i> , 2019 , 48, 571-588	2.5	9
77	'Ghost introgression' as a cause of deep mitochondrial divergence in a bird species complex. <i>Molecular Biology and Evolution</i> , 2019 ,	8.3	31
76	From the Himalayas to a continental Island: Integrative species delimitation in the Brownish-flanked Bush Warbler <i>Horornis fortipes</i> complex. <i>Molecular Phylogenetics and Evolution</i> , 2019 , 131, 219-227	4.1	3
75	Near-complete phylogeny and taxonomic revision of the world's babblers (Aves: Passeriformes). <i>Molecular Phylogenetics and Evolution</i> , 2019 , 130, 346-356	4.1	31
74	Comprehensive molecular phylogeny of the grassbirds and allies (Locustellidae) reveals extensive non-monophyly of traditional genera, and a proposal for a new classification. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 127, 367-375	4.1	10
73	Complete species-level phylogeny of the leaf warbler (Aves: Phylloscopidae) radiation. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 126, 141-152	4.1	15
72	Comprehensive phylogeny of the laughingthrushes and allies (Aves, Leiothrichidae) and a proposal for a revised taxonomy. <i>Zoologica Scripta</i> , 2018 , 47, 428-440	2.5	7
71	Discordance between genomic divergence and phenotypic variation in a rapidly evolving avian genus (<i>Motacilla</i>). <i>Molecular Phylogenetics and Evolution</i> , 2018 , 120, 183-195	4.1	25
70	Complete taxon sampling of the avian genus <i>Pica</i> (magpies) reveals ancient relictual populations and synchronous Late-Pleistocene demographic expansion across the Northern Hemisphere. <i>Journal of Avian Biology</i> , 2018 , 49, jav-01612	1.9	10
69	Taxonomy of the White-browed Shortwing (<i>Brachypteryx montana</i>) complex on mainland Asia and Taiwan: an integrative approach supports recognition of three instead of one species. <i>Avian Research</i> , 2018 , 9,	2	6
68	The evolutionary origin of variation in song length and frequency in the avian family Cettiidae. <i>Journal of Avian Biology</i> , 2017 , 48, 1295-1300	1.9	7
67	Possible mechanisms of substrate colour-matching in larks (Alaudidae) and their taxonomic implications. <i>Ibis</i> , 2017 , 159, 699-702	1.9	14
66	Genomic differentiation and patterns of gene flow between two long-tailed tit species (<i>Aegithalos</i>). <i>Molecular Ecology</i> , 2017 , 26, 6654-6665	5.7	7
65	Explosive radiation and spatial expansion across the cold environments of the Old World in an avian family. <i>Ecology and Evolution</i> , 2017 , 7, 6346-6357	2.8	5
64	Phylogenetic relationships, song and distribution of the endangered Rufous-headed Robin <i>Larivora ruficeps</i> . <i>Ibis</i> , 2017 , 159, 204-216	1.9	6
63	New locality for the endangered Blackthroat Calliope <i>obscura</i> . <i>Journal of Ornithology</i> , 2016 , 157, 371-372.5		1
62	Unexpected divergence and lack of divergence revealed in continental Asian <i>Cyornis</i> flycatchers (Aves: Muscicapidae). <i>Molecular Phylogenetics and Evolution</i> , 2016 , 94, 232-41	4.1	5

61	Niltavinae, a new taxon of Old World flycatchers (Aves: Muscicapidae). <i>Zootaxa</i> , 2016 , 4196, zootaxa.4196.3.7		
60	A zoogeographical boundary between the Palaearctic and Sino-Japanese realms documented by consistent north/south phylogeographical divergences in three woodland birds in eastern China. <i>Journal of Biogeography</i> , 2016 , 43, 2099-2112	4.1	10
59	Shaped by uneven Pleistocene climate: mitochondrial phylogeographic pattern and population history of white wagtail <i>Motacilla alba</i> (Aves: Passeriformes). <i>Journal of Avian Biology</i> , 2016 , 47, 263-274	1.9	15
58	Species delimitation of the white-tailed rubythroat <i>Calliope pectoralis</i> complex (Aves, Muscicapidae) using an integrative taxonomic approach. <i>Journal of Avian Biology</i> , 2016 , 47, 899-910	1.9	8
57	The Rusty-tailed Flycatcher (<i>Muscicapa ruficauda</i> ; Aves: Muscicapidae) is a member of the genus <i>Ficedula</i> . <i>Molecular Phylogenetics and Evolution</i> , 2016 , 102, 56-61	4.1	0
56	Multiple instances of paraphyletic species and cryptic taxa revealed by mitochondrial and nuclear RAD data for Calandrella larks (Aves: Alaudidae). <i>Molecular Phylogenetics and Evolution</i> , 2016 , 102, 233-45	4.1	12
55	Mitochondrial phylogeny of the Eurasian/African reed warbler complex (<i>Acrocephalus</i> , Aves). Disagreement between morphological and molecular evidence and cryptic divergence: A case for resurrecting <i>Calamoherpe ambigua</i> Brehm 1857. <i>Molecular Phylogenetics and Evolution</i> , 2016 , 102, 30-44	4.1	10
54	Integrative taxonomy of the Plain-backed Thrush (<i>Zoothera mollissima</i>) complex (Aves, Turdidae) reveals cryptic species, including a new species. <i>Avian Research</i> , 2016 , 7,	2	16
53	Phylogenetic position of the Wallcreeper <i>Tichodroma muraria</i> . <i>Journal of Ornithology</i> , 2016 , 157, 913-918	1.5	3
52	Stable isotopes and mtDNA reveal niche segregation but no evidence of intergradation along a habitat gradient in the Lesser Whitethroat complex (<i>Sylvia curruca</i> ; Passeriformes; Aves). <i>Journal of Ornithology</i> , 2016 , 157, 1017-1027	1.5	4
51	Integrative taxonomy of the Russet Bush Warbler <i>Locustella mandelli</i> complex reveals a new species from central China. <i>Avian Research</i> , 2015 , 6,	2	11
50	Dramatic niche shifts and morphological change in two insular bird species. <i>Royal Society Open Science</i> , 2015 , 2, 140364	3.3	21
49	The potential drivers in forming avian biodiversity hotspots in the East Himalaya Mountains of Southwest China. <i>Integrative Zoology</i> , 2015 , 10, 171-81	1.9	37
48	Taxonomy of the Narcissus Flycatcher <i>Ficedula narcissina</i> complex: an integrative approach using morphological, bioacoustic and multilocus DNA data. <i>Ibis</i> , 2015 , 157, 312-325	1.9	7
47	Discovery of a relict lineage and monotypic family of passerine birds. <i>Biology Letters</i> , 2014 , 10, 20131067	3.6	19
46	Niche filling slows the diversification of Himalayan songbirds. <i>Nature</i> , 2014 , 509, 222-5	50.4	239
45	Rediscovery of an enigmatic Chinese passerine, the Blackthroat Calliope <i>obscura</i> : plumage, vocalizations, distribution, habitat choice, nesting and conservation. <i>Journal of Ornithology</i> , 2014 , 155, 347-356	1.5	6
44	Past hybridization between two East Asian long-tailed tits (<i>Aegithalos bonvaloti</i> and <i>A. fuliginosus</i>). <i>Frontiers in Zoology</i> , 2014 , 11, 40	2.8	21

43	Whole-genome analyses resolve early branches in the tree of life of modern birds. <i>Science</i> , 2014 , 346, 1320-31	33.3	1182
42	Comparative genomics reveals insights into avian genome evolution and adaptation. <i>Science</i> , 2014 , 346, 1311-20	33.3	628
41	Assessment of species limits in African Brown buntings (Emberiza, Passeriformes) based on mitochondrial and nuclear sequence data. <i>Ibis</i> , 2013 , 155, 534-543	1.9	6
40	New insights into the intricate taxonomy and phylogeny of the <i>Sylvia curruca</i> complex. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 67, 72-85	4.1	12
39	Systematic revision of the avian family Cisticolidae based on a multi-locus phylogeny of all genera. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 66, 790-9	4.1	8
38	Recent northward range expansion promotes song evolution in a passerine bird, the Light-vented Bulbul. <i>Journal of Evolutionary Biology</i> , 2013 , 26, 867-77	2.3	12
37	Rediscovery of a long-lost lark reveals the conspecificity of endangered <i>Heteromira fra</i> populations in the Horn of Africa. <i>Journal of Ornithology</i> , 2013 , 154, 813-825	1.5	8
36	Multilocus phylogeny of the avian family Alaudidae (larks) reveals complex morphological evolution, non-monophyletic genera and hidden species diversity. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 69, 1043-56	4.1	42
35	Molecular evidence suggests that the enigmatic Sulawesi endemic <i>Geomalia heinrichi</i> belongs in the genus <i>Zoothera</i> (Turdidae, Aves). <i>Chinese Birds: the International Journal of Ornithology</i> , 2013 , 4, 155-160		4
34	Is the Soft Song of the Brownish-Flanked Bush Warbler an Aggressive Signal?. <i>Ethology</i> , 2013 , 119, 653-667		13
33	A review of the recent advances in the systematics of the avian superfamily Sylvioidea. <i>Chinese Birds: the International Journal of Ornithology</i> , 2013 , 4, 99-131		34
32	Comparative phylogeography of two widespread magpies: importance of habitat preference and breeding behavior on genetic structure in China. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 65, 562-72 ^{4.1}		31
31	Pitfalls in comparisons of genetic distances: a case study of the avian family Acrocephalidae. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 62, 319-28	4.1	44
30	New insights into family relationships within the avian superfamily Sylvioidea (Passeriformes) based on seven molecular markers. <i>BMC Evolutionary Biology</i> , 2012 , 12, 157	3	40
29	Neumann's Warbler <i>Hemitesia neumanni</i> (Sylvioidea): the sole African member of a Palaeotropic Miocene avifauna. <i>Ibis</i> , 2011 , 153, 78-86	1.9	9
28	Gross morphology betrays phylogeny: the Scrub Warbler <i>Scotocerca inquieta</i> is not a cisticolid. <i>Ibis</i> , 2011 , 153, 87-97	1.9	4
27	The Arctic Warbler <i>Phylloscopus borealis</i> —three anciently separated cryptic species revealed. <i>Ibis</i> , 2011 , 153, 395-410	1.9	25
26	Evolution of ultraviolet vision in the largest avian radiation - the passerines. <i>BMC Evolutionary Biology</i> , 2011 , 11, 313	3	76

25	Non-monophyly and intricate morphological evolution within the avian family Cettiidae revealed by multilocus analysis of a taxonomically densely sampled dataset. <i>BMC Evolutionary Biology</i> , 2011 , 11, 352 ³		23
24	Multilocus analysis of a taxonomically densely sampled dataset reveal extensive non-monophyly in the avian family Locustellidae. <i>Molecular Phylogenetics and Evolution</i> , 2011 , 58, 513-26	4.1	24
23	Description of a new species of Phylloscopus warbler from Vietnam and Laos. <i>Ibis</i> , 2010 , 152, 145-168	1.9	21
22	Evolution of ultraviolet vision in shorebirds (Charadriiformes). <i>Biology Letters</i> , 2010 , 6, 370-4	3.6	37
21	Old divergences in a boreal bird supports long-term survival through the Ice Ages. <i>BMC Evolutionary Biology</i> , 2010 , 10, 35	3	41
20	The <i>Lanius excubitor</i> (Aves, Passeriformes) conundrum--Taxonomic dilemma when molecular and non-molecular data tell different stories. <i>Molecular Phylogenetics and Evolution</i> , 2010 , 55, 347-57	4.1	33
19	Multi-locus phylogenetic analysis of Old World chats and flycatchers reveals extensive paraphyly at family, subfamily and genus level (Aves: Muscicapidae). <i>Molecular Phylogenetics and Evolution</i> , 2010 , 57, 380-92	4.1	65
18	Phylogeny of babblers (Aves, Passeriformes): major lineages, family limits and classification. <i>Zoologica Scripta</i> , 2009 , 38, 225-236	2.5	51
17	Multi-locus phylogeny of the family Acrocephalidae (Aves: Passeriformes)--the traditional taxonomy overthrown. <i>Molecular Phylogenetics and Evolution</i> , 2009 , 52, 866-78	4.1	43
16	Species delimitation based on multiple criteria: the Spotted Bush Warbler <i>Bradypterus thoracicus</i> complex (Aves: Megaluridae). <i>Zoological Journal of the Linnean Society</i> , 2008 , 154, 291-307	2.4	45
15	The Golden-spectacled Warbler: a complex of sibling species, including a previously undescribed species. <i>Ibis</i> , 2008 , 141, 545-568	1.9	22
14	Golden-spectacled Warbler systematics. <i>Ibis</i> , 2008 , 142, 495-500	1.9	7
13	Accounting for phylogenetic uncertainty in biogeography: a Bayesian approach to dispersal-vicariance analysis of the thrushes (Aves: Turdus). <i>Systematic Biology</i> , 2008 , 57, 257-68	8.4	290
12	A new species of Phylloscopus warbler from central China. <i>Ibis</i> , 2008 , 134, 329-334	1.9	14
11	A new species of Phylloscopus warbler from Hainan Island, China. <i>Ibis</i> , 2008 , 135, 3-7	1.9	6
10	A new species of Phylloscopus warbler from Sichuan Province, China. <i>Ibis</i> , 2008 , 137, 459-468	1.9	8
9	Phylogeny and classification of the Old World Emberizini (Aves, Passeriformes). <i>Molecular Phylogenetics and Evolution</i> , 2008 , 47, 960-73	4.1	45
8	What is proper vouchering in phylogenetic studies of birds?--a reply to Peterson et al. (2007). <i>Molecular Phylogenetics and Evolution</i> , 2008 , 48, 383-5	4.1	1

7	Morphological, vocal and genetic divergence in the <i>Cettia acanthizoides</i> complex (Aves: Cettiidae). <i>Zoological Journal of the Linnean Society</i> , 2007 , 149, 437-452	2.4	13
6	Build-up of the Himalayan avifauna through immigration: a biogeographical analysis of the <i>Phylloscopus</i> and <i>Seicercus</i> warblers. <i>Evolution; International Journal of Organic Evolution</i> , 2007 , 61, 324-338	3.8	86
5	Phylogeny and classification of the avian superfamily Sylvioidea. <i>Molecular Phylogenetics and Evolution</i> , 2006 , 38, 381-97	4.1	119
4	Phylogeography of Indonesian and Sino-Himalayan region bush warblers (<i>Cettia</i> , Aves). <i>Molecular Phylogenetics and Evolution</i> , 2006 , 41, 556-65	4.1	18
3	Non-monophyletic taxa and cryptic species--evidence from a molecular phylogeny of leaf-warblers (<i>Phylloscopus</i> , Aves). <i>Molecular Phylogenetics and Evolution</i> , 2005 , 36, 261-76	4.1	87
2	Non-monophyly of the avian genus <i>Seicercus</i> (Aves: Sylviidae) revealed by mitochondrial DNA. <i>Zoologica Scripta</i> , 2004 , 33, 501-510	2.5	25
1	Cryptic species in the genus <i>Phylloscopus</i> (Old World leaf warblers). <i>Ibis</i> , 2001 , 143, 233-247	1.9	70