

Christopher M M Franco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10448134/publications.pdf>

Version: 2024-02-01

45
papers

1,913
citations

331259

21
h-index

264894

42
g-index

46
all docs

46
docs citations

46
times ranked

1970
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors affecting the isolation and diversity of marine sponge-associated bacteria. Applied Microbiology and Biotechnology, 2022, 106, 1729-1744.	1.7	4
2	Cytobacts: Abundant and Diverse Vertically Seed-Transmitted Cultivation-Recalcitrant Intracellular Bacteria Ubiquitous to Vascular Plants. Frontiers in Microbiology, 2022, 13, 806222.	1.5	1
3	Revealing the underlying mechanisms mediated by endophytic actinobacteria to enhance the rhizobia - chickpea (<i>Cicer arietinum</i> L.) symbiosis. Plant and Soil, 2022, 474, 299-318.	1.8	7
4	Endophytic Actinobacteria in Biosynthesis of Bioactive Metabolites and Their Application in Improving Crop Yield and Sustainable Agriculture. , 2022, , 119-150.		3
5	Antimicrobial Activities of Marine Sponge-Associated Bacteria. Microorganisms, 2021, 9, 171.	1.6	17
6	Intracellular Bacteria in Plants: Elucidation of Abundant and Diverse Cytoplasmic Bacteria in Healthy Plant Cells Using In Vitro Cell and Callus Cultures. Microorganisms, 2021, 9, 269.	1.6	12
7	Isolation and characterisation of endophytic actinobacteria and their effect on the growth and nodulation of chickpea (<i>Cicer arietinum</i>). Plant and Soil, 2021, 466, 357-371.	1.8	11
8	Inoculation Effects in the Rhizosphere: Diversity and Function. Rhizosphere Biology, 2021, , 339-356.	0.4	2
9	Analogous wheat root rhizosphere microbial successions in field and greenhouse trials in the presence of biocontrol agents <i>Paenibacillus peoriae</i> SP9 and <i>Streptomyces fulvissimus</i> FU14. Molecular Plant Pathology, 2020, 21, 622-635.	2.0	29
10	The antifungal action mode of the rice endophyte <i>Streptomyces hygrosopicus</i> OsiSh-2 as a potential biocontrol agent against the rice blast pathogen. Pesticide Biochemistry and Physiology, 2019, 160, 58-69.	1.6	54
11	Decoding Wheat Endosphereâ€“Rhizosphere Microbiomes in <i>Rhizoctonia solani</i> â€“Infested Soils Challenged by <i>Streptomyces</i> Biocontrol Agents. Frontiers in Plant Science, 2019, 10, 1038.	1.7	46
12	Untapped sponge microbiomes: structure specificity at host order and family levels. FEMS Microbiology Ecology, 2019, 95, .	1.3	14
13	Evaluation of ACC-deaminase-producing rhizobacteria to alleviate water-stress impacts in wheat (<i>Triticum aestivum</i> L.) plants. Canadian Journal of Microbiology, 2019, 65, 387-403.	0.8	86
14	Field performance of bacterial inoculants to alleviate water stress effects in wheat (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T	1.8	38
15	Uncovering the hidden marine sponge microbiome by applying a multi-primer approach. Scientific Reports, 2019, 9, 6214.	1.6	12
16	Distribution of Saponins in the Sea Cucumber <i>Holothuria lessona</i> ; the Body Wall Versus the Viscera, and Their Biological Activities. Marine Drugs, 2018, 16, 423.	2.2	33
17	A controlled aquarium system and approach to study the role of sponge-bacteria interactions using <i>Aplysilla rosea</i> and <i>Vibrio natriegens</i> . Scientific Reports, 2018, 8, 11801.	1.6	2
18	Complete Genome Sequences of the Endophytic <i>Streptomyces</i> sp. Strains LUP30 and LUP47B, Isolated from Lucerne Plants. Genome Announcements, 2017, 5, .	0.8	7

#	ARTICLE	IF	CITATIONS
19	<i>Promicromonospora callitridis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized root of an Australian native pine tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3559-3563.	0.8	8
20	Acetylated Triterpene Glycosides and Their Biological Activity from Holothuroidea Reported in the Past Six Decades. <i>Marine Drugs</i> , 2016, 14, 147.	2.2	55
21	Complete Genome Sequences of the Endophytic <i>Streptomyces</i> Strains EN16, EN23, and EN27, Isolated from Wheat Plants. <i>Genome Announcements</i> , 2016, 4, .	0.8	7
22	Effects of endophytic <i>Streptomyces</i> and mineral nitrogen on Lucerne (<i>Medicago sativa</i> L.) growth and its symbiosis with rhizobia. <i>Plant and Soil</i> , 2016, 405, 25-34.	1.8	13
23	The role of sponge-bacteria interactions: the sponge <i>Aplysilla rosea</i> challenged by its associated bacterium <i>Streptomyces</i> ACT-52A in a controlled aquarium system. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 10609-10626.	1.7	21
24	New marine natural products from sponges (Porifera) of the order Dictyoceratida (2001 to 2012); a promising source for drug discovery, exploration and future prospects. <i>Biotechnology Advances</i> , 2016, 34, 473-491.	6.0	56
25	Isolation and characterisation of endophytic actinobacteria and their effect on the early growth and nodulation of lucerne (<i>Medicago sativa</i> L.). <i>Plant and Soil</i> , 2016, 405, 13-24.	1.8	32
26	Structure Elucidation of New Acetylated Saponins, Lessoniosides A, B, C, D, and E, and Non-Acetylated Saponins, Lessoniosides F and G, from the Viscera of the Sea Cucumber <i>Holothuria lessoni</i> . <i>Marine Drugs</i> , 2015, 13, 597-617.	2.2	26
27	Sponge-associated actinobacterial diversity: validation of the methods of actinobacterial DNA extraction and optimization of 16S rRNA gene amplification. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 8731-8740.	1.7	12
28	Endophytic Actinobacteria: Diversity and Ecology. , 2014, , 27-59.		30
29	Rational Approaches to Improving the Isolation of Endophytic Actinobacteria from Australian Native Trees. <i>Microbial Ecology</i> , 2013, 65, 384-393.	1.4	102
30	<i>Kribbella endophytica</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized leaf of a native apricot tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1249-1253.	0.8	25
31	<i>Streptomyces kebangsaanensis</i> sp. nov., an endophytic actinomycete isolated from an ethnomedicinal plant, which produces phenazine-1-carboxylic acid. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3733-3738.	0.8	31
32	<i>Promicromonospora endophytica</i> sp. nov., an endophytic actinobacterium isolated from the root of an Australian native Grey Box tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1687-1691.	0.8	14
33	<i>Actinopolymorpha pittospori</i> sp. nov., an endophyte isolated from surface-sterilized leaves of an apricot tree (<i>Pittosporum phylliraeoides</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2616-2620.	0.8	16
34	<i>Pseudonocardia eucalypti</i> sp. nov., an endophytic actinobacterium with a unique knobby spore surface, isolated from roots of a native Australian eucalyptus tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 742-746.	0.8	29
35	<i>Flindersiella endophytica</i> gen. nov., sp. nov., an endophytic actinobacterium isolated from the root of Grey Box, an endemic eucalyptus tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2135-2140.	0.8	21
36	<i>Pseudonocardia adelaidensis</i> sp. nov., an endophytic actinobacterium isolated from the surface-sterilized stem of a grey box tree (<i>Eucalyptus microcarpa</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2818-2822.	0.8	30

#	ARTICLE	IF	CITATIONS
37	<i>Nocardia callitridis</i> sp. nov., an endophytic actinobacterium isolated from a surface-sterilized root of an Australian native pine tree. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1532-1536.	0.8	43
38	Analysis of the Endophytic Actinobacterial Population in the Roots of Wheat (<i>Triticum aestivum</i> L.) by Terminal Restriction Fragment Length Polymorphism and Sequencing of 16S rRNA Clones. <i>Applied and Environmental Microbiology</i> , 2004, 70, 1787-1794.	1.4	174
39	Effect of Microbial Inoculants on the Indigenous Actinobacterial Endophyte Population in the Roots of Wheat as Determined by Terminal Restriction Fragment Length Polymorphism. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6407-6413.	1.4	100
40	Complete sequencing and analysis of pEN2701, a novel 13-kb plasmid from an endophytic <i>Streptomyces</i> sp.. <i>Plasmid</i> , 2003, 49, 86-92.	0.4	11
41	Visualization of an Endophytic <i>Streptomyces</i> Species in Wheat Seed. <i>Applied and Environmental Microbiology</i> , 2003, 69, 4260-4262.	1.4	110
42	Isolation and Identification of Actinobacteria from Surface-Sterilized Wheat Roots. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5603-5608.	1.4	495
43	Detection of Novel Secondary Metabolites. <i>Critical Reviews in Biotechnology</i> , 1991, 11, 193-276.	5.1	37
44	Swalpamycin, a new macrolide antibiotic. II. Structure elucidation.. <i>Journal of Antibiotics</i> , 1987, 40, 1368-1374.	1.0	23
45	Swalpamycin, a new macrolide antibiotic. I. Taxonomy of the producing organism, fermentation, isolation and biological activity.. <i>Journal of Antibiotics</i> , 1987, 40, 1361-1367.	1.0	14