Françoise Vendittelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1045081/publications.pdf

Version: 2024-02-01

17	246	933447	996975
papers	citations	h-index	g-index
18	18	18	215
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The term breech presentation: Neonatal results and obstetric practices in France. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 125, 176-184.	1.1	49
2	Prenatal identification of smallâ€forâ€gestational age and risk of neonatal morbidity and stillbirth. Ultrasound in Obstetrics and Gynecology, 2020, 55, 621-628.	1.7	28
3	Conservative management or cesarean hysterectomy for placenta accreta spectrum: the PACCRETA prospective study. American Journal of Obstetrics and Gynecology, 2022, 226, 839.e1-839.e24.	1.3	27
4	Clinical profiles of placenta accreta spectrum: the PACCRETA populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1646-1655.	2.3	24
5	Is a breech presentation at term more frequent in women with a history of cesarean delivery?. American Journal of Obstetrics and Gynecology, 2008, 198, 521.e1-521.e6.	1.3	19
6	Does a body mass index greater than 25 kg/m2 increase maternal and neonatal morbidity? A French historical cohort study. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 601-608.	1.3	18
7	Practices during the active second stage of labor: A survey of French midwives. Midwifery, 2018, 60, 48-55.	2.3	18
8	Intended and actual use of self-medication and alternative products during pregnancy by French women. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 167-173.	1.3	13
9	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Chapter 3: Interventions associated with oxytocin administration during spontaneous labor. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 489-497.	1.3	12
10	Incidence of immediate postpartum hemorrhages in French maternity units: a prospective observational study (HERA study). BMC Pregnancy and Childbirth, 2016, 16, 242.	2.4	10
11	Positions during the first stage and the passive second stage of labor: A survey of French midwives. Midwifery, 2018, 56, 79-85.	2.3	10
12	Policies for management of postpartum haemorrhage: the HERA cross-sectional study in France. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 21-26.	1.1	6
13	Is directed open-glottis pushing more effective than directed closed-glottis pushing during the second stage of labor? A pragmatic randomized trial – the EOLE study. Midwifery, 2020, 91, 102843.	2.3	4
14	Does the Quality of Postpartum Hemorrhage Local Protocols Improve the Identification and Management of Blood Loss after Vaginal Deliveries? A Multicenter Cohort Study. Healthcare (Switzerland), 2022, 10, 992.	2.0	4
15	A French audit of maternity unit protocols for immediate postpartum hemorrhage: A cross-sectional study (HERA). Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101934.	1.3	3
16	Combined Endoloop \hat{A}^{\otimes} ligation and pessary cerclage devices for delayed interval delivery: A first case report. Taiwanese Journal of Obstetrics and Gynecology, 2019, 58, 579-580.	1.3	1
17	Response to IA Abdelazim's etÂal. letter about the article of E. Nohuz etÂal. [Combined Endoloop® ligation and pessary cerclage devices for delayed interval delivery: A first case report, Taiwan J Obstet Gynecol. 2019; 58:579–580]. Taiwanese Journal of Obstetrics and Gynecology, 2020, 59, 631.	1.3	O