

Laura Nawijn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1045150/laura-nawijn-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,432
citations

20
h-index

37
g-index

64
ext. papers

1,928
ext. citations

4.6
avg, IF

4.53
L-index

#	Paper	IF	Citations
45	Remodeling of the Cortical Structural Connectome in Posttraumatic Stress Disorder: Results from the ENIGMA-PGC PTSD Consortium.. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022 ,	3.4	1
44	Public perceptions of brain health: an international, online cross-sectional survey.. <i>BMJ Open</i> , 2022 , 12, e057999	3	0
43	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021 , 26, 4331-4343	15.1	8
42	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders : Evidence through univariate and multivariate mega-analysis including 6420 participants from the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2021 , 26, 4839-4852	15.1	29
41	Mapping social reward and punishment processing in the human brain: A voxel-based meta-analysis of neuroimaging findings using the social incentive delay task. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 122, 1-17	9	9
40	How childhood trauma and recent adverse events are related to hair cortisol levels in a large adult cohort. <i>Psychoneuroendocrinology</i> , 2021 , 126, 105150	5	4
39	Associations between depression, lifestyle and brain structure: A longitudinal MRI study. <i>NeuroImage</i> , 2021 , 231, 117834	7.9	4
38	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021 , 26, 4315-4330	15.1	33
37	Education and Income Show Heterogeneous Relationships to Lifespan Brain and Cognitive Differences Across European and US Cohorts. <i>Cerebral Cortex</i> , 2021 ,	5.1	5
36	Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups.. <i>Brain and Behavior</i> , 2021 , e2413	3.4	3
35	P.0072 Anxious distress in major depression: an fMRI study of amygdala reactivity and functional connectivity. <i>European Neuropsychopharmacology</i> , 2021 , 53, S51-S52	1.2	
34	Early posttraumatic autonomic and endocrine markers to predict posttraumatic stress symptoms after a preventive intervention with oxytocin. <i>Hgre Utbildning</i> , 2020 , 11, 1761622	5	4
33	P.229 Longitudinal associations between depression, lifestyle and brain structure: a nine-year follow-up MRI study. <i>European Neuropsychopharmacology</i> , 2020 , 31, S40	1.2	
32	The Global Brain Health Survey: Development of a Multi-Language Survey of Public Views on Brain Health. <i>Frontiers in Public Health</i> , 2020 , 8, 387	6	4
31	Patterns of Recovery From Early Posttraumatic Stress Symptoms After a Preventive Intervention With Oxytocin: Hormonal Contraception Use Is a Prognostic Factor. <i>Biological Psychiatry</i> , 2019 , 85, e71-e73	7.9	5
30	Associations Among Hair Cortisol Concentrations, Posttraumatic Stress Disorder Status, and Amygdala Reactivity to Negative Affective Stimuli in Female Police Officers. <i>Journal of Traumatic Stress</i> , 2019 , 32, 238-248	3.8	10
29	Effects of intranasal oxytocin on distraction as emotion regulation strategy in patients with post-traumatic stress disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 266-277	1.2	22

28	Oxytocin receptor gene methylation in male and female PTSD patients and trauma-exposed controls. <i>European Neuropsychopharmacology</i> , 2019 , 29, 147-155	1.2	11
27	Genetic variant in CACNA1C is associated with PTSD in traumatized police officers. <i>European Journal of Human Genetics</i> , 2018 , 26, 247-257	5.3	16
26	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
25	Patients with anxious depression: overview of prevalence, pathophysiology and impact on course and treatment outcome. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 17-25	4.9	59
24	Intranasal Oxytocin to Prevent Posttraumatic Stress Disorder Symptoms: A Randomized Controlled Trial in Emergency Department Patients. <i>Biological Psychiatry</i> , 2017 , 81, 1030-1040	7.9	85
23	Decreased uncinate fasciculus tract integrity in male and female patients with PTSD: a diffusion tensor imaging study. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 331-342	4.5	35
22	Intranasal oxytocin increases neural responses to social reward in post-traumatic stress disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 212-223	4	39
21	Sex-dependent differences in oxytocin receptor gene methylation between posttraumatic stress disorder patients and trauma-exposed healthy controls. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1015-S1016	1.2	
20	ABERRANT RESTING-STATE BRAIN ACTIVITY IN POSTTRAUMATIC STRESS DISORDER: A META-ANALYSIS AND SYSTEMATIC REVIEW. <i>Depression and Anxiety</i> , 2016 , 33, 592-605	8.4	158
19	Intranasal oxytocin enhances neural processing of monetary reward and loss in post-traumatic stress disorder and traumatized controls. <i>Psychoneuroendocrinology</i> , 2016 , 66, 228-37	5	40
18	Effects of intranasal oxytocin on amygdala reactivity to emotional faces in recently trauma-exposed individuals. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 327-36	4	34
17	Intranasal Oxytocin Normalizes Amygdala Functional Connectivity in Posttraumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2016 , 41, 2041-51	8.7	85
16	Intranasal Oxytocin Affects Amygdala Functional Connectivity after Trauma Script-Driven Imagery in Distressed Recently Trauma-Exposed Individuals. <i>Neuropsychopharmacology</i> , 2016 , 41, 1286-96	8.7	39
15	Intranasal Oxytocin Administration Dampens Amygdala Reactivity towards Emotional Faces in Male and Female PTSD Patients. <i>Neuropsychopharmacology</i> , 2016 , 41, 1495-504	8.7	57
14	P.4.b.006 Intranasal oxytocin attenuates amygdala functional connectivity after a trauma reminder in recently trauma-exposed individuals. <i>European Neuropsychopharmacology</i> , 2015 , 25, S560	1.2	1
13	P.1.g.055 Intranasal oxytocin dampens amygdala reactivity and normalises amygdala connectivity in PTSD patients. <i>European Neuropsychopharmacology</i> , 2015 , 25, S266-S267	1.2	3
12	Salivary Oxytocin and Vasopressin Levels in Police Officers With and Without Post-Traumatic Stress Disorder. <i>Journal of Neuroendocrinology</i> , 2015 , 27, 743-51	3.8	44
11	Reward functioning in PTSD: a systematic review exploring the mechanisms underlying anhedonia. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 51, 189-204	9	142

10	P.4.b.026 Intranasal oxytocin modulates neural processing of emotional faces in recently traumatised individuals at increased risk for PTSD. <i>European Neuropsychopharmacology</i> , 2014 , 24, S602	1.2	1
9	Intranasal oxytocin as strategy for medication-enhanced psychotherapy of PTSD: salience processing and fear inhibition processes. <i>Psychoneuroendocrinology</i> , 2014 , 40, 242-56	5	87
8	Social support, oxytocin, and PTSD. <i>Høgre Utbildning</i> , 2014 , 5, 26513	5	27
7	Efficacy of oxytocin administration early after psychotrauma in preventing the development of PTSD: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 92	4.2	38
6	How adolescents with diabetes experience social support from friends: two qualitative studies. <i>Scientifica</i> , 2014 , 2014, 415849	2.6	11
5	Trait impulsivity predicts escalation of sucrose seeking and hypersensitivity to sucrose-associated stimuli. <i>Behavioral Neuroscience</i> , 2009 , 123, 794-803	2.1	55
4	Personality differences in monozygotic twins discordant for cannabis use. <i>Addiction</i> , 2007 , 102, 1942-6	4.6	11
3	Education and income show heterogeneous relationships to lifespan brain and cognitive differences across European and US cohorts		1
2	Altered White Matter Microstructural Organization in Post-Traumatic Stress Disorder across 3,049 Adults: Results from the PGC-ENIGMA PTSD Consortium		4
1	Hippocampal subfield volumes are uniquely affected in PTSD and depression: International analysis of 31 cohorts from the PGC-ENIGMA PTSD Working Group		2