

# Poul Hb Sorensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10454806/publications.pdf>

Version: 2024-02-01

40  
papers

6,351  
citations

136740

32  
h-index

276539

41  
g-index

42  
all docs

42  
docs citations

42  
times ranked

6594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification and quantification of newly synthesized proteins translationally regulated by YB-1 using a novel Click-SILAC approach. <i>Journal of Proteomics</i> , 2012, 77, e1-e10.	1.2	39
2	Targeting the insulin-like growth factor 1 receptor (IGF1R) signaling pathway for cancer therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, 33-48.	1.5	92
3	Mediators of receptor tyrosine kinase activation in infantile fibrosarcoma: a Children's Oncology Group study. <i>Journal of Pathology</i> , 2012, 228, 119-130.	2.1	35
4	A possible role for long non-coding RNA in modulating signaling pathways. <i>Medical Hypotheses</i> , 2011, 77, 962-965.	0.8	12
5	Clusterin Is a Critical Downstream Mediator of Stress-Induced YB-1 Transactivation in Prostate Cancer. <i>Molecular Cancer Research</i> , 2011, 9, 1755-1766.	1.5	63
6	ETV6-NTRK3-Mediated Breast Epithelial Cell Transformation Is Blocked by Targeting the IGF1R Signaling Pathway. <i>Cancer Research</i> , 2011, 71, 1060-1070.	0.4	61
7	The majority of total nuclear-encoded non-ribosomal RNA in a human cell is 'dark matter' un-annotated RNA. <i>BMC Biology</i> , 2010, 8, 149.	1.7	266
8	Understanding Micrometastatic Disease and Anoikis Resistance in Ewing Family of Tumors and Osteosarcoma. <i>Oncologist</i> , 2010, 15, 627-635.	1.9	54
9	Inhibition of the Insulin-Like Growth Factor I Receptor by Epigallocatechin Gallate Blocks Proliferation and Induces the Death of Ewing Tumor Cells. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1396-1407.	1.9	45
10	Reduced proliferation and enhanced migration: Two sides of the same coin? Molecular mechanisms of metastatic progression by YB-1. <i>Cell Cycle</i> , 2009, 8, 2901-2906.	1.3	109
11	Translational Activation of Snail1 and Other Developmentally Regulated Transcription Factors by YB-1 Promotes an Epithelial-Mesenchymal Transition. <i>Cancer Cell</i> , 2009, 15, 402-415.	7.7	400
12	Small Round Cell Sarcomas. <i>Seminars in Oncology</i> , 2009, 36, 338-346.	0.8	28
13	Sarcomas With Spindle Cell Morphology. <i>Seminars in Oncology</i> , 2009, 36, 324-337.	0.8	28
14	Molecular Classification of Rhabdomyosarcoma: Genotypic and Phenotypic Determinants of Diagnosis. <i>American Journal of Pathology</i> , 2009, 174, 550-564.	1.9	271
15	Cellular Transformation and Activation of the Phosphoinositide-3-Kinase-Akt Cascade by the ETV6-NTRK3 Chimeric Tyrosine Kinase Requires c-Src. <i>Cancer Research</i> , 2007, 67, 3192-3200.	0.4	37
16	Ewing Sarcoma with Novel Translocation t(2;16) Producing an In-Frame Fusion of FUS and FEV. <i>Journal of Molecular Diagnostics</i> , 2007, 9, 459-463.	1.2	133
17	Y-box Binding Protein 1: Providing a New Angle on Translational Regulation. <i>Cell Cycle</i> , 2006, 5, 1143-1147.	1.3	108
18	ETV6-NTRK3: a chimeric protein tyrosine kinase with transformation activity in multiple cell lineages. <i>Seminars in Cancer Biology</i> , 2005, 15, 215-223.	4.3	151

#	ARTICLE	IF	CITATIONS
19	A Highly Conserved NTRK3 C-terminal Sequence in the ETV6-NTRK3 Oncoprotein Binds the Phosphotyrosine Binding Domain of Insulin Receptor Substrate-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 6225-6234.	1.6	52
20	Differential expression of a novel ankyrin containing E3 ubiquitin-protein ligase, Hace1, in sporadic Wilms' tumor versus normal kidney. <i>Human Molecular Genetics</i> , 2004, 13, 2061-2074.	1.4	100
21	Non-resectable congenital tumors with the ETV6-NTRK3 gene fusion are highly responsive to chemotherapy. <i>Medical and Pediatric Oncology</i> , 2003, 40, 288-292.	1.0	67
22	Secretory carcinoma of the breast: a distinct variant of invasive ductal carcinoma assessed by comparative genomic hybridization and immunohistochemistry. <i>Human Pathology</i> , 2003, 34, 1299-1305.	1.1	81
23	PAX3-FKHR and PAX7-FKHR Gene Fusions Are Prognostic Indicators in Alveolar Rhabdomyosarcoma: A Report From the Children's Oncology Group. <i>Journal of Clinical Oncology</i> , 2002, 20, 2672-2679.	0.8	688
24	Expression of the ETV6-NTRK3 Gene Fusion in Human Secretory Breast Carcinoma. <i>Handbook of Immunohistochemistry and in Situ Hybridization of Human Carcinomas</i> , 2002, , 493-503.	0.0	1
25	Expression of the ETV6-NTRK3 gene fusion as a primary event in human secretory breast carcinoma. <i>Cancer Cell</i> , 2002, 2, 367-376.	7.7	807
26	Anchorage-independent multi-cellular spheroids as an in vitro model of growth signaling in Ewing tumors. <i>Oncogene</i> , 2002, 21, 307-318.	2.6	73
27	Mixed epithelial and stromal tumor of the kidney lacks the genetic alterations of cellular congenital mesoblastic nephroma. <i>Human Pathology</i> , 2001, 32, 513-520.	1.1	53
28	Absence of t(12;15) associated ETV6-NTRK3 fusion transcripts in pediatric acute leukemias. <i>Medical and Pediatric Oncology</i> , 2001, 37, 415-416.	1.0	12
29	Detection of a novel t(6;15)(q21;q21) in a pediatric Wilms tumor. <i>Cancer Genetics and Cytogenetics</i> , 2001, 129, 165-167.	1.0	12
30	ETV6-NTRK3 gene fusion in metastasizing congenital fibrosarcoma. <i>Medical and Pediatric Oncology</i> , 2000, 35, 137-139.	1.0	15
31	The ETV6-NTRK3 gene fusion encodes a chimeric protein tyrosine kinase that transforms NIH3T3 cells. <i>Oncogene</i> , 2000, 19, 906-915.	2.6	155
32	<i>EWS-FLI1</i> and <i>EWS-ERG</i> Gene Fusions Are Associated With Similar Clinical Phenotypes in Ewing's Sarcoma. <i>Journal of Clinical Oncology</i> , 1999, 17, 1809-1809.	0.8	174
33	Repression of the gene encoding the TGF- $\beta$ 2 type II receptor is a major target of the EWS-FLI1 oncoprotein. <i>Nature Genetics</i> , 1999, 23, 222-227.	9.4	299
34	Undifferentiated embryonal sarcoma of the liver: Results of clinical management in one center. <i>Journal of Pediatric Surgery</i> , 1999, 34, 1641-1644.	0.8	57
35	A novel ETV6-NTRK3 gene fusion in congenital fibrosarcoma. <i>Nature Genetics</i> , 1998, 18, 184-187.	9.4	743
36	Absence of detectable EWS/FLI1 expression after therapy-induced neural differentiation in ewing sarcoma. <i>Human Pathology</i> , 1998, 29, 289-294.	1.1	30

#	ARTICLE	IF	CITATIONS
37	Detection of the EWS/WT1 Gene Fusion by Reverse Transcriptase-Polymerase Chain Reaction in the Diagnosis of Intra-abdominal Desmoplastic Small Round Cell Tumor. American Journal of Surgical Pathology, 1996, 20, 406-412.	2.1	79
38	A second Ewing's sarcoma translocation, t(21;22), fuses the EWS gene to another ETS family transcription factor, ERG. Nature Genetics, 1994, 6, 146-151.	9.4	693
39	Reverse Transcriptase PCR Amplification of EWS/FLI-1 Fusion Transcripts as a Diagnostic Test for Peripheral Primitive Neuroectodermal Tumors of Childhood. Diagnostic Molecular Pathology, 1993, 2, 147-157.	2.1	131
40	Reverse Transcriptase PCR Amplification of EWS/FLI-1 Fusion Transcripts as a Diagnostic Test for Peripheral Primitive Neuroectodermal Tumors of Childhood. Diagnostic Molecular Pathology, 1993, 2, 147-157.	2.1	91