Thomas M Grist

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10455605/thomas-m-grist-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 4,646 67 38 h-index g-index citations papers 68 6.9 5,111 5.13 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
67	Myocarditis Associated with mRNA COVID-19 Vaccination. <i>Radiology</i> , 2021 , 301, E409-E411	20.5	19
66	Evaluation for Myocarditis in Competitive Student Athletes Recovering From Coronavirus Disease 2019 With Cardiac Magnetic Resonance Imaging. <i>JAMA Cardiology</i> , 2021 , 6, 945-950	16.2	74
65	25 Years of Contrast-Enhanced MRI: Developments, Current Challenges and Future Perspectives. <i>Advances in Therapy</i> , 2016 , 33, 1-28	4.1	211
64	Longitudinal Assessment of Renal Perfusion and Oxygenation in Transplant Donor-Recipient Pairs Using Arterial Spin Labeling and Blood Oxygen Level-Dependent Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2016 , 51, 113-20	10.1	28
63	Measurements of wall shear stress and aortic pulse wave velocity in swine with familial hypercholesterolemia. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 1475-85	5.6	5
62	Review of MRI-based measurements of pulse wave velocity: a biomarker of arterial stiffness. <i>Cardiovascular Diagnosis and Therapy</i> , 2014 , 4, 193-206	2.6	98
61	Repeatability and internal consistency of abdominal 2D and 4D phase contrast MR flow measurements. <i>Academic Radiology</i> , 2013 , 20, 699-704	4.3	59
60	Aortic pulse wave velocity measurements with undersampled 4D flow-sensitive MRI: comparison with 2D and algorithm determination. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 853-9	5.6	43
59	Time-resolved angiography: Past, present, and future. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 1273-86	5.6	54
58	MR measures of renal perfusion, oxygen bioavailability and total renal blood flow in a porcine model: noninvasive regional assessment of renal function. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 128-35	4.3	18
57	Reproducibility of renal perfusion MR imaging in native and transplanted kidneys using non-contrast arterial spin labeling. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 1414-21	5.6	46
56	Magnetic resonance angiography: current status and future directions. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 19	6.9	124
55	Automated vessel segmentation using cross-correlation and pooled covariance matrix analysis. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 391-400	3.3	2
54	Noninvasive assessment of transstenotic pressure gradients in porcine renal artery stenoses by using vastly undersampled phase-contrast MR angiography. <i>Radiology</i> , 2011 , 261, 266-73	20.5	51
53	Renal arteries: isotropic, high-spatial-resolution, unenhanced MR angiography with three-dimensional radial phase contrast. <i>Radiology</i> , 2011 , 258, 254-60	20.5	46
52	Presurgical localization of the artery of Adamkiewicz with time-resolved 3.0-T MR angiography. <i>Radiology</i> , 2010 , 255, 873-81	20.5	46
51	Blood oxygen level-dependent and perfusion magnetic resonance imaging: detecting differences in oxygen bioavailability and blood flow in transplanted kidneys. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 56-64	3.3	70

(2002-2009)

50	Quantitative MR measures of intrarenal perfusion in the assessment of transplanted kidneys: initial experience. <i>Academic Radiology</i> , 2009 , 16, 1077-85	4.3	29
49	Dynamic four-dimensional MR angiography of the chest and abdomen. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2009 , 17, 77-90	1.6	9
48	Functional lung imaging using hyperpolarized gas MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 910-23	5.6	163
47	Time-resolved contrast-enhanced carotid imaging using undersampled projection reconstruction acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 1093-9	5.6	11
46	Imaging of lung ventilation and respiratory dynamics in a single ventilation cycle using hyperpolarized He-3 MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 26, 630-6	5.6	36
45	BOLD-MRI assessment of intrarenal oxygenation and oxidative stress in patients with chronic kidney allograft dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F513-22	4.3	101
44	Magnetic resonance imaging-monitored plasmid DNA delivery in primate limb muscle. <i>Human Gene Therapy</i> , 2007 , 18, 257-68	4.8	21
43	3D fluoroscopy with real-time 3D non-cartesian phased-array contrast-enhanced MRA. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 247-54	4.4	7
42	Cine flow measurements using phase contrast with undersampled projections: in vitro validation and preliminary results in vivo. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 24, 945-51	5.6	10
41	Early emphysematous changes in asymptomatic smokers: detection with 3He MR imaging. <i>Radiology</i> , 2006 , 239, 875-83	20.5	174
40	Generation and visualization of four-dimensional MR angiography data using an undersampled 3-D projection trajectory. <i>IEEE Transactions on Medical Imaging</i> , 2006 , 25, 148-57	11.7	48
39	Noninvasive assessment of early kidney allograft dysfunction by blood oxygen level-dependent magnetic resonance imaging. <i>Transplantation</i> , 2006 , 82, 621-8	1.8	57
38	Magnetic resonance angiography in children: technique, indications, and imaging findings. <i>Pediatric Radiology</i> , 2005 , 35, 26-39	2.8	26
37	Assessment of acute renal transplant rejection with blood oxygen level-dependent MR imaging: initial experience. <i>Radiology</i> , 2005 , 236, 911-9	20.5	114
36	PC VIPR: a high-speed 3D phase-contrast method for flow quantification and high-resolution angiography. <i>American Journal of Neuroradiology</i> , 2005 , 26, 743-9	4.4	195
35	Time-resolved 3D MR angiography of the abdomen with a real-time system. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 921-6	4.4	19
34	Combined time-resolved and high-spatial-resolution 3D MRA using an extended adaptive acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 291-301	5.6	30
33	Time-resolved contrast-enhanced imaging with isotropic resolution and broad coverage using an undersampled 3D projection trajectory. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 297-305	4.4	246

32	Time-resolved three-dimensional contrast-enhanced MR angiography of the peripheral vessels. <i>Radiology</i> , 2002 , 225, 43-52	20.5	141
31	Technical developments in MR angiography. <i>Radiologic Clinics of North America</i> , 2002 , 40, 921-51	2.3	22
30	Validation of injection parameters for catheter-directed intraarterial gadolinium-enhanced MR angiography. <i>Academic Radiology</i> , 2002 , 9, 172-85	4.3	20
29	The effect of injection rate on time-resolved contrast-enhanced peripheral MRA. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 401-10	5.6	43
28	Aorta and runoff vessels: single-injection MR angiography with automated table movement compared with multiinjection time-resolved MR angiographyinitial results. <i>Radiology</i> , 2001 , 221, 266-7	,2 ^{0.5}	65
27	Carotid bifurcation: evaluation of time-resolved three-dimensional contrast-enhanced MR angiography. <i>Radiology</i> , 2001 , 220, 525-32	20.5	40
26	Contrast-Enhanced magnetic resonance angiography of the carotid bifurcation using the time-resolved imaging of contrast kinetics (TRICKS) technique. <i>Topics in Magnetic Resonance Imaging</i> , 2001 , 12, 175-81	2.3	33
25	MRA of the abdominal aorta and lower extremities. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 11, 32-43	5.6	52
24	Undersampled projection reconstruction applied to MR angiography. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 91-101	4.4	307
23	Undersampled projection-reconstruction imaging for time-resolved contrast-enhanced imaging. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 170-6	4.4	97
22	3D MR DSA: effects of injection protocol and image masking. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 476-87	5.6	43
21	Method for rapidly determining and reconstructing the peak arterial frame from a time-resolved CE-MRA exam. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 817-20	4.4	16
20	Magnetic resonance angiography of aorto-iliac disease. American Journal of Surgery, 2000, 180, 6-12	2.7	11
19	Real-time MR imaging-guided passive catheter tracking with use of gadolinium-filled catheters. Journal of Vascular and Interventional Radiology, 2000 , 11, 1079-85	2.4	91
18	MR-guided angioplasty of renal artery stenosis in a pig model: a feasibility study. <i>Journal of Vascular and Interventional Radiology</i> , 2000 , 11, 373-81	2.4	72
17	Undersampled projection-reconstruction imaging for time-resolved contrast-enhanced imaging 2000 , 43, 170		2
16	AHA scientific statement. Magnetic resonance angiography: update on applications for extracranial arteries. <i>Circulation</i> , 1999 , 100, 2284-301	16.7	119
15	Contrast-enhanced MR angiography of the carotid bifurcation. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 317-25	5.6	40

LIST OF PUBLICATIONS

14	Design and validation of a motion stage for in vitro MR experiments. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 972-7	5.6	2
13	Intraarterial gadolinium-enhanced 2D and 3D MR angiography: a preliminary study. <i>Journal of Vascular and Interventional Radiology</i> , 1999 , 10, 1315-21	2.4	42
12	3D time-resolved contrast-enhanced MR DSA: advantages and tradeoffs. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 571-81	4.4	87
11	X-ray digital subtraction angiography to magnetic resonance-digital subtraction angiography using three-dimensional TRICKS. Historical perspective and computer simulations: a review. <i>Investigative Radiology</i> , 1998 , 33, 496-505	10.1	13
10	Renal magnetic resonance angiography: an update. Current Opinion in Urology, 1998, 8, 105-9	2.8	1
9	Effect of and correction for in-plane myocardial motion on estimates of coronary-volume flow rates. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 815-28	5.6	19
8	Time-resolved contrast-enhanced 3D MR angiography. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 345-5	14.4	762
7	Evaluation of presaturation pulse thickness and gap for lower extremity peripheral two-dimensional time-of-flight MR angiography with a signa 1.5-T unit. <i>Journal of Vascular and Interventional Radiology</i> , 1995 , 6, 965-70	2.4	5
6	Coronary MRI with a respiratory feedback monitor: the 2D imaging case. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 116-21	4.4	74
5	Respiratory blur in 3D coronary MR imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 541-8	4.4	53
4	Development of a phased-array coil for the lower extremities. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 260-7	4.4	10
3	Magnetic resonance angiography of renal artery stenosis. <i>American Journal of Kidney Diseases</i> , 1994 , 24, 700-12	7.4	46
2	Generalized matched filtering for time-resolved MR angiography of pulsatile flow. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 600-8	4.4	18
1	Increased presaturation pulse gaps in two-dimensional time-of-flight MR angiography: a pitfall in diseased lower extremities. <i>Journal of Vascular and Interventional Radiology</i> , 1993 , 4, 569-71	2.4	5