## Setareh Jahfari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10457986/publications.pdf

Version: 2024-02-01

16 papers	1,190 citations	14 h-index	940533 16 g-index
16	16	16	1157 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	A case of meningoencephalitis by the relapsing fever spirochaete Borrelia miyamotoi in Europe. Lancet, The, 2013, 382, 658.	13.7	224
2	Circulation of four Anaplasma phagocytophilum ecotypes in Europe. Parasites and Vectors, 2014, 7, 365.	2.5	207
3	Prevalence of Neoehrlichia mikurensis in ticks and rodents from North-west Europe. Parasites and Vectors, 2012, 5, 74.	2.5	117
4	Spatiotemporal dynamics of emerging pathogens in questing Ixodes ricinus. Frontiers in Cellular and Infection Microbiology, 2013, 3, 36.	3.9	85
5	Molecular Detection of Tick-Borne Pathogens in Humans with Tick Bites and Erythema Migrans, in the Netherlands. PLoS Neglected Tropical Diseases, 2016, 10, e0005042.	3.0	85
6	Melting pot of tick-borne zoonoses: the European hedgehog contributes to the maintenance of various tick-borne diseases in natural cycles urban and suburban areas. Parasites and Vectors, 2017, 10, 134.	2.5	65
7	Imbalanced presence of Borrelia burgdorferi s.l. multilocus sequence types in clinical manifestations of Lyme borreliosis. Infection, Genetics and Evolution, 2016, 42, 66-76.	2.3	59
8	CandidatusNeoehrlichia mikurensis andAnaplasma phagocytophilumin Urban Hedgehogs. Emerging Infectious Diseases, 2014, 20, 496-8.	4.3	57
9	Vertical transmission of Bartonella schoenbuchensis in Lipoptena cervi. Parasites and Vectors, 2015, 8, 176.	2.5	57
10	Tick-Borne Encephalitis Virus in Ticks and Roe Deer, the Netherlands. Emerging Infectious Diseases, 2017, 23, 1028-1030.	4.3	54
11	Presence of zoonotic agents in engorged ticks and hedgehog faeces from Erinaceus europaeus in (sub) urban areas. Parasites and Vectors, 2015, 8, 210.	2.5	53
12	Eco-epidemiology of Borrelia miyamotoi and Lyme borreliosis spirochetes in a popular hunting and recreational forest area in Hungary. Parasites and Vectors, 2015, 8, 309.	2.5	50
13	Candidatus Neoehrlichia mikurensis and Anaplasma phagocytophilum in natural rodent and tick communities in Southern Hungary. Ticks and Tick-borne Diseases, 2015, 6, 111-116.	2.7	38
14	Enzootic origins for clinical manifestations of Lyme borreliosis. Infection, Genetics and Evolution, 2017, 49, 48-54.	2.3	19
15	Evaluation of a serological test for the diagnosis of Borrelia miyamotoi disease in Europe. Journal of Microbiological Methods, 2017, 136, 11-16.	1.6	15
16	9. Emerging tick-borne pathogens: ticking on Pandora's box. Ecology and Control of Vector-Borne Diseases, 2016, , 127-147.	0.7	5