

Lawrence J Beilin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10460935/lawrence-j-beilin-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151 papers	12,775 citations	64 h-index	111 g-index
157 ext. papers	14,525 ext. citations	6.9 avg, IF	5.86 L-index

#	Paper	IF	Citations
151	Dietary fibre intake and its association with inflammatory markers in adolescents. <i>British Journal of Nutrition</i> , 2021 , 125, 329-336	3.6	4
150	Validation of fatty liver disease scoring systems for ultrasound diagnosed non-alcoholic fatty liver disease in adolescents. <i>Digestive and Liver Disease</i> , 2021 , 53, 746-752	3.3	2
149	Dietary fibre intake and its associations with depressive symptoms in a prospective adolescent cohort. <i>British Journal of Nutrition</i> , 2021 , 125, 1166-1176	3.6	1
148	Long-Term Blood Pressure Variability and Risk of Cognitive Decline and Dementia Among Older Adults. <i>Journal of the American Heart Association</i> , 2021 , 10, e019613	6	4
147	Validation of a deficit-accumulation Frailty Index in the ASPREE study and its predictive capacity for disability-free survival. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	3
146	Long-Term Blood Pressure Variability and Risk of Cardiovascular Disease Events Among Community-Dwelling Elderly. <i>Hypertension</i> , 2020 , 76, 1945-1952	8.5	11
145	ApoB48-remnant lipoproteins are associated with increased cardiometabolic risk in adolescents. <i>Atherosclerosis</i> , 2020 , 302, 20-26	3.1	7
144	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020 , 75, 324-330	8.5	12
143	ApoB48-Lipoproteins Are Associated with Cardiometabolic Risk in Adolescents with and without Polycystic Ovary Syndrome. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa061	0.4	3
142	Association between remnant lipoprotein cholesterol levels and non-alcoholic fatty liver disease in adolescents. <i>JHEP Reports</i> , 2020 , 2, 100150	10.3	6
141	Methylome-wide association study of central adiposity implicates genes involved in immune and endocrine systems. <i>Epigenomics</i> , 2020 , 12, 1483-1499	4.4	4
140	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 966-974	2.3	6
139	Epigenetic Age Acceleration in Adolescence Associates With BMI, Inflammation, and Risk Score for Middle Age Cardiovascular Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3012-3024	5.6	25
138	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019 , 51, 804-814	36.3	181
137	Meta-analysis of epigenome-wide association studies in neonates reveals widespread differential DNA methylation associated with birthweight. <i>Nature Communications</i> , 2019 , 10, 1893	17.4	79
136	Cohort Profile: The ASPREE Longitudinal Study of Older Persons (ALSOP). <i>International Journal of Epidemiology</i> , 2019 , 48, 1048-1049h	7.8	13
135	Change in Blood Pressure Variability Among Treated Elderly Hypertensive Patients and Its Association With Mortality. <i>Journal of the American Heart Association</i> , 2019 , 8, e012630	6	6

134	The Effects of OMEGA-3 Fatty Acid Supplementation Upon Interleukin-12 and Interleukin-18 in Chronic Kidney Disease Patients. <i>Journal of Renal Nutrition</i> , 2019 , 29, 377-385	3	3
133	Short- and long-term association of lipid-lowering drug treatment and cardiovascular disease by estimated absolute risk in the Second Australian National Blood Pressure study. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 148-155	4.9	1
132	Visit-to-visit (long-term) and ambulatory (short-term) blood pressure variability to predict mortality in an elderly hypertensive population. <i>Journal of Hypertension</i> , 2018 , 36, 1059-1067	1.9	17
131	Dietary patterns, body mass index and inflammation: Pathways to depression and mental health problems in adolescents. <i>Brain, Behavior, and Immunity</i> , 2018 , 69, 428-439	16.6	69
130	Sex differences between parental pregnancy characteristics and nonalcoholic fatty liver disease in adolescents. <i>Hepatology</i> , 2018 , 67, 108-122	11.2	34
129	Relation of Alcohol Consumption to Risk of Heart Failure in Patients Aged 65 to 84 Years With Hypertension. <i>American Journal of Cardiology</i> , 2018 , 122, 1352-1358	3	2
128	Cardiometabolic Risk Factors at 5 Years After Omega-3 Fatty Acid Supplementation in Infancy. <i>Pediatrics</i> , 2018 , 142,	7.4	10
127	Night-time ambulatory blood pressure is the best pretreatment blood pressure predictor of 11-year mortality in treated older hypertensives. <i>Blood Pressure Monitoring</i> , 2018 , 23, 237-243	1.3	4
126	Effect of Aspirin on Disability-free Survival in the Healthy Elderly. <i>New England Journal of Medicine</i> , 2018 , 379, 1499-1508	59.2	224
125	Effect of Aspirin on All-Cause Mortality in the Healthy Elderly. <i>New England Journal of Medicine</i> , 2018 , 379, 1519-1528	59.2	370
124	Effect of Aspirin on Cardiovascular Events and Bleeding in the Healthy Elderly. <i>New England Journal of Medicine</i> , 2018 , 379, 1509-1518	59.2	474
123	Baseline Characteristics of Participants in the ASPREE (ASpirin in Reducing Events in the Elderly) Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1586-1593	6.4	92
122	Infant nutrition and maternal obesity influence the risk of non-alcoholic fatty liver disease in adolescents. <i>Journal of Hepatology</i> , 2017 , 67, 568-576	13.4	60
121	Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 487-492	1.9	17
120	Long-term survival following the development of heart failure in an elderly hypertensive population. <i>Cardiovascular Therapeutics</i> , 2017 , 35, e12303	3.3	2
119	Early Life Factors, Obesity Risk, and the Metabolome of Young Adults. <i>Obesity</i> , 2017 , 25, 1549-1555	8	6
118	A Randomized Trial of Effects of Alcohol on Cytochrome P450 Eicosanoids, Mediators of Inflammation Resolution, and Blood Pressure in Men. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1666-1674	3.7	12
117	Effects of prenatal n-3 fatty acid supplementation on offspring resolvins at birth and 12 years of age: a double-blind, randomised controlled clinical trial. <i>British Journal of Nutrition</i> , 2017 , 118, 971-980	3.6	22

116	Sex differences in the association of phospholipids with components of the metabolic syndrome in young adults. <i>Biology of Sex Differences</i> , 2017 , 8, 10	9.3	17
115	Adverse metabolic phenotype of adolescent girls with non-alcoholic fatty liver disease plus polycystic ovary syndrome compared with other girls and boys. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 980-7	4	26
114	A randomized controlled trial of the effects of n-3 fatty acids on resolvins in chronic kidney disease. <i>Clinical Nutrition</i> , 2016 , 35, 331-336	5.9	48
113	Hypothalamic-pituitary-adrenal axis activity under resting conditions and cardiovascular risk factors in adolescents. <i>Psychoneuroendocrinology</i> , 2016 , 66, 118-24	5	13
112	Lipidomics Reveals Associations of Phospholipids With Obesity and Insulin Resistance in Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 871-9	5.6	93
111	Dual Energy X-Ray Absorptiometry Compared with Anthropometry in Relation to Cardio-Metabolic Risk Factors in a Young Adult Population: Is the Gold Standard Tarnished?. <i>PLoS ONE</i> , 2016 , 11, e0162164	3.7	5
110	Regular Fat and Reduced Fat Dairy Products Show Similar Associations with Markers of Adolescent Cardiometabolic Health. <i>Nutrients</i> , 2016 , 8,	6.7	8
109	The effects of alcohol on ambulatory blood pressure and other cardiovascular risk factors in type 2 diabetes: a randomized intervention. <i>Journal of Hypertension</i> , 2016 , 34, 421-8; discussion 428	1.9	29
108	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016 , 538, 248-252	5.4	266
107	Prognostic Value of Ambulatory Blood Pressure in the Obese: The Ambulatory Blood Pressure-International Study. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 111-8	2.3	5
106	Randomized Controlled Intervention of the Effects of Alcohol on Blood Pressure in Premenopausal Women. <i>Hypertension</i> , 2015 , 66, 517-23	8.5	26
105	Childhood adiposity trajectories and risk of nonalcoholic fatty liver disease in adolescents. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 163-71	4	94
104	Use of the Dietary Guideline Index to assess cardiometabolic risk in adolescents. <i>British Journal of Nutrition</i> , 2015 , 113, 1741-52	3.6	11
103	Authors' response. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 60, e35-6	2.8	
102	Low serum 25-hydroxyvitamin D concentrations associate with non-alcoholic fatty liver disease in adolescents independent of adiposity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1215-22	4	41
101	Early infant feeding and adiposity risk: from infancy to adulthood. <i>Annals of Nutrition and Metabolism</i> , 2014 , 64, 262-70	4.5	81
100	Added predictive value of night-time blood pressure variability for cardiovascular events and mortality: the Ambulatory Blood Pressure-International Study. <i>Hypertension</i> , 2014 , 64, 487-93	8.5	121
99	Lower fructose intake may help protect against development of nonalcoholic fatty liver in adolescents with obesity. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 58, 624-31	2.8	32

98	Gender and the active smoking and high-sensitivity C-reactive protein relation in late adolescence. <i>Journal of Lipid Research</i> , 2014 , 55, 758-64	6.3	11
97	Association between liver-specific gene polymorphisms and their expression levels with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013 , 57, 590-600	11.2	61
96	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , 2013 , 168, 1490-5	3.2	60
95	Obesity-related hypertension: pathogenesis, cardiovascular risk, and treatment: a position paper of The Obesity Society and the American Society of Hypertension. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 14-33	2.3	251
94	Gender difference in the relationship between passive smoking exposure and HDL-cholesterol levels in late adolescence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2126-35	5.6	18
93	Oral contraceptive use in girls and alcohol consumption in boys are associated with increased blood pressure in late adolescence. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 947-55	3.9	31
92	Acute effects of red wine on cytochrome P450 eicosanoids and blood pressure in men. <i>Journal of Hypertension</i> , 2013 , 31, 2195-202; discussion 2202	1.9	19
91	Obesity-related hypertension: pathogenesis, cardiovascular risk, and treatment--a position paper of the The Obesity Society and The American Society of Hypertension. <i>Obesity</i> , 2013 , 21, 8-24	8	155
90	The Western dietary pattern is prospectively associated with nonalcoholic fatty liver disease in adolescence. <i>American Journal of Gastroenterology</i> , 2013 , 108, 778-85	0.7	162
89	Importance of cardiometabolic risk factors in the association between nonalcoholic fatty liver disease and arterial stiffness in adolescents. <i>Hepatology</i> , 2013 , 58, 1306-14	11.2	54
88	Associations between anxious-depressed symptoms and cardiovascular risk factors in a longitudinal childhood study. <i>Preventive Medicine</i> , 2012 , 54, 345-50	4.3	16
87	Cholesteryl ester transfer protein gene polymorphisms increase the risk of fatty liver in females independent of adiposity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1520-7	4	26
86	Low intake of B-vitamins is associated with poor adolescent mental health and behaviour. <i>Preventive Medicine</i> , 2012 , 55, 634-8	4.3	33
85	Gender-specific differences in adipose distribution and adipocytokines influence adolescent nonalcoholic fatty liver disease. <i>Hepatology</i> , 2011 , 53, 800-9	11.2	147
84	Relative validity of adolescent dietary patterns: a comparison of a FFQ and 3d food record. <i>British Journal of Nutrition</i> , 2011 , 105, 625-33	3.6	46
83	The omega-3 fatty acids EPA and DHA decrease plasma F(2)-isoprostanes: Results from two placebo-controlled interventions. <i>Free Radical Research</i> , 2010 , 44, 983-90	4	70
82	Adolescent dietary patterns are associated with lifestyle and family psycho-social factors. <i>Public Health Nutrition</i> , 2009 , 12, 1807-15	3.3	126
81	Effects of lupin kernel flour-enriched bread on blood pressure: a controlled intervention study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 766-72	7	88

80	Synergy between adiposity, insulin resistance, metabolic risk factors, and inflammation in adolescents. <i>Diabetes Care</i> , 2009 , 32, 695-701	14.6	72
79	20-HETE and F2-isoprostanes in the metabolic syndrome: the effect of weight reduction. <i>Free Radical Biology and Medicine</i> , 2009 , 46, 263-70	7.8	61
78	The association between dietary patterns and mental health in early adolescence. <i>Preventive Medicine</i> , 2009 , 49, 39-44	4.3	155
77	The effects of [omega]3 fatty acids and coenzyme Q10 on blood pressure and heart rate in chronic kidney disease: a randomized controlled trial. <i>Journal of Hypertension</i> , 2009 , 27, 1863-72	1.9	64
76	Smaller aortic dimensions do not fully account for the greater pulse pressure in elderly female hypertensives. <i>Hypertension</i> , 2008 , 51, 1129-34	8.5	31
75	Feasibility of conducting a primary prevention trial of low-dose aspirin for major adverse cardiovascular events in older people in Australia: results from the ASPIrin in Reducing Events in the Elderly (ASPREE) pilot study. <i>Medical Journal of Australia</i> , 2008 , 189, 105-9	4	47
74	A reduction in alcohol consumption is associated with reduced plasma F2-isoprostanes and urinary 20-HETE excretion in men. <i>Free Radical Biology and Medicine</i> , 2007 , 42, 1730-5	7.8	39
73	Similar effects of treatment on central and brachial blood pressures in older hypertensive subjects in the Second Australian National Blood Pressure Trial. <i>Hypertension</i> , 2007 , 49, 1242-7	8.5	53
72	Increased lean red meat intake does not elevate markers of oxidative stress and inflammation in humans. <i>Journal of Nutrition</i> , 2007 , 137, 363-7	4.1	59
71	Impact of foods enriched with n-3 long-chain polyunsaturated fatty acids on erythrocyte n-3 levels and cardiovascular risk factors. <i>British Journal of Nutrition</i> , 2007 , 97, 749-57	3.6	92
70	Alcohol Intake and Blood Pressure 2007 , 483-500		
69	Dietary Fats and Blood Pressure 2007 , 77-88		3
68	Brachial blood pressure but not carotid arterial waveforms predict cardiovascular events in elderly female hypertensives. <i>Hypertension</i> , 2006 , 47, 785-90	8.5	154
67	Alcohol and hypertension: an update. <i>Hypertension</i> , 2006 , 47, 1035-8	8.5	87
66	n -- 3 fatty acid supplementation during pregnancy in women with allergic disease: effects on blood pressure, and maternal and fetal lipids. <i>Clinical Science</i> , 2006 , 111, 289-94	6.5	18
65	Partial substitution of carbohydrate intake with protein intake from lean red meat lowers blood pressure in hypertensive persons. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 780-7	7	106
64	Alcohol is bad for blood pressure. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 847-52		99
63	Predictors of failure to initiate randomized treatment in a large trial of antihypertensive drug therapy in the aged. <i>American Journal of Hypertension</i> , 2005 , 18, 885-8	2.3	0

62	The combination of vitamin C and grape-seed polyphenols increases blood pressure: a randomized, double-blind, placebo-controlled trial. <i>Journal of Hypertension</i> , 2005 , 23, 427-34	1.9	86
61	The use of novel foods enriched with long-chain n-3 fatty acids to increase dietary intake: a comparison of methodologies assessing nutrient intake. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 1918-26		20
60	Urinary 20-hydroxyeicosatetraenoic acid excretion is associated with oxidative stress in hypertensive subjects. <i>Free Radical Biology and Medicine</i> , 2005 , 38, 1032-6	7.8	59
59	Red wine and beer elevate blood pressure in normotensive men. <i>Hypertension</i> , 2005 , 45, 874-9	8.5	120
58	Oxidative stress in human hypertension: association with antihypertensive treatment, gender, nutrition, and lifestyle. <i>Free Radical Biology and Medicine</i> , 2004 , 36, 226-32	7.8	108
57	Omega-3 fatty acids and inflammation. <i>Current Atherosclerosis Reports</i> , 2004 , 6, 461-7	6	303
56	Fish oil supplementation in pregnancy lowers F2-isoprostanes in neonates at high risk of atopy. <i>Free Radical Research</i> , 2004 , 38, 233-9	4	72
55	Effect of fish diets and weight loss on serum leptin concentration in overweight, treated-hypertensive subjects. <i>Journal of Hypertension</i> , 2004 , 22, 1983-90	1.9	39
54	Hypertension research in the 21st century: where is the gold?. <i>Journal of Hypertension</i> , 2004 , 22, 2243-51	1.9	6
53	Brachial artery vasomotor function is inversely associated with 24-h ambulatory blood pressure. <i>Journal of Hypertension</i> , 2004 , 22, 967-72	1.9	22
52	Can black tea influence plasma total homocysteine concentrations?. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 907-11	7	31
51	Randomized controlled trial of the effect of n-3 fatty acid supplementation on the metabolism of apolipoprotein B-100 and chylomicron remnants in men with visceral obesity. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 300-7	7	144
50	Tea intake is inversely related to blood pressure in older women. <i>Journal of Nutrition</i> , 2003 , 133, 2883-6	4.1	54
49	Effect of eicosapentaenoic acid and docosahexaenoic acid on oxidative stress and inflammatory markers in treated-hypertensive type 2 diabetic subjects. <i>Free Radical Biology and Medicine</i> , 2003 , 35, 772-81	7.8	260
48	Fish oil supplementation in pregnancy modifies neonatal allergen-specific immune responses and clinical outcomes in infants at high risk of atopy: a randomized, controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 112, 1178-84	11.5	417
47	Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. <i>Atherosclerosis</i> , 2003 , 166, 85-93	3.1	155
46	A comparison of outcomes with angiotensin-converting--enzyme inhibitors and diuretics for hypertension in the elderly. <i>New England Journal of Medicine</i> , 2003 , 348, 583-92	59.2	903
45	Rationale for a trial of low-dose aspirin for the primary prevention of major adverse cardiovascular events and vascular dementia in the elderly: Aspirin in Reducing Events in the Elderly (ASPREE). <i>Drugs and Aging</i> , 2003 , 20, 897-903	4.7	48

44	Docosahexaenoic acid but not eicosapentaenoic acid increases LDL particle size in treated hypertensive type 2 diabetic patients. <i>Diabetes Care</i> , 2003 , 26, 253	14.6	55
43	Regular ingestion of tea does not inhibit in vivo lipid peroxidation in humans. <i>Journal of Nutrition</i> , 2002 , 132, 55-8	4.1	71
42	Effects of purified eicosapentaenoic and docosahexaenoic acids on glycemic control, blood pressure, and serum lipids in type 2 diabetic patients with treated hypertension. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1007-15	7	264
41	Role of automated measurements in understanding lifestyle effects on blood pressure. <i>Blood Pressure Monitoring</i> , 2002 , 7, 45-50	1.3	11
40	Acute effects of ingestion of black tea on postprandial platelet aggregation in human subjects. <i>British Journal of Nutrition</i> , 2002 , 87, 141-5	3.6	27
39	Reverse white-coat hypertension in older hypertensives. <i>Journal of Hypertension</i> , 2002 , 20, 639-44	1.9	88
38	Regular ingestion of black tea improves brachial artery vasodilator function. <i>Clinical Science</i> , 2002 , 102, 195-201	6.5	100
37	Regular ingestion of black tea improves brachial artery vasodilator function. <i>Clinical Science</i> , 2002 , 102, 195	6.5	67
36	Leukocyte count and vascular function in Type 2 diabetic subjects with treated hypertension. <i>Atherosclerosis</i> , 2002 , 163, 175-81	3.1	31
35	Regulatory effects of HMG CoA reductase inhibitor and fish oils on apolipoprotein B-100 kinetics in insulin-resistant obese male subjects with dyslipidemia. <i>Diabetes</i> , 2002 , 51, 2377-86	0.9	145
34	Effect of Atorvastatin and Fish Oil on Plasma High-Sensitivity C-Reactive Protein Concentrations in Individuals with Visceral Obesity. <i>Clinical Chemistry</i> , 2002 , 48, 877-883	5.5	118
33	Effect of atorvastatin and fish oil on plasma high-sensitivity C-reactive protein concentrations in individuals with visceral obesity. <i>Clinical Chemistry</i> , 2002 , 48, 877-83	5.5	37
32	Red wine polyphenols, in the absence of alcohol, reduce lipid peroxidative stress in smoking subjects. <i>Free Radical Biology and Medicine</i> , 2001 , 30, 636-42	7.8	95
31	Non pharmacologic therapy and lifestyle factors in hypertension. <i>Blood Pressure</i> , 2001 , 10, 352-65	1.7	19
30	Long-chain omega 3 fatty acids, blood lipids and cardiovascular risk reduction. <i>Current Opinion in Lipidology</i> , 2001 , 12, 11-7	4.4	115
29	Placental weight and placental ratio as predictors of later blood pressure in childhood. <i>Journal of Hypertension</i> , 2001 , 19, 697-702	1.9	11
28	Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 1085-94	7	461
27	Ingestion of red wine significantly increases plasma phenolic acid concentrations but does not acutely affect ex vivo lipoprotein oxidizability. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 67-74	7	177

26	Acute effects of ingestion of black and green tea on lipoprotein oxidation. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 1103-7	7	94
25	Maternal cigarette smoking during pregnancy, low birth weight and subsequent blood pressure in early childhood. <i>Early Human Development</i> , 2000 , 57, 137-47	2.2	152
24	Differential effects of eicosapentaenoic acid and docosahexaenoic acid on vascular reactivity of the forearm microcirculation in hyperlipidemic, overweight men. <i>Circulation</i> , 2000 , 102, 1264-9	16.7	299
23	Gallic acid metabolites are markers of black tea intake in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 2276-80	5.7	92
22	An improved method for the measurement of urinary and plasma F2-isoprostanes using gas chromatography-mass spectrometry. <i>Analytical Biochemistry</i> , 1999 , 268, 117-25	3.1	189
21	Measurement of urinary F(2)-isoprostanes as markers of in vivo lipid peroxidation-A comparison of enzyme immunoassay with gas chromatography/mass spectrometry. <i>Analytical Biochemistry</i> , 1999 , 272, 209-15	3.1	162
20	Comparison of the effects of black and green tea on in vitro lipoprotein oxidation in human serum. <i>Journal of the Science of Food and Agriculture</i> , 1999 , 79, 561-566	4.3	33
19	Effect of dietary fish and exercise training on urinary F2-isoprostane excretion in non-insulin-dependent diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 1999 , 48, 1402-8	12.7	100
18	Isoflavonoids do not inhibit in vivo lipid peroxidation in subjects with high-normal blood pressure. <i>Atherosclerosis</i> , 1999 , 145, 167-72	3.1	67
17	Docosahexaenoic acid but not eicosapentaenoic acid lowers ambulatory blood pressure and heart rate in humans. <i>Hypertension</i> , 1999 , 34, 253-60	8.5	324
16	Dietary fish as a major component of a weight-loss diet: effect on serum lipids, glucose, and insulin metabolism in overweight hypertensive subjects. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 817-25	7	230
15	A controlled trial of the effects of pattern of alcohol intake on serum lipid levels in regular drinkers. <i>Atherosclerosis</i> , 1998 , 137, 243-52	3.1	58
14	Effects of dietary fish and weight reduction on ambulatory blood pressure in overweight hypertensives. <i>Hypertension</i> , 1998 , 32, 710-7	8.5	182
13	Influence of pattern of alcohol intake on blood pressure in regular drinkers: a controlled trial. <i>Journal of Hypertension</i> , 1998 , 16, 165-74	1.9	60
12	Interactions between dietary fat, fish, and fish oils and their effects on platelet function in men at risk of cardiovascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 279-86	9.4	170
11	Influence of lifestyle, coping, and job stress on blood pressure in men and women. <i>Hypertension</i> , 1997 , 29, 1-7	8.5	82
10	Phenolic content of various beverages determines the extent of inhibition of human serum and low-density lipoprotein oxidation in vitro: identification and mechanism of action of some cinnamic acid derivatives from red wine. <i>Clinical Science</i> , 1996 , 91, 449-58	6.5	150
9	Plasma and urinary 8-iso-prostane as an indicator of lipid peroxidation in pre-eclampsia and normal pregnancy. <i>Clinical Science</i> , 1996 , 91, 711-8	6.5	118

8	The effects of omega-3 fatty acids on blood pressure and serum lipids in men at increased risk of cardiovascular disease. <i>Journal of Hypertension</i> , 1993 , 11, S318??S319	1.9	2
7	Low density lipoprotein composition and oxidizability in coronary disease--apparent favourable effect of beta blockers. <i>Atherosclerosis</i> , 1992 , 97, 123-30	3.1	51
6	Alcohol consumption, age and personality characteristics as important determinants of within-subject variability in blood pressure. <i>Journal of Hypertension</i> , 1988 , 6, S617-9	1.9	8
5	Lifestyle- and occupation-related changes in blood pressure over a six-year period in a cohort of working men. <i>Journal of Hypertension</i> , 1988 , 6, S605-7	1.9	23
4	A randomized controlled trial of the effect on blood pressure of dietary non-meat protein versus meat protein in normotensive omnivores. <i>Clinical Science</i> , 1988 , 74, 665-72	6.5	35
3	New findings in the fatty acid composition of individual platelet phospholipids in man after dietary fish oil supplementation. <i>Lipids</i> , 1987 , 22, 744-50	1.6	55
2	Can the synthesis of platelet-activating factor, a potent vasodilator and pro-aggregatory agent, be altered by dietary marine oils?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1987 , 14, 197-202 ³		9
1	The Relationship of Blood Pressure to Diet and Lifestyle in Two Religious Populations. <i>Journal of Hypertension</i> , 1983 , 1, 65???72	1.9	70