
Hwamee Oh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10465193/publications.pdf Version: 2024-02-01



HWAMEE OH

#	Article	IF	CITATIONS
1	Multiple pathways of reserve simultaneously present in cognitively normal older adults. Neurology, 2018, 90, e197-e205.	1.1	18
2	Dynamic relationships between age, amyloid-β deposition, and glucose metabolism link to the regional vulnerability to Alzheimer's disease. Brain, 2016, 139, 2275-2289.	7.6	75
3	Functional brain and age-related changes associated with congruency in task switching. Neuropsychologia, 2016, 91, 211-221.	1.6	18
4	β-Amyloid Deposition Is Associated with Decreased Right Prefrontal Activation during Task Switching among Cognitively Normal Elderly. Journal of Neuroscience, 2016, 36, 1962-1970.	3.6	26
5	Aβ-related hyperactivation in frontoparietal control regions in cognitively normal elderly. Neurobiology of Aging, 2015, 36, 3247-3254.	3.1	29
6	Is Verbal Episodic Memory in Elderly with Amyloid Deposits Preserved Through Altered Neuronal Function?. Cerebral Cortex, 2014, 24, 2210-2218.	2.9	36
7	Covarying alterations in AÎ ² deposition, glucose metabolism, and gray matter volume in cognitively normal elderly. Human Brain Mapping, 2014, 35, 297-308.	3.6	88
8	Association of Gray Matter Atrophy with Age, Î ² -Amyloid, and Cognition in Aging. Cerebral Cortex, 2014, 24, 1609-1618.	2.9	74
9	Neural compensation in older people with brain amyloid-Î ² deposition. Nature Neuroscience, 2014, 17, 1316-1318.	14.8	167
10	Frontotemporal Network Connectivity during Memory Encoding Is Increased with Aging and Disrupted by Beta-Amyloid. Journal of Neuroscience, 2013, 33, 18425-18437.	3.6	58
11	Multi-voxel pattern analysis of selective representation of visual working memory in ventral temporal and occipital regions. Neurolmage, 2013, 73, 8-15.	4.2	31
12	The effect of amyloid β on cognitive decline is modulated by neural integrity in cognitively normal elderly. Alzheimer's and Dementia, 2013, 9, 687.	0.8	59
13	Alzheimer's Disease Neurodegenerative Biomarkers Are Associated with Decreased Cognitive Function but Not β-Amyloid in Cognitively Normal Older Individuals. Journal of Neuroscience, 2013, 33, 5553-5563.	3.6	133
14	Meta-analysis of amyloid-cognition relations in cognitively normal older adults. Neurology, 2013, 80, 1341-1348.	1.1	290
15	Associations Between Alzheimer Disease Biomarkers, Neurodegeneration, and Cognition in Cognitively Normal Older People. JAMA Neurology, 2013, 70, 1512-9.	9.0	139
16	Association of Lifetime Cognitive Engagement and Low β-Amyloid Deposition. Archives of Neurology, 2012, 69, 623.	4.5	278
17	Effects of age and β-amyloid on cognitive changes in normal elderly people. Neurobiology of Aging, 2012, 33, 2746-2755.	3.1	42
18	β-Amyloid affects frontal and posterior brain networks in normal aging. NeuroImage, 2011, 54, 1887-1895.	4.2	98

Hwamee Oh

#	Article	IF	CITATIONS
19	Specific and Nonspecific Neural Activity during Selective Processing of Visual Representations in Working Memory. Journal of Cognitive Neuroscience, 2010, 22, 292-306.	2.3	17
20	Load response functions in the human spatial working memory circuit during location memory updating. NeuroImage, 2007, 35, 368-377.	4.2	49
21	Extraversion Is Associated With Lower Brain Beta-Amyloid Deposition in Cognitively Normal Older Adults. Frontiers in Aging Neuroscience, 0, 14, .	3.4	Ο