

# Jacobijn Gussekloo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1046557/publications.pdf>

Version: 2024-02-01

315  
papers

17,233  
citations

16451  
64  
h-index

18647  
119  
g-index

332  
all docs

332  
docs citations

332  
times ranked

18036  
citing authors

#	ARTICLE	IF	CITATIONS
1	Do we AGREE on the targets of antihypertensive drug treatment in older adults: a systematic review of guidelines on primary prevention of cardiovascular diseases. Age and Ageing, 2022, 51, .	1.6	12
2	Thyroid Function and Risk of Anemia: A Multivariable-Adjusted and Mendelian Randomization Analysis in the UK Biobank. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e643-e652.	3.6	8
3	Association of cognitive function with increased risk of cancer death and all-cause mortality: Longitudinal analysis, systematic review, and meta-analysis of prospective observational studies. PLoS ONE, 2022, 17, e0261826.	2.5	5
4	Incorporating Baseline Outcome Data in Individual Participant Data Meta-Analysis of Non-randomized Studies. Frontiers in Psychiatry, 2022, 13, 774251.	2.6	1
5	No Effect of Levothyroxine on Hemoglobin in Older Adults With Subclinical Hypothyroidism: Pooled Results From 2 Randomized Controlled Trials. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2339-e2347.	3.6	4
6	Effect of Intramuscular vs Intra-articular Glucocorticoid Injection on Pain Among Adults With Knee Osteoarthritis. JAMA Network Open, 2022, 5, e224852.	5.9	5
7	Bone geometry in older adults with subclinical hypothyroidism upon levothyroxine therapy: A nested study within a randomized placebo controlled trial. Bone, 2022, 161, 116404.	2.9	6
8	Assessment of the appropriateness of cardiovascular preventive medication in older people: using the RAND/UCLA Appropriateness Method. BMC Geriatrics, 2022, 22, 394.	2.7	1
9	Disentangling the varying associations between systolic blood pressure and health outcomes in the very old: an individual patient data meta-analysis. Journal of Hypertension, 2022, 40, 1786-1794.	0.5	2
10	The Bidirectional Relationship between Vision and Cognition. Ophthalmology, 2021, 128, 981-992.	5.2	46
11	Costâ€utility and costâ€effectiveness analysis of a clinical medication review focused on personal goals in older persons with polypharmacy compared to usual care: Economic evaluation of the DREAMeR study. British Journal of Clinical Pharmacology, 2021, 87, 588-597.	2.4	12
12	Clinical determinants of low handgrip strength and its decline in the oldest old: the Leiden 85-plus Study. Aging Clinical and Experimental Research, 2021, 33, 1307-1313.	2.9	11
13	Outcomes of Thyroid Dysfunction in People Aged Eighty Years and Older: An Individual Patient Data Meta-Analysis of Four Prospective Studies (Towards Understanding Longitudinal International Older) Tj ETQq1 1 0.784314 rgBT /Over	1.0	1
14	Anaemia and physical and mental health in the very old: An individual participant data meta-analysis of four longitudinal studies of ageing. Age and Ageing, 2021, 50, 113-119.	1.6	12
15	Associations of Cytomegalovirus Infection With All-Cause and Cardiovascular Mortality in Multiple Observational Cohort Studies of Older Adults. Journal of Infectious Diseases, 2021, 223, 238-246.	4.0	30
16	General practitionersâ€™ deprescribing decisions in older adults with polypharmacy: a case vignette study in 31 countries. BMC Geriatrics, 2021, 21, 19.	2.7	20
17	Effect of Levothyroxine Therapy on the Development of Depressive Symptoms in Older Adults With Subclinical Hypothyroidism. JAMA Network Open, 2021, 4, e2036645.	5.9	25
18	The effect of a telephone follow-up call for older patients, discharged home from the emergency department on health-related outcomes: a systematic review of controlled studies. International Journal of Emergency Medicine, 2021, 14, 13.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Geriatric screening, fall characteristics and 3- and 12-months adverse outcomes in older patients visiting the emergency department with a fall. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 43.	2.6	0
20	Experiences with and attitudes towards geriatric screening among older emergency department patients: a qualitative study. <i>BMC Geriatrics</i> , 2021, 21, 198.	2.7	6
21	Intramuscular gluteal glucocorticoid injection versus intra-articular glucocorticoid injection in knee osteoarthritis: a 24-week multicenter randomized controlled non-inferiority trial. <i>Osteoarthritis and Cartilage</i> , 2021, 29, S12.	1.3	0
22	Levothyroxine Treatment and Cardiovascular Outcomes in Older People With Subclinical Hypothyroidism: Pooled Individual Results of Two Randomised Controlled Trials. <i>Frontiers in Endocrinology</i> , 2021, 12, 674841.	3.5	18
23	Telephone follow-up to reduce unplanned hospital returns for older emergency department patients: A randomized trial. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3157-3166.	2.6	10
24	The effects of single and a combination of determinants of anaemia in the very old: results from the TULIPS consortium. <i>BMC Geriatrics</i> , 2021, 21, 457.	2.7	1
25	Association of Thyroid Dysfunction With Cognitive Function. <i>JAMA Internal Medicine</i> , 2021, 181, 1440.	5.1	51
26	Goal attainment scaling with older people in general practice: A feasibility study. <i>International Journal of Nursing Studies Advances</i> , 2021, 3, 100015.	2.1	1
27	Implementation of the acutely presenting older patient (APOP) screening program in routine emergency department care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 113-121.	1.8	8
28	Evaluation of High Cholesterol and Risk of Dementia and Cognitive Decline in Older Adults Using Individual Patient Meta-Analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 318-325.	1.5	15
29	Skeletal Effects of Levothyroxine for Subclinical Hypothyroidism in Older Adults: A TRUST Randomized Trial Nested Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 336-343.	3.6	19
30	Recommendations for (Discontinuation of) Statin Treatment in Older Adults: Review of Guidelines. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 417-425.	2.6	38
31	Managing hypertension in frail oldest-old—The role of guideline use by general practitioners from 29 countries. <i>PLoS ONE</i> , 2020, 15, e0236064.	2.5	4
32	L-Thyroxine Therapy for Older Adults With Subclinical Hypothyroidism and Hypothyroid Symptoms. <i>Annals of Internal Medicine</i> , 2020, 172, 709-716.	3.9	20
33	Older individuals' views on their personal screening results for complex health problems: a qualitative study. <i>BMC Family Practice</i> , 2020, 21, 213.	2.9	0
34	What do older adults with multimorbidity and polypharmacy think about deprescribing? The LESS study - a primary care-based survey. <i>BMC Geriatrics</i> , 2020, 20, 435.	2.7	44
35	An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. <i>Scientific Reports</i> , 2020, 10, 19111.	3.3	19
36	Feasibility and acceptability of the 'Acutely Presenting Older Patient' screener in routine emergency department care. <i>Age and Ageing</i> , 2020, 49, 1034-1041.	1.6	16

#	ARTICLE	IF	CITATIONS
37	The Impact of Levothyroxine on Cardiac Function in Older Adults With Mild Subclinical Hypothyroidism: A Randomized Clinical Trial. American Journal of Medicine, 2020, 133, 848-856.e5.	1.5	31
38	Biomarkers versus traditional risk factors to predict cardiovascular events in very old adults: cross-validated prospective cohort study. BMJ Open, 2020, 10, e035809.	1.9	5
39	Effect of Thyroid Hormone Therapy on Fatigability in Older Adults With Subclinical Hypothyroidism: A Nested Study Within a Randomized Placebo-Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e89-e94.	3.6	11
40	Predictive value of traditional risk factors for cardiovascular disease in older people: A systematic review. Preventive Medicine, 2020, 132, 105986.	3.4	31
41	Geriatric Screening, Triage Urgency, and 30-Day Mortality in Older Emergency Department Patients. Journal of the American Geriatrics Society, 2020, 68, 1755-1762.	2.6	42
42	Effectiveness of intramuscular gluteal glucocorticoid injection versus intra-articular glucocorticoid injection in knee osteoarthritis: design of a multicenter randomized, 24 weeks comparative parallel-group trial. BMC Musculoskeletal Disorders, 2020, 21, 225.	1.9	11
43	Potentially inappropriate medication and attitudes of older adults towards deprescribing. PLoS ONE, 2020, 15, e0240463.	2.5	32
44	The effect of levothyroxine therapy on depressive symptoms in adults with subclinical hypothyroidism. European Journal of Public Health, 2020, 30, .	0.3	0
45	Systematic Review of Guidelines on Antihypertensive Treatment in Older Adults: SPRINTing to More Heterogeneity?. Innovation in Aging, 2020, 4, 212-213.	0.1	0
46	Assessment of Appropriateness of Cardiovascular Preventive Medication in Adults ≥ 75 years. Innovation in Aging, 2020, 4, 524-524.	0.1	0
47	Thyroid and Cardiovascular Risk. , 2020, , 205-227.		0
48	Measuring daily functioning in older persons using a frailty index: a cohort study based on routine primary care data. British Journal of General Practice, 2020, 70, e866-e873.	1.4	2
49	Title is missing!. , 2020, 15, e0236064.		0
50	Title is missing!. , 2020, 15, e0236064.		0
51	Title is missing!. , 2020, 15, e0236064.		0
52	Title is missing!. , 2020, 15, e0236064.		0
53	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0
54	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0

#	ARTICLE	IF	CITATIONS
55	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0
56	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0
57	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0
58	Potentially inappropriate medication and attitudes of older adults towards deprescribing. , 2020, 15, e0240463.		0
59	Associations of Elevated Antithyroperoxidase Antibodies with Thyroid Function, Survival, Functioning, and Depressive Symptoms in the Oldest Old: The Leiden 85-plus Study. Thyroid, 2019, 29, 1201-1208.	4.5	14
60	Subclinical thyroid dysfunction and depressive symptoms: protocol for a systematic review and individual participant data meta-analysis of prospective cohort studies. BMJ Open, 2019, 9, e029716.	1.9	3
61	103PERSPECTIVES ON QUALITY OF TRANSITIONAL CARE FROM HOSPITAL TO HOME FOR VULNERABLE OLDER PATIENTS. Age and Ageing, 2019, 48, i27-i30.	1.6	1
62	Association Between Levothyroxine Treatment and Thyroid-Related Symptoms Among Adults Aged 80 Years and Older With Subclinical Hypothyroidism. JAMA - Journal of the American Medical Association, 2019, 322, 1977.	7.4	78
63	102GERIATRIC VULNERABILITY IN OLDER EMERGENCY DEPARTMENT PATIENTS ACCORDING TO ELECTRONIC HEALTH RECORDS. Age and Ageing, 2019, 48, i27-i30.	1.6	0
64	Combined impact of future trends on healthcare utilisation of older people: A Delphi study. Health Policy, 2019, 123, 947-954.	3.0	10
65	Changes in patient satisfaction related to their perceived health state during implementation of improved integrated care for older persons. PLoS ONE, 2019, 14, e0216028.	2.5	2
66	Effects of a clinical medication review focused on personal goals, quality of life, and health problems in older persons with polypharmacy: A randomised controlled trial (DREAMeR-study). PLoS Medicine, 2019, 16, e1002798.	8.4	72
67	Systolic Blood Pressure and Cognitive Decline in Older Adults With Hypertension. Annals of Family Medicine, 2019, 17, 100-107.	1.9	35
68	100ADHERENCE TO GERIATRIC EMERGENCY DEPARTMENT GUIDELINES IN ROUTINE CARE. Age and Ageing, 2019, 48, i27-i30.	1.6	0
69	101OLDER PATIENTS' SATISFACTION WITH EMERGENCY DEPARTMENT CARE. Age and Ageing, 2019, 48, i27-i30.	1.6	0
70	Prevalence of Carriers of Intermediate and Pathological Polyglutamine Disease-Associated Alleles Among Large Population-Based Cohorts. JAMA Neurology, 2019, 76, 650.	9.0	63
71	82A CONTRIBUTION TO THE AGEING SOCIETY BY INTERDISCIPLINARY EDUCATION: THE MASTER'S PROGRAMME ON VITALITY AND AGEING. Age and Ageing, 2019, 48, 21-22.	1.6	0
72	Are general practitioners willing to deprescribe in oldest-old patients with polypharmacy?. European Journal of Public Health, 2019, 29, .	0.3	0

#	ARTICLE	IF	CITATIONS
73	The use of goal attainment scaling during clinical medication review in older persons with polypharmacy. <i>Research in Social and Administrative Pharmacy</i> , 2019, 15, 1259-1265.	3.0	22
74	Patient Characteristics and General Practitioners' Advice to Stop Statins in Oldest-Old Patients: a Survey Study Across 30 Countries. <i>Journal of General Internal Medicine</i> , 2019, 34, 1751-1757.	2.6	12
75	Repeat length variations in ATXN1 and AR modify disease expression in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019, 73, 230.e9-230.e17.	3.1	7
76	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 650-659.	0.7	31
77	The effect of vitamin B12 and folic acid supplementation on routine haematological parameters in older people: an individual participant data meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 785-795.	2.9	8
78	Perceived doctor-patient relationship and satisfaction with general practitioner care in older persons in residential homes. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 189-197.	1.5	26
79	Effectiveness of intramuscular corticosteroid injection versus intra-articular injection in patients with knee osteoarthritis: design of an open pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S277.	1.3	0
80	Prevalence of potentially inappropriate prescribing in a subpopulation of older European clinical trial participants: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019003.	1.9	23
81	Burden of cardiovascular disease across 29 countries and GPs' decision to treat hypertension in oldest-old. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 89-98.	1.5	13
82	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 110-119.	5.0	26
83	Association between subclinical thyroid dysfunction and change in bone mineral density in prospective cohorts. <i>Journal of Internal Medicine</i> , 2018, 283, 56-72.	6.0	62
84	Drug-related problems identified during medication review before and after the introduction of a clinical decision support system. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2018, 43, 224-231.	1.5	27
85	Quality of life and paracetamol in advanced dementia (Q-PID): protocol of a randomised double-blind placebo-controlled crossover trial. <i>BMC Geriatrics</i> , 2018, 18, 279.	2.7	5
86	An Internet-based Acceptance and Commitment Therapy intervention for older adults with anxiety complaints: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018, 19, 502.	1.6	10
87	Study protocol: a randomised controlled trial on the clinical effects of levothyroxine treatment for subclinical hypothyroidism in people aged 80 years and over. <i>BMC Endocrine Disorders</i> , 2018, 18, 67.	2.2	10
88	Association of Thyroid Hormone Therapy With Quality of Life and Thyroid-Related Symptoms in Patients With Subclinical Hypothyroidism. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1349.	7.4	184
89	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3658-3667.	3.6	39
90	Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. <i>Age and Ageing</i> , 2018, 47, 705-714.	1.6	23

#	ARTICLE	IF	CITATIONS
91	DREAMEr: Drug use Reconsidered in the Elderly using goal Attainment scales during Medication Review; study protocol of a randomised controlled trial. BMC Geriatrics, 2018, 18, 190.	2.7	13
92	How general practitioners would deprescribe in frail oldest-old with polypharmacy â€” the LESS study. BMC Family Practice, 2018, 19, 169.	2.9	24
93	Wishes and needs of community-dwelling older persons concerning general practice: A qualitative study. PLoS ONE, 2018, 13, e0200614.	2.5	6
94	Prediction of functional decline in community-dwelling older persons in general practice: a cohort study. BMC Geriatrics, 2018, 18, 140.	2.7	7
95	Impact of Thyroid Hormone Therapy on Atherosclerosis in the Elderly With Subclinical Hypothyroidism: A Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2988-2997.	3.6	34
96	The effectiveness of functional task exercise and physical therapy as prevention of functional decline in community dwelling older people with complex health problems. BMC Geriatrics, 2018, 18, 164.	2.7	15
97	Lower blood pressure during antihypertensive treatment is associated with higher all-cause mortality and accelerated cognitive decline in the oldest-old. Data from the Leiden 85-plus Study. Age and Ageing, 2018, 47, 545-550.	1.6	74
98	Using a new matrix to describe real-life integrated care innovation for older persons in primary care. International Journal of Integrated Care, 2018, 18, 334.	0.2	0
99	Academic networks for more integration and more demand-driven care and support for people with complex needs. International Journal of Integrated Care, 2018, 18, 171.	0.2	0
100	Validity of the three apathy items of the Geriatric Depression Scale (<scp>GDSâ€“3A</scp>) in measuring apathy in older persons. International Journal of Geriatric Psychiatry, 2017, 32, 421-428.	2.7	34
101	Study protocol; Thyroid hormone Replacement for Untreated older adults with Subclinical hypothyroidism - a randomised placebo controlled Trial (TRUST). BMC Endocrine Disorders, 2017, 17, 6.	2.2	36
102	Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2719-2728.	3.6	41
103	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. New England Journal of Medicine, 2017, 376, 2534-2544.	27.0	366
104	Successful Geriatric Rehabilitation: Effects on Patientsâ€™ Outcome of a National Program to Improve Quality of Care, the SINGER Study. Journal of the American Medical Directors Association, 2017, 18, 383-387.	2.5	32
105	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. Circulation, 2017, 136, 2100-2116.	1.6	159
106	A Structured Process Description of a Pragmatic Implementation Project: Improving Integrated Care for Older Persons in Residential Care Homes. Inquiry (United States), 2017, 54, 004695801773790.	0.9	6
107	Variation in GP decisions on antihypertensive treatment in oldest-old and frail individuals across 29 countries. BMC Geriatrics, 2017, 17, 93.	2.7	25
108	Predicting Risk of Cognitive Decline in Very Old Adults Using Three Models: The Framingham Stroke Risk Profile; the Cardiovascular Risk Factors, Aging, and Dementia Model; and Oxiâ€“inflammatory Biomarkers. Journal of the American Geriatrics Society, 2017, 65, 381-389.	2.6	34



#	ARTICLE	IF	CITATIONS
109	Lower Performance in Orientation to Time and Place Associates with Greater Risk of Cardiovascular Events and Mortality in the Oldest Old: Leiden 85-Plus Study. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 307.	3.4	2
110	High Sensitivity Cardiac Troponin T and Cognitive Function in the Oldest Old: The Leiden 85-Plus Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 235-242.	2.6	7
111	Thyroid status and mortality in nonagenarians from long-lived families and the general population. <i>Aging</i> , 2017, 9, 2223-2234.	3.1	17
112	Satisfaction in Older Persons and General Practitioners during the Implementation of Integrated Care. <i>PLoS ONE</i> , 2016, 11, e0164536.	2.5	8
113	The effect of pain on presence and severity of depressive disorders in older persons: The role of perceived control as mediator. <i>Journal of Affective Disorders</i> , 2016, 197, 239-244.	4.1	9
114	Older people coping with low mood: a qualitative study. <i>International Psychogeriatrics</i> , 2016, 28, 603-612.	1.0	18
115	How do general practitioners identify inflammatory arthritis? A cohort analysis of Dutch general practitioner electronic medical records. <i>Rheumatology</i> , 2016, 55, 848-853.	1.9	20
116	Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4270-4282.	3.6	67
117	Subclinical Thyroid Dysfunction and the Risk of Cognitive Decline: a Meta-Analysis of Prospective Cohort Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4945-4954.	3.6	133
118	Structured scoring of supporting nursing tasks to enhance early discharge in geriatric rehabilitation: The BACK-HOME quasi-experimental study. <i>International Journal of Nursing Studies</i> , 2016, 64, 13-18.	5.6	5
119	Temporal Relationship Between Cognitive and Physical Performance in Middle-Aged to Oldest Old People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw133.	3.6	32
120	The association of thyroid function and the risk of kidney function decline: a population-based cohort study. <i>European Journal of Endocrinology</i> , 2016, 175, 653-660.	3.7	28
121	Problems experienced by informal caregivers with older care recipients with and without cognitive impairment. <i>Home Health Care Services Quarterly</i> , 2016, 35, 11-24.	0.7	24
122	Latent class analysis of the Apathy Scale does not identify subtypes of apathy in general population-based older persons. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1021-1028.	2.7	3
123	Risk stratification and treatment effect of statins in secondary cardiovascular prevention in old age: Additive value of N-terminal pro-B-type natriuretic peptide. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1104-1113.	1.8	4
124	Effectiveness and cost-effectiveness of a proactive, goal-oriented, integrated care model in general practice for older people. A cluster randomised controlled trial: Integrated Systematic Care for older People—the ISCOPE study. <i>Age and Ageing</i> , 2016, 45, 30-41.	1.6	92
125	Subclinical Thyroid Dysfunction and Depressive Symptoms among the Elderly: A Prospective Cohort Study. <i>Neuroendocrinology</i> , 2016, 103, 291-299.	2.5	53
126	Associations of Various Health-Ratings with Geriatric Giants, Mortality and Life Satisfaction in Older People. <i>PLoS ONE</i> , 2016, 11, e0163499.	2.5	11



#	ARTICLE	IF	CITATIONS
127	Statin Use and Self-Reported Hindering Muscle Complaints in Older Persons: A Population Based Study. PLoS ONE, 2016, 11, e0166857.	2.5	13
128	De ISCOPE-methode (praktijk). , 2016, , 41-49.		0
129	Drug prescription rates in secondary cardiovascular prevention in old age: Do vulnerability and severity of the history of cardiovascular disease matter?. Scandinavian Journal of Primary Health Care, 2015, 33, 260-268.	1.5	3
130	Exploring the variation in implementation of a COPD disease management programme and its impact on health outcomes: a post hoc analysis of the RECODE cluster randomised trial. Npj Primary Care Respiratory Medicine, 2015, 25, 15071.	2.6	21
131	GPsâ€™ perspectives on secondary cardiovascular prevention in older age: a focus group study in the Netherlands. British Journal of General Practice, 2015, 65, e739-e747.	1.4	18
132	Is education a demographic dividend? The role of cognitive reserve in dementia-related cognitive decline: a comparison of six longitudinal studies of ageing. Lancet, The, 2015, 386, S25.	13.7	4
133	Association Between Glycosylated Hemoglobin and Cardiovascular Events and Mortality in Older Adults without Diabetes Mellitus in the General Population: The Leiden 85â€Plus Study. Journal of the American Geriatrics Society, 2015, 63, 1059-1066.	2.6	4
134	INTERNATIONAL EVALUATIONS OF COGNITIVE RESERVE AND COGNITIVE DECLINE IN PRECLINICAL STAGES OF DEMENTIA. Gerontologist, The, 2015, 55, 276-276.	3.9	0
135	Self-Reported Hindering Health Complaints of Community-Dwelling Older Persons: A Cross-Sectional Study. PLoS ONE, 2015, 10, e0142416.	2.5	11
136	Biological Correlates of Blood Pressure Variability in Elderly at High Risk of Cardiovascular Disease. American Journal of Hypertension, 2015, 28, 469-479.	2.0	12
137	Subclinical Thyroid Dysfunction and Fracture Risk. JAMA - Journal of the American Medical Association, 2015, 313, 2055.	7.4	264
138	Increase in N-terminal pro-brain natriuretic peptide levels, renal function and cardiac disease in the oldest old. Age and Ageing, 2015, 44, 841-847.	1.6	10
139	Majority of drug-related problems identified during medication review are not associated with STOPP/START criteria. European Journal of Clinical Pharmacology, 2015, 71, 1255-1262.	1.9	43
140	Cost-effectiveness of integrated COPD care: the RECODE cluster randomised trial. BMJ Open, 2015, 5, e007284.	1.9	32
141	International variation in GP treatment strategies for subclinical hypothyroidism in older adults: a case-based survey. British Journal of General Practice, 2015, 65, e121-e132.	1.4	17
142	Monochloroacetic Acid Application Is an Effective Alternative to Cryotherapy for Common and Plantar Warts in Primary Care: A Randomized Controlled Trial. Journal of Investigative Dermatology, 2015, 135, 1261-1267.	0.7	33
143	Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2181-2191.	3.6	164
144	Low Thyroid Function and Anemia in Old Age: The Leiden 85â€Plus Study. Journal of the American Geriatrics Society, 2015, 63, 407-409.	2.6	8

#	ARTICLE	IF	CITATIONS
145	Thyroid Function Within the Normal Range and Risk of Coronary Heart Disease. JAMA Internal Medicine, 2015, 175, 1037.	5.1	66
146	Effect of Discontinuation of Antihypertensive Treatment in Elderly People on Cognitive Functioning—the DANTE Study Leiden. JAMA Internal Medicine, 2015, 175, 1622.	5.1	107
147	High prevalence of cutaneous warts in elementary school children and the ubiquitous presence of wart-associated human papillomavirus on clinically normal skin. British Journal of Dermatology, 2015, 172, 196-201.	1.5	49
148	Physician's prescribing preference as an instrumental variable. Epidemiology, 2015, 27, 1.	2.7	11
149	Consequences of Interaction of Functional, Somatic, Mental and Social Problems in Community-Dwelling Older People. PLoS ONE, 2015, 10, e0121013.	2.5	17
150	Changes in geriatric rehabilitation: a national programme to improve quality of care. The Synergy and Innovation in Geriatric Rehabilitation study. International Journal of Integrated Care, 2015, 15, e045.	0.2	8
151	Variation in treatment strategies of Swiss general practitioners for subclinical hypothyroidism in older adults. Swiss Medical Weekly, 2015, 145, w14156.	1.6	0
152	Level of Satisfaction of Older Persons with Their General Practitioner and Practice: Role of Complexity of Health Problems. PLoS ONE, 2014, 9, e94326.	2.5	26
153	Variability in Vulnerability Assessment of Older People by Individual General Practitioners: A Cross-Sectional Study. PLoS ONE, 2014, 9, e108666.	2.5	15
154	The Dilemma of Treating Subclinical Hypothyroidism: Risk that Current Guidelines Do More Harm than Good. European Thyroid Journal, 2014, 3, 137-138.	2.4	10
155	NT-proBNP, blood pressure, and cognitive decline in the oldest old. Neurology, 2014, 83, 1192-1199.	1.1	28
156	Effectiveness of integrated disease management for primary care chronic obstructive pulmonary disease patients: results of cluster randomised trial. BMJ, The, 2014, 349, g5392-g5392.	6.0	118
157	N-terminal pro-brain natriuretic peptide and cognitive decline in older adults at high cardiovascular risk. Annals of Neurology, 2014, 76, 213-222.	5.3	18
158	Effectiveness of Cranberry Capsules to Prevent Urinary Tract Infections in Vulnerable Older Persons: A Double-Blind Randomized Placebo-Controlled Trial in Long-Term Care Facilities. Journal of the American Geriatrics Society, 2014, 62, 103-110.	2.6	52
159	Homocysteine Levels and Treatment Effect in the Prospective Study of Pravastatin in the Elderly at Risk. Journal of the American Geriatrics Society, 2014, 62, 213-221.	2.6	24
160	Comparison of quadriceps strength and handgrip strength in their association with health outcomes in older adults in primary care. Age, 2014, 36, 9714.	3.0	60
161	A Postal Screener for Pain and Need for Treatment in Older Persons in Primary Care. Journal of the American Geriatrics Society, 2014, 62, 1832-1837.	2.6	5
162	Disability transitions in the oldest old in the general population. The Leiden 85-plus study. Age, 2014, 36, 483-493.	3.0	49

#	ARTICLE	IF	CITATIONS
163	Cochrane corner: is integrated disease management for patients with COPD effective?: Table 1. Thorax, 2014, 69, 1053-1055.	5.6	34
164	Completeness of medication reviews provided by community pharmacists. Journal of Clinical Pharmacy and Therapeutics, 2014, 39, 248-252.	1.5	13
165	Cost-Effectiveness of Cranberry Capsules to Prevent Urinary Tract Infection in Long-Term Care Facilities: Economic Evaluation with a Randomized Controlled Trial. Journal of the American Geriatrics Society, 2014, 62, 111-116.	2.6	20
166	Response to David Nace and Paul Drinka. Journal of the American Geriatrics Society, 2014, 62, 1617-1618.	2.6	0
167	Cost-Effectiveness of a COPD Disease Management Program in Primary Care: The Recode Cluster Randomized Trial. Value in Health, 2014, 17, A595.	0.3	3
168	Subclinical Thyroid Dysfunction and Functional Capacity Among Elderly. Thyroid, 2014, 24, 208-214.	4.5	32
169	Thyroid Status and Renal Function in Older Persons in the General Population. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2689-2696.	3.6	44
170	Thyroid Antibody Status, Subclinical Hypothyroidism, and the Risk of Coronary Heart Disease: An Individual Participant Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 3353-3362.	3.6	75
171	Plasma NT-proBNP as predictor of change in functional status, cardiovascular morbidity and mortality in the oldest old: the Leiden 85-plus study. Age, 2014, 36, 9660.	3.0	22
172	Natural course of care dependency in residents of long-term care facilities: prospective follow-up study. BMC Geriatrics, 2014, 14, 67.	2.7	33
173	Quality of Life in Community-Dwelling Older Persons with Apathy. American Journal of Geriatric Psychiatry, 2014, 22, 186-194.	1.2	33
174	HPV type in plantar warts influences natural course and treatment response: Secondary analysis of a randomised controlled trial. Journal of Clinical Virology, 2013, 57, 227-232.	3.1	45
175	Prediction of mortality and functional decline by changes in eGFR in the very elderly: the Leiden 85-plus study. BMC Geriatrics, 2013, 13, 61.	2.7	19
176	RECODE: Design and baseline results of a cluster randomized trial on cost-effectiveness of integrated COPD management in primary care. BMC Pulmonary Medicine, 2013, 13, 17.	2.0	30
177	The Relationship between the Extent of Collaboration of General Practitioners and Pharmacists and the Implementation of Recommendations Arising from Medication Review. Drugs and Aging, 2013, 30, 91-102.	2.7	93
178	Prognostic value of cardiovascular disease status: the Leiden 85-plus study. Age, 2013, 35, 1433-1444.	3.0	16
179	Changing prediction of mortality by systolic blood pressure with increasing age: the Rotterdam study. Age, 2013, 35, 431-438.	3.0	22
180	Medication adherence and knowledge of older patients with and without multidose drug dispensing. Age and Ageing, 2013, 42, 620-626.	1.6	46

#	ARTICLE	IF	CITATIONS
181	Resting heart rate and incident heart failure and cardiovascular mortality in older adults: role of inflammation and endothelial dysfunction: the PROSPER study. <i>European Journal of Heart Failure</i> , 2013, 15, 581-588.	7.1	57
182	Relationship of Patient Volume and Service Concentration With Outcome in Geriatric Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 731-735.	2.5	15
183	Blood pressure trends and mortality. <i>Journal of Hypertension</i> , 2013, 31, 63-70.	0.5	46
184	Framingham Stroke Risk Score and Cognitive Impairment for Predicting First-Time Stroke in the Oldest Old. <i>Stroke</i> , 2013, 44, 1866-1871.	2.0	32
185	Warts Transmitted in Families and Schools: A Prospective Cohort. <i>Pediatrics</i> , 2013, 131, 928-934.	2.1	52
186	High Blood Pressure, Physical and Cognitive Function, and Risk of Stroke in the Oldest Old. <i>Stroke</i> , 2013, 44, 15-20.	2.0	55
187	Clinically diagnosed infections predict disability in activities of daily living among the oldest-old in the general population: the Leiden 85-plus Study. <i>Age and Ageing</i> , 2013, 42, 482-488.	1.6	10
188	Natural Course of Cutaneous Warts Among Primary Schoolchildren: A Prospective Cohort Study. <i>Annals of Family Medicine</i> , 2013, 11, 437-441.	1.9	63
189	Plasma hepcidin levels and anemia in old age. The Leiden 85-Plus Study. <i>Haematologica</i> , 2013, 98, 448-454.	3.5	47
190	Low blood pressure predicts increased mortality in very old age even without heart failure: the Leiden 85-plus Study. <i>European Journal of Heart Failure</i> , 2013, 15, 528-533.	7.1	35
191	Integrated disease management interventions for patients with chronic obstructive pulmonary disease. <i>The Cochrane Library</i> , 2013, , CD009437.	2.8	168
192	Predictive Value of a Profile of Routine Blood Measurements on Mortality in Older Persons in the General Population: The Leiden 85-Plus Study. <i>PLoS ONE</i> , 2013, 8, e58050.	2.5	15
193	Subclinical Thyroid Dysfunction and Cognitive Decline in Old Age. <i>PLoS ONE</i> , 2013, 8, e59199.	2.5	52
194	NT-proBNP Best Predictor of Cardiovascular Events and Cardiovascular Mortality in Secondary Prevention in Very Old Age: The Leiden 85-Plus Study. <i>PLoS ONE</i> , 2013, 8, e81400.	2.5	14
195	Subclinical Thyroid Dysfunction and the Risk of Heart Failure in Older Persons at High Cardiovascular Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 852-861.	3.6	178
196	Total Joint Replacement in the Past Does Not Relate to a Deteriorated Functional Level and Health Status in the Oldest Old. <i>Journal of Aging Research</i> , 2012, 2012, 1-7.	0.9	1
197	No increased mortality risk in older persons with unexplained anaemia. <i>Age and Ageing</i> , 2012, 41, 501-506.	1.6	12
198	Effects of a stepped-care intervention programme among older subjects who screened positive for depressive symptoms in general practice: the PROMODE randomised controlled trial. <i>Age and Ageing</i> , 2012, 41, 482-488.	1.6	35

#	ARTICLE	IF	CITATIONS
199	Proximity to death is associated with frequency of GP contacts in the oldest old: the Leiden 85-plus study. <i>Age and Ageing</i> , 2012, 41, 814-817.	1.6	1
200	Subclinical Hyperthyroidism and the Risk of Coronary Heart Disease and Mortality. <i>Archives of Internal Medicine</i> , 2012, 172, 799-809.	3.8	424
201	Blood Pressure Variability and Cardiovascular Risk in the PROspective Study of Pravastatin in the Elderly at Risk (PROSPER). <i>PLoS ONE</i> , 2012, 7, e52438.	2.5	63
202	Response to an unsolicited intervention offer to persons aged ≥ 75 years after screening positive for depressive symptoms: a qualitative study. <i>International Psychogeriatrics</i> , 2012, 24, 270-277.	1.0	18
203	Subclinical thyroid disorders. <i>Lancet, The</i> , 2012, 380, 335-336.	13.7	10
204	The influence of the administration method on scores of the 15-item Geriatric Depression Scale in old age. <i>Psychiatry Research</i> , 2012, 197, 280-284.	3.3	10
205	Gene dose of apolipoprotein E and age-related hearing loss. <i>Neurobiology of Aging</i> , 2012, 33, 2230.e7-2230.e12.	3.1	42
206	The contribution of patient interviews to the identification of drug-related problems in home medication review. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2012, 37, 674-680.	1.5	70
207	High Blood Pressure and Resilience to Physical and Cognitive Decline in the Oldest Old: The Leiden 85+Plus Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 2014-2019.	2.6	118
208	Cutaneous wart-associated HPV types: Prevalence and relation with patient characteristics. <i>Journal of Clinical Virology</i> , 2012, 55, 250-255.	3.1	102
209	Predicting Survival in Oldest Old People. <i>American Journal of Medicine</i> , 2012, 125, 1188-1194.e1.	1.5	59
210	Bloeddruk bij ouderen: mag het iets hoger zijn?. <i>Huisarts En Wetenschap</i> , 2012, 55, 346-347.	0.0	0
211	GPs' perspectives on preventive care for older people: a focus group study. <i>British Journal of General Practice</i> , 2012, 62, e765-e772.	1.4	14
212	Subclinical Thyroid Dysfunction and the Risk of Heart Failure Events. <i>Circulation</i> , 2012, 126, 1040-1049.	1.6	410
213	Assessment of Appropriateness of Screening Community-Dwelling Older People to Prevent Functional Decline. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 42-50.	2.6	11
214	Cooperation Instead of Competition. <i>World Medical and Health Policy</i> , 2011, 3, 83-89.	1.6	1
215	Predictive factors of urinary tract infections among the oldest old in the general population. a population-based prospective follow-up study. <i>BMC Medicine</i> , 2011, 9, 57.	5.5	86
216	Effects of Medication Review on Drug-Related Problems in Patients Using Automated Drug-Dispensing Systems. <i>Drugs and Aging</i> , 2011, 28, 305-314.	2.7	56

#	ARTICLE	IF	CITATIONS
217	Lesional HPV types of cutaneous warts can be reliably identified by surface swabs. <i>Journal of Clinical Virology</i> , 2011, 52, 84-87.	3.1	28
218	Cytomegalovirus infection and responsiveness to influenza vaccination in elderly residents of long-term care facilities. <i>Vaccine</i> , 2011, 29, 4869-4874.	3.8	86
219	Telomere length and anaemia in old age: results from the Newcastle 85-plus Study* and the Leiden 85-plus Study. <i>Age and Ageing</i> , 2011, 40, 494-500.	1.6	13
220	Yield and costs of direct and stepped screening for depressive symptoms in subjects aged 75 years and over in general practice. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 229-238.	2.7	11
221	The effect of cognitive impairment on the predictive value of multimorbidity for the increase in disability in the oldest old: the Leiden 85-plus Study. <i>Age and Ageing</i> , 2011, 40, 352-357.	1.6	33
222	Determinants of absence of osteoarthritis in old age. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 68-73.	1.1	40
223	Chronic kidney disease in patients with diabetes mellitus type 2 or hypertension in general practice. <i>British Journal of General Practice</i> , 2010, 60, 884-890.	1.4	40
224	Low innate production of interleukin-1 $\beta$ and interleukin-6 is associated with the absence of osteoarthritis in old age. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 942-947.	1.3	62
225	Impact of valvular heart disease on activities of daily living of nonagenarians: the Leiden 85-plus study a population based study. <i>BMC Geriatrics</i> , 2010, 10, 17.	2.7	20
226	Subnormal vitamin B12 concentrations and anaemia in older people: a systematic review. <i>BMC Geriatrics</i> , 2010, 10, 42.	2.7	26
227	Diagnostic accuracy of plasma NT-proBNP levels for excluding cardiac abnormalities in the very elderly. <i>BMC Geriatrics</i> , 2010, 10, 85.	2.7	13
228	PREDICTIVE VALUE OF LOW FERRITIN IN OLDER PERSONS WITH ANEMIA WITH AND WITHOUT INFLAMMATION: THE LEIDEN 85+ PLUS STUDY. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1601-1603.	2.6	5
229	How usual is usual care in pragmatic intervention studies in primary care? An overview of recent trials. <i>British Journal of General Practice</i> , 2010, 60, e305-e318.	1.4	74
230	Current choices in the treatment of cutaneous warts: a survey among Dutch GP. <i>Family Practice</i> , 2010, 27, 549-553.	1.9	19
231	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. <i>Cmaj</i> , 2010, 182, 1624-1630.	2.0	119
232	Subclinical Hypothyroidism and the Risk of Coronary Heart Disease and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 1365.	7.4	944
233	Evaluation of a Novel Broad-Spectrum PCR-Multiplex Genotyping Assay for Identification of Cutaneous Wart-Associated Human Papillomavirus Types. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1706-1711.	3.9	57
234	Risk of Coronary Heart Disease and Mortality for Adults With Subclinical Hypothyroidism. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2481.	7.4	11

#	ARTICLE	IF	CITATIONS
235	Time trends in preventive drug treatment after myocardial infarction in older patients. British Journal of General Practice, 2010, 60, 47-49.	1.4	10
236	Handgrip strength as a predictor of functional, psychological and social health. A prospective population-based study among the oldest old. Age and Ageing, 2010, 39, 331-337.	1.6	460
237	Handgrip strength and mortality in the oldest old population: the Leiden 85-plus study. Cmaj, 2010, 182, 429-435.	2.0	298
238	Effect of erythropoietin levels on mortality in old age: the Leiden 85-plus Study. Cmaj, 2010, 182, 1953-1958.	2.0	9
239	Use of Framingham risk score and new biomarkers to predict cardiovascular mortality in older people: population based observational cohort study. BMJ: British Medical Journal, 2009, 338, a3083-a3083.	2.3	274
240	Role of Vitamin B12 in Anemia in Old Age—Reply. Archives of Internal Medicine, 2009, 169, 1167.	3.8	0
241	Effect of anemia and comorbidity on functional status and mortality in old age: results from the Leiden 85-plus Study. Cmaj, 2009, 181, 151-157.	2.0	136
242	Low blood pressure in the very old, a consequence of imminent heart failure: the Leiden 85-plus Study. Journal of Human Hypertension, 2009, 23, 27-32.	2.2	27
243	The accuracy of plasma natriuretic peptide levels for diagnosis of cardiac dysfunction and chronic heart failure in community-dwelling elderly: a systematic review. Age and Ageing, 2009, 38, 655-662.	1.6	16
244	Co-occurrence of depression and anxiety in elderly subjects aged 90 years and its relationship with functional status, quality of life and mortality. International Journal of Geriatric Psychiatry, 2009, 24, 595-601.	2.7	66
245	Benefits of increasing the dose of influenza vaccine in residents of long-term care facilities: A randomized placebo-controlled trial. Journal of Medical Virology, 2009, 81, 908-914.	5.0	20
246	Warts in primary schoolchildren: prevalence and relation with environmental factors. British Journal of Dermatology, 2009, 161, 148-152.	1.5	122
247	Clinical Relevance of a Raised Plasma N-Terminal Pro-Brain Natriuretic Peptide Level in a Population-Based Cohort of Nonagenarians. Journal of the American Geriatrics Society, 2009, 57, 823-829.	2.6	35
248	The Effect of Age on the Association Between Blood Pressure and Cognitive Function Later in Life. Journal of the American Geriatrics Society, 2009, 57, 1232-1237.	2.6	103
249	Vascular disease and apathy in old age. The Leiden 85-plus Study. International Journal of Geriatric Psychiatry, 2008, 23, 266-271.	2.7	83
250	Long-term use of proton pump inhibitors and vitamin B12 status in elderly individuals. Alimentary Pharmacology and Therapeutics, 2008, 27, 491-497.	3.7	101
251	The additional value of routine electrocardiograms in cardiovascular risk management of older people. Scandinavian Journal of Primary Health Care, 2008, 26, 147-153.	1.5	12
252	Statins and Blood Pressure. Archives of Internal Medicine, 2008, 168, 2383.	3.8	1



#	ARTICLE	IF	CITATIONS
253	Incidence and predictive factors of lower respiratory tract infections among the very elderly in the general population. The Leiden 85-plus Study. <i>Thorax</i> , 2008, 63, 817-822.	5.6	25
254	Vitamin B12 and Folate and the Risk of Anemia in Old Age. <i>Archives of Internal Medicine</i> , 2008, 168, 2238.	3.8	38
255	Meta-analysis: Subclinical Thyroid Dysfunction and the Risk for Coronary Heart Disease and Mortality. <i>Annals of Internal Medicine</i> , 2008, 148, 832.	3.9	405
256	The metabolic syndrome is associated with decelerated cognitive decline in the oldest old. <i>Neurology</i> , 2007, 69, 979-985.	1.1	171
257	The clinically meaningful change in physical performance scores in an elderly cohort. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 484-491.	2.9	10
258	Inflammation and interleukin-1 signaling network contribute to depressive symptoms but not cognitive decline in old age. <i>Experimental Gerontology</i> , 2007, 42, 693-701.	2.8	187
259	High innate production capacity of tumor necrosis factor- $\alpha$ and decline of handgrip strength in old age. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 517-521.	4.6	21
260	The Routine Electrocardiogram for Cardiovascular Risk Stratification in Old Age: The Leiden 85+Plus Study. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 872-877.	2.6	25
261	Evidence for the association of the S100 $\beta$ gene with low cognitive performance and dementia in the elderly. <i>Molecular Psychiatry</i> , 2007, 12, 870-880.	7.9	26
262	Markers of autonomic tone on a standard ECG are predictive of mortality in old age. <i>International Journal of Cardiology</i> , 2006, 107, 36-41.	1.7	12
263	Natural history of depression in the oldest old. <i>British Journal of Psychiatry</i> , 2006, 188, 65-69.	2.8	63
264	In a population-based prospective study, no association between high blood pressure and mortality after age 85 years. <i>Journal of Hypertension</i> , 2006, 24, 287-292.	0.5	153
265	The impact of diabetes mellitus on cognitive decline in the oldest of the old: a prospective population-based study. <i>Diabetologia</i> , 2006, 49, 2015-2023.	6.3	112
266	Assistive devices and community-based services among 85-year-old community-dwelling elderly in The Netherlands: Ownership, use, and need for intervention. <i>Disability and Rehabilitation: Assistive Technology</i> , 2006, 1, 199-203.	2.2	15
267	Randomised Controlled Trial of Unsolicited Occupational Therapy in Community-Dwelling Elderly People: The LOTIS Trial. <i>PLOS Clinical Trials</i> , 2006, 1, e2.	3.5	15
268	Prospective Study of the Effect of Blood Pressure on Renal Function in Old Age: The Leiden 85-Plus Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2561-2566.	6.1	41
269	Homocysteine, vitamin B-12, and folic acid and the risk of cognitive decline in old age: the Leiden 85-Plus Study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 866-871.	4.7	143
270	Telomere length in white blood cells is not associated with morbidity or mortality in the oldest old: a population-based study. <i>Aging Cell</i> , 2005, 4, 287-290.	6.7	291

#	ARTICLE	IF	CITATIONS
271	Seasonal mood variation in the elderly: the Leiden 85-plus Study. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 269-273.	2.7	10
272	Generalized atherosclerosis, cognitive decline, and depressive symptoms in old age. <i>Neurology</i> , 2005, 65, 107-112.	1.1	85
273	Meta-Analysis of Nonsteroidal Antiinflammatory Drug Use and Risk of Dementia. <i>American Journal of Epidemiology</i> , 2005, 161, 114-120.	3.4	87
274	Is Depression in Old Age Fatal Only When People Feel Lonely?. <i>American Journal of Psychiatry</i> , 2005, 162, 178-180.	7.2	104
275	Late-Onset Dementia: Structural Brain Damage and Total Cerebral Blood Flow. <i>Radiology</i> , 2005, 236, 990-995.	7.3	49
276	Does Depression Specifically Increase Cardiovascular Mortality?. <i>Archives of Internal Medicine</i> , 2005, 165, 119.	3.8	2
277	Thyroid Status and Survival in Old Age—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1447.	7.4	11
278	Association between chronic diseases and disability in elderly subjects with low and high income: the Leiden 85-plus Study. <i>European Journal of Public Health</i> , 2005, 15, 494-497.	0.3	27
279	Sensory Impairment and Cognitive Functioning in Oldest-Old Subjects: The Leiden 85+ Study. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 781-786.	1.2	73
280	Evaluation of continuous summary physical performance scores (CSPPS) in an elderly cohort. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 193-200.	2.9	11
281	In an observational study elderly patients had an increased risk of falling due to home hazards. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 63-67.	5.0	49
282	Sensory Impairment and Cognitive Functioning in Oldest-Old Subjects: The Leiden 85+ Study. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 781-786.	1.2	61
283	Thyroid Status, Disability and Cognitive Function, and Survival in Old Age. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 2591.	7.4	725
284	Inflammation underlying cardiovascular mortality is a late consequence of evolutionary programming. <i>FASEB Journal</i> , 2004, 18, 1022-1024.	0.5	231
285	Phenotypic and Functional Characterization of CD4 T Cells Expressing Killer Ig-Like Receptors. <i>Journal of Immunology</i> , 2004, 173, 6719-6726.	0.8	116
286	Temporal relation between depression and cognitive impairment in old age: prospective population based study. <i>BMJ: British Medical Journal</i> , 2004, 329, 881.	2.3	185
287	Prevalence, correlates and recognition of depression in the oldest old: the Leiden 85-plus study. <i>Journal of Affective Disorders</i> , 2004, 78, 193-200.	4.1	141
288	Impaired innate immunity predicts frailty in old age. The Leiden 85-plus study. <i>Experimental Gerontology</i> , 2004, 39, 1407-1414.	2.8	105

#	ARTICLE	IF	CITATIONS
289	The 15-item Geriatric Depression Scale(GDS-15) detects changes in depressive symptoms after a major negative life event. The Leiden 85-plus Study. International Journal of Geriatric Psychiatry, 2004, 19, 80-84.	2.7	80
290	Does depression in old age increase only cardiovascular mortality? The Leiden 85-plus Study. International Journal of Geriatric Psychiatry, 2004, 19, 852-857.	2.7	49
291	Accuracy of the 15-item geriatric depression scale (GDS-15) in a community sample of the oldest old. International Journal of Geriatric Psychiatry, 2003, 18, 63-66.	2.7	280
292	Walking and Talking as Predictors of Falls in the General Population: The Leiden 85-Plus Study. Journal of the American Geriatrics Society, 2003, 51, 1466-1471.	2.6	137
293	Benzodiazepine Use and Risk of Mortality in Individuals Aged 85 Years or Older. JAMA - Journal of the American Medical Association, 2003, 290, 2942-2943.	7.4	35
294	Interaction of atherosclerosis and inflammation in elderly subjects with poor cognitive function. Neurology, 2003, 61, 1695-1701.	1.1	60
295	Prevalence of five common clinical abnormalities in very elderly people: population based cross sectional study. BMJ: British Medical Journal, 2003, 327, 131-132.	2.3	11
296	High-Density vs Low-Density Lipoprotein Cholesterol as the Risk Factor for Coronary Artery Disease and Stroke in Old Age. Archives of Internal Medicine, 2003, 163, 1549.	3.8	164
297	Leisure Activities and the Risk of Dementia. New England Journal of Medicine, 2003, 349, 1290-1292.	27.0	10
298	Auditory rehabilitation of older people from the general population--the Leiden 85-plus study. British Journal of General Practice, 2003, 53, 536-40.	1.4	58
299	Inflammation and Stroke. Stroke, 2002, 33, 1135-1138.	2.0	136
300	Low Production Capacity of Interleukin-10 Associates With the Metabolic Syndrome and Type 2 Diabetes : The Leiden 85-Plus Study. Diabetes, 2002, 51, 1088-1092.	0.6	310
301	Atherosclerosis and cognitive impairment are linked in the elderly. The Leiden 85-plus Study. Atherosclerosis, 2002, 165, 353-359.	0.8	67
302	A high response is not essential to prevent selection bias. Journal of Clinical Epidemiology, 2002, 55, 1119-1125.	5.0	188
303	Association of <i>APOE</i> $\epsilon 2/\epsilon 3/\epsilon 4$ and promoter gene variants with dementia but not cardiovascular mortality in old age. American Journal of Medical Genetics Part A, 2002, 107, 201-208.	2.4	47
304	Association between high-density lipoprotein and cognitive impairment in the oldest old. Annals of Neurology, 2002, 51, 716-721.	5.3	164
305	Common Chronic Diseases and General Impairments as Determinants of Walking Disability in the Oldest-Old Population. Journal of the American Geriatrics Society, 2002, 50, 1405-1410.	2.6	98
306	No increase in mortality and morbidity among carriers of the C282Y mutation of the hereditary haemochromatosis gene in the oldest old: the Leiden 85-plus Study. European Journal of Clinical Investigation, 2002, 32, 750-754.	3.4	42

#	ARTICLE	IF	CITATIONS
307	Disability in the Oldest Old: "Can Do" or "Do Do"? Journal of the American Geriatrics Society, 2001, 49, 909-914.	2.6	59
308	Cognitive function in the oldest old: women perform better than men. Journal of Neurology, Neurosurgery and Psychiatry, 2001, 71, 29-32.	1.9	64
309	Successful Aging in the Oldest Old. Archives of Internal Medicine, 2001, 161, 2694.	3.8	366
310	Idiopathic Senile Gait Disorders Are Signs of Subclinical Disease. Journal of the American Geriatrics Society, 2000, 48, 1098-1101.	2.6	83
311	C-Reactive Protein Is a Strong but Nonspecific Risk Factor of Fatal Stroke in Elderly Persons. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 1047-1051.	2.4	152
312	Mortality risk in men is associated with a common mutation in the methylenetetrahydrofolate reductase gene (MTHFR). European Journal of Human Genetics, 1999, 7, 197-204.	2.8	48
313	Increased risk of mortality associated with a common mutation in the methylenetetrahydrofolate reductase gene (MTHFR). Atherosclerosis, 1999, 144, 19.	0.8	0
314	Impact of mild cognitive impairment on survival in very elderly people: cohort study. BMJ: British Medical Journal, 1997, 315, 1053-1054.	2.3	92
315	Three-year follow-up of Mini-Mental State Examination score in community residents aged 85 and over. Psychological Medicine, 1995, 25, 841-848.	4.5	30