Abdul Quaiyoom Khan

List of Publications by Citations

26 papers	1,206 citations	20 h-index	27 g-index
27 ext. papers	1,415 ext. citations	3.8 avg, IF	4.09 L-index

#	Paper	IF	Citations
26	Moringa oleifera as an Anti-Cancer Agent against Breast and Colorectal Cancer Cell Lines. *PLoS ONE* , **2015**, 10, e0135814	3.7	135
25	Chrysin protects against cisplatin-induced colon. toxicity via amelioration of oxidative stress and apoptosis: probable role of p38MAPK and p53. *Toxicology and Applied Pharmacology*, **2012**, 258, 315-29	4.6	100
24	Chrysin suppresses renal carcinogenesis via amelioration of hyperproliferation, oxidative stress and inflammation: plausible role of NF-B. *Toxicology Letters*, **2013**, 216, 146-58	4.4	84
23	Glycyrrhizic acid suppresses the development of precancerous lesions via regulating the hyperproliferation, inflammation, angiogenesis and apoptosis in the colon of Wistar rats. *PLoS ONE*, **2013**, 8, e56020	3.7	74
22	Amelioration of 1,2 Dimethylhydrazine (DMH) induced colon oxidative stress, inflammation and tumor promotion response by tannic acid in Wistar rats. *Asian Pacific Journal of Cancer Prevention*, **2012**, 13, 4393-402	1.7	70
21	Geraniol attenuates 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced oxidative stress and inflammation in mouse skin: possible role of p38 MAP Kinase and NF-B. *Experimental and Molecular Pathology*, **2013**, 94, 419-29	4.4	69
20	D-limonene suppresses doxorubicin-induced oxidative stress and inflammation via repression of COX-2, iNOS, and NFB in kidneys of Wistar rats. *Experimental Biology and Medicine*, **2014**, 239, 465-76	3.7	68
19	Alleviation of hepatic injury by chrysin in cisplatin administered rats: probable role of oxidative and inflammatory markers. *Pharmacological Reports*, **2014**, 66, 1050-9	3.9	61
18	Soy isoflavones (daidzein & genistein) inhibit 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced cutaneous inflammation via modulation of COX-2 and NF-B in Swiss albino mice. *Toxicology*, **2012**, 302, 266-74	4.4	54
17	Thymoquinone (2-Isoprpyl-5-methyl-1, 4-benzoquinone) as a chemopreventive/anticancer agent: Chemistry and biological effects. *Saudi Pharmaceutical Journal*, **2019**, 27, 1113-1126	4.4	52
16	Caffeic acid attenuates 12-O-tetradecanoyl-phorbol-13-acetate (TPA)-induced NF-B and COX-2 expression in mouse skin: abrogation of oxidative stress, inflammatory responses and proinflammatory cytokine production. *Food and Chemical Toxicology*, **2012**, 50, 175-83	4.7	51
15	Perillyl alcohol protects against ethanol induced acute liver injury in Wistar rats by inhibiting oxidative stress, NFB activation and proinflammatory cytokine production. *Toxicology*, **2011**, 279, 108-14	4.4	47
14	Chrysin abrogates cisplatin-induced oxidative stress, p53 expression, goblet cell disintegration and apoptotic responses in the jejunum of Wistar rats. *British Journal of Nutrition*, **2012**, 108, 1574-85	3.6	45
13	Diosmin protects against trichloroethylene-induced renal injury in Wistar rats: plausible role of p53, Bax and caspases. *British Journal of Nutrition*, **2013**, 110, 699-710	3.6	43
12	Curcumin Induces Apoptotic Cell Death via Inhibition of PI3-Kinase/AKT Pathway in B-Precursor Acute Lymphoblastic Leukemia. *Frontiers in Oncology*, **2019**, 9, 484	5.3	36
11	Topically applied vitamin E prevents massive cutaneous inflammatory and oxidative stress responses induced by double application of 12-O-tetradecanoylphorbol-13-acetate (TPA) in mice. *Chemico-Biological Interactions*, **2008**, 172, 195-205	5	34
10	Diosmin abrogates chemically induced hepatocarcinogenesis via alleviation of oxidative stress, hyperproliferative and inflammatory markers in murine model. *Toxicology Letters*, **2013**, 220, 205-18	4.4	32

9	Silibinin inhibits tumor promotional triggers and tumorigenesis against chemically induced two-stage skin carcinogenesis in Swiss albino mice: possible role of oxidative stress and inflammation. *Nutrition and Cancer*, **2014**, 66, 249-58	2.8	27
8	Investigation of in vivo potential of scorpion venom against skin tumorigenesis in mice via targeting markers associated with cancer development. *Drug Design, Development and Therapy*, **2016**, 10, 3387-3397	4.4	22
7	Ascorbic acid attenuates antineoplastic drug 5-fluorouracil induced gastrointestinal toxicity in rats by modulating the expression of inflammatory mediators. *Toxicology Reports*, **2015**, 2, 908-916	4.8	20
6	Glycyrrhizic acid suppresses 1,2-dimethylhydrazine-induced colon tumorigenesis in Wistar rats: Alleviation of inflammatory, proliferation, angiogenic, and apoptotic markers. *Environmental Toxicology*, **2018**, 33, 1272-1283	4.2	18
5	Sanguinarine suppresses growth and induces apoptosis in childhood acute lymphoblastic leukemia. *Leukemia and Lymphoma*, **2019**, 60, 782-794	1.9	16
4	Tannic acid mitigates the DMBA/croton oil-induced skin cancer progression in mice. *Molecular and Cellular Biochemistry*, **2015**, 399, 217-28	4.2	15
3	Assessment of Augmented Immune Surveillance and Tumor Cell Death by Cytoplasmic Stabilization of p53 as a Chemopreventive Strategy of 3 Promising Medicinal Herbs in Murine 2-Stage Skin Carcinogenesis. *Integrative Cancer Therapies*, **2014**, 13, 351-67	3	13
2	Alleviation of 5-fluorouracil-induced intestinal mucositis in rats by vitamin E via targeting oxidative stress and inflammatory markers. *Journal of Complementary and Integrative Medicine*, **2016**, 13, 377-385	1.5	11
1	Greensporone A, a Fungal Secondary Metabolite Suppressed Constitutively Activated AKT via ROS Generation and Induced Apoptosis in Leukemic Cell Lines. *Biomolecules*, **2019**, 9,	5.9	8