

# Abdul Quaiyoom Khan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10469658/abdul-quaiyoom-khan-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 papers	1,206 citations	20 h-index	27 g-index
27 ext. papers	1,415 ext. citations	3.8 avg, IF	4.09 L-index

#	Paper	IF	Citations
26	Thymoquinone (2-Isoprpyl-5-methyl-1, 4-benzoquinone) as a chemopreventive/anticancer agent: Chemistry and biological effects. <i>Saudi Pharmaceutical Journal</i> , <b>2019</b> , 27, 1113-1126	4.4	52
25	Greensporone A, a Fungal Secondary Metabolite Suppressed Constitutively Activated AKT via ROS Generation and Induced Apoptosis in Leukemic Cell Lines. <i>Biomolecules</i> , <b>2019</b> , 9,	5.9	8
24	Curcumin Induces Apoptotic Cell Death via Inhibition of PI3-Kinase/AKT Pathway in B-Precursor Acute Lymphoblastic Leukemia. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 484	5.3	36
23	Sanguinarine suppresses growth and induces apoptosis in childhood acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , <b>2019</b> , 60, 782-794	1.9	16
22	Glycyrrhizic acid suppresses 1,2-dimethylhydrazine-induced colon tumorigenesis in Wistar rats: Alleviation of inflammatory, proliferation, angiogenic, and apoptotic markers. <i>Environmental Toxicology</i> , <b>2018</b> , 33, 1272-1283	4.2	18
21	Investigation of in vivo potential of scorpion venom against skin tumorigenesis in mice via targeting markers associated with cancer development. <i>Drug Design, Development and Therapy</i> , <b>2016</b> , 10, 3387-3394	4.4	22
20	Alleviation of 5-fluorouracil-induced intestinal mucositis in rats by vitamin E via targeting oxidative stress and inflammatory markers. <i>Journal of Complementary and Integrative Medicine</i> , <b>2016</b> , 13, 377-385	1.5	11
19	Ascorbic acid attenuates antineoplastic drug 5-fluorouracil induced gastrointestinal toxicity in rats by modulating the expression of inflammatory mediators. <i>Toxicology Reports</i> , <b>2015</b> , 2, 908-916	4.8	20
18	Tannic acid mitigates the DMBA/croton oil-induced skin cancer progression in mice. <i>Molecular and Cellular Biochemistry</i> , <b>2015</b> , 399, 217-28	4.2	15
17	Moringa oleifera as an Anti-Cancer Agent against Breast and Colorectal Cancer Cell Lines. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135814	3.7	135
16	Assessment of Augmented Immune Surveillance and Tumor Cell Death by Cytoplasmic Stabilization of p53 as a Chemopreventive Strategy of 3 Promising Medicinal Herbs in Murine 2-Stage Skin Carcinogenesis. <i>Integrative Cancer Therapies</i> , <b>2014</b> , 13, 351-67	3	13
15	Alleviation of hepatic injury by chrysin in cisplatin administered rats: probable role of oxidative and inflammatory markers. <i>Pharmacological Reports</i> , <b>2014</b> , 66, 1050-9	3.9	61
14	Silibinin inhibits tumor promotional triggers and tumorigenesis against chemically induced two-stage skin carcinogenesis in Swiss albino mice: possible role of oxidative stress and inflammation. <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 249-58	2.8	27
13	D-limonene suppresses doxorubicin-induced oxidative stress and inflammation via repression of COX-2, iNOS, and NF- $\kappa$ B in kidneys of Wistar rats. <i>Experimental Biology and Medicine</i> , <b>2014</b> , 239, 465-76	3.7	68
12	Diosmin abrogates chemically induced hepatocarcinogenesis via alleviation of oxidative stress, hyperproliferative and inflammatory markers in murine model. <i>Toxicology Letters</i> , <b>2013</b> , 220, 205-18	4.4	32
11	Geraniol attenuates 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced oxidative stress and inflammation in mouse skin: possible role of p38 MAP Kinase and NF- $\kappa$ B. <i>Experimental and Molecular Pathology</i> , <b>2013</b> , 94, 419-29	4.4	69
10	Chrysin suppresses renal carcinogenesis via amelioration of hyperproliferation, oxidative stress and inflammation: plausible role of NF- $\kappa$ B. <i>Toxicology Letters</i> , <b>2013</b> , 216, 146-58	4.4	84

9	Diosmin protects against trichloroethylene-induced renal injury in Wistar rats: plausible role of p53, Bax and caspases. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 699-710	3.6	43
8	Glycyrrhizic acid suppresses the development of precancerous lesions via regulating the hyperproliferation, inflammation, angiogenesis and apoptosis in the colon of Wistar rats. <i>PLoS ONE</i> , <b>2013</b> , 8, e56020	3.7	74
7	Chrysin protects against cisplatin-induced colon. toxicity via amelioration of oxidative stress and apoptosis: probable role of p38MAPK and p53. <i>Toxicology and Applied Pharmacology</i> , <b>2012</b> , 258, 315-29	4.6	100
6	Chrysin abrogates cisplatin-induced oxidative stress, p53 expression, goblet cell disintegration and apoptotic responses in the jejunum of Wistar rats. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1574-85	3.6	45
5	Caffeic acid attenuates 12-O-tetradecanoyl-phorbol-13-acetate (TPA)-induced NF- $\kappa$ B and COX-2 expression in mouse skin: abrogation of oxidative stress, inflammatory responses and proinflammatory cytokine production. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 175-83	4.7	51
4	Soy isoflavones (daidzein & genistein) inhibit 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced cutaneous inflammation via modulation of COX-2 and NF- $\kappa$ B in Swiss albino mice. <i>Toxicology</i> , <b>2012</b> , 302, 266-74	4.4	54
3	Amelioration of 1,2 Dimethylhydrazine (DMH) induced colon oxidative stress, inflammation and tumor promotion response by tannic acid in Wistar rats. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2012</b> , 13, 4393-402	1.7	70
2	Perillyl alcohol protects against ethanol induced acute liver injury in Wistar rats by inhibiting oxidative stress, NF $\kappa$ B activation and proinflammatory cytokine production. <i>Toxicology</i> , <b>2011</b> , 279, 108-14	4.4	47
1	Topically applied vitamin E prevents massive cutaneous inflammatory and oxidative stress responses induced by double application of 12-O-tetradecanoylphorbol-13-acetate (TPA) in mice. <i>Chemico-Biological Interactions</i> , <b>2008</b> , 172, 195-205	5	34