## Tanya L Hoskin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10469895/publications.pdf

Version: 2024-02-01

76196 102304 4,979 128 40 66 citations h-index g-index papers 128 128 128 5752 docs citations times ranked citing authors all docs

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Temporal Trends in Infective Endocarditis. JAMA - Journal of the American Medical Association, 2005, 293, 3022.   | 3.8 | 309       |
| 2  | The Microbiome of Aseptically Collected Human Breast Tissue in Benign and Malignant Disease. Scientific Reports, 2016, 6, 30751.  | 1.6 | 299       |
| 3  | Common iliac artery aneurysm: Expansion rate and results of open surgical and endovascular repair.<br>Journal of Vascular Surgery, 2008, 47, 1203-1211.e2.  | 0.6 | 181       |
| 4  | Factors affecting outcomes of open surgical repair of pararenal aortic aneurysms: A 10-year experience. Journal of Vascular Surgery, 2006, 43, 921-928.e1.  | 0.6 | 171       |
| 5  | Early complications and long-term outcome after open surgical treatment of popliteal artery aneurysms: Is exclusion with saphenous vein bypass still the gold standard?. Journal of Vascular Surgery, 2007, 45, 706-715.e1.                   | 0.6 | 170       |
| 6  | Dysphagia in Inflammatory Myopathy: Clinical Characteristics, Treatment Strategies, and Outcome in 62 Patients. Mayo Clinic Proceedings, 2007, 82, 441-447.   | 1.4 | 161       |
| 7  | Open repair of juxtarenal aortic aneurysms (JAA) remains a safe option in the era of fenestrated endografts. Journal of Vascular Surgery, 2008, 47, 695-701.  | 0.6 | 159       |
| 8  | Perioperative complications and early outcome after endovascular and open surgical repair of abdominal aortic aneurysms. Journal of Vascular Surgery, 2004, 39, 497-505.  | 0.6 | 147       |
| 9  | Contralateral Prophylactic Mastectomy is Associated with a Survival Advantage in High-Risk Women with a Personal History of Breast Cancer. Annals of Surgical Oncology, 2010, 17, 2702-2709.  | 0.7 | 135       |
| 10 | The Impact of Valve Surgery on 6-Month Mortality in Left-Sided Infective Endocarditis. Circulation, 2007, 115, 1721-1728.   | 1.6 | 119       |
| 11 | Breast Cancer-Related Lymphedema Risk is Related to Multidisciplinary Treatment and Not Surgery<br>Alone: Results from a Large Cohort Study. Annals of Surgical Oncology, 2017, 24, 2972-2980.  | 0.7 | 118       |
| 12 | Expanded Indications and Improved Outcomes for Nipple-Sparing Mastectomy Over Time. Annals of Surgical Oncology, 2015, 22, 3317-3323.   | 0.7 | 116       |
| 13 | Neoadjuvant Chemotherapy Use in Breast Cancer is Greatest in Excellent Responders: Triple-Negative and HER2+ Subtypes. Annals of Surgical Oncology, 2018, 25, 2241-2248.  | 0.7 | 99        |
| 14 | Contralateral Prophylactic Mastectomy: Long-Term Consistency of Satisfaction and Adverse Effects and the Significance of Informed Decision-Making, Quality of Life, and Personality Traits. Annals of Surgical Oncology, 2011, 18, 3110-3116. | 0.7 | 98        |
| 15 | Association of Low Nodal Positivity Rate Among Patients With <i>ERBB2</i> Breast Cancer and Breast Pathologic Complete Response to Neoadjuvant Chemotherapy. JAMA Surgery, 2018, 153, 1120.   | 2.2 | 96        |
| 16 | Dysphagia in Inclusion Body Myositis. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 883-889.  | 0.7 | 94        |
| 17 | Safety and technical success of methylene blue dye for lymphatic mapping in breast cancer. American Journal of Surgery, 2008, 196, 228-233.   | 0.9 | 76        |
| 18 | Most Patients with Abdominal Aortic Aneurysm Are Not Suitable for Endovascular Repair Using Currently Approved Bifurcated Stent-Grafts. Vascular and Endovascular Surgery, 2004, 38, 401-412.   | 0.3 | 73        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Multivariate model to identify women at low risk of cancer upgrade after a core needle biopsy diagnosis of atypical ductal hyperplasia. Breast Cancer Research and Treatment, 2017, 164, 295-304.  | 1.1 | 68        |
| 20 | CT Fluoroscopy–guided Biopsy of the Lung or Upper Abdomen with a Breath-hold Monitoring and Feedback System: A Prospective Randomized Controlled Clinical Trial. Radiology, 2005, 237, 701-708.  | 3.6 | 67        |
| 21 | Immune cell quantitation in normal breast tissue lobules with and without lobulitis. Breast Cancer Research and Treatment, 2014, 144, 539-549.   | 1.1 | 65        |
| 22 | Adolescents and Young Adults with Breast Cancer have More Aggressive Disease and Treatment Than Patients in Their Forties. Annals of Surgical Oncology, 2019, 26, 3920-3930.   | 0.7 | 65        |
| 23 | Histologic findings in normal breast tissues: comparison to reduction mammaplasty and benign breast disease tissues. Breast Cancer Research and Treatment, 2012, 133, 169-177.   | 1.1 | 64        |
| 24 | Evaluation of Germline Genetic Testing Criteria in a Hospital-Based Series of Women With Breast Cancer. Journal of Clinical Oncology, 2020, 38, 1409-1418.   | 0.8 | 64        |
| 25 | Randomized Controlled Trial to Reduce Bacterial Colonization of Surgical Drains After Breast and Axillary Operations. Annals of Surgery, 2013, 258, 240-247.   | 2.1 | 63        |
| 26 | Clinical Decision-Making in Patients with Variant of Uncertain Significance in BRCA1 or BRCA2 Genes. Annals of Surgical Oncology, 2017, 24, 3067-3072.   | 0.7 | 63        |
| 27 | Trends in Neoadjuvant Endocrine Therapy Use and Impact on Rates of Breast Conservation in Hormone<br>Receptor-Positive Breast Cancer: A National Cancer Data Base Study. Annals of Surgical Oncology,<br>2017, 24, 418-424.  | 0.7 | 58        |
| 28 | Incidence of Clinically Significant Seroma after Breast and Axillary Surgery. Journal of the American College of Surgeons, 2009, 208, 148-150.   | 0.2 | 56        |
| 29 | Impact of Reconstruction and Reoperation on Long-Term Patient-Reported Satisfaction After Contralateral Prophylactic Mastectomy. Annals of Surgical Oncology, 2015, 22, 401-408.   | 0.7 | 55        |
| 30 | Decreasing Use of Axillary Dissection in Node-Positive Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2018, 25, 2596-2602.   | 0.7 | 55        |
| 31 | Oncologic Outcomes of Sentinel Lymph Node Surgery After Neoadjuvant Chemotherapy for Node-Positive Breast Cancer. Annals of Surgical Oncology, 2020, 27, 4795-4801.  | 0.7 | 55        |
| 32 | Predicting Nodal Positivity in Women 70ÂYears of Age and Older with Hormone Receptor-Positive Breast Cancer to Aid Incorporation of a Society of Surgical Oncology Choosing Wisely Guideline into Clinical Practice. Annals of Surgical Oncology, 2017, 24, 2881-2888. | 0.7 | 52        |
| 33 | National Trends in the Use of Neoadjuvant Chemotherapy for Hormone Receptor-Negative Breast<br>Cancer: A National Cancer Data Base Study. Annals of Surgical Oncology, 2017, 24, 1242-1250.  | 0.7 | 51        |
| 34 | Macrophagic "Crown-like Structures―Are Associated with an Increased Risk of Breast Cancer in Benign Breast Disease. Cancer Prevention Research, 2018, 11, 113-119.   | 0.7 | 50        |
| 35 | Risk Factors Associated with Breast Lymphedema. Annals of Surgical Oncology, 2014, 21, 1202-1208.  | 0.7 | 48        |
| 36 | Extent of atypical hyperplasia stratifies breast cancer risk in 2 independent cohorts of women. Cancer, 2016, 122, 2971-2978.  | 2.0 | 48        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A prospective study of breast lymphedema: frequency, symptoms, and quality of life. Breast Cancer Research and Treatment, 2012, 134, 915-922.   | 1.1 | 47        |
| 38 | Surgical Site Infection after Breast Surgery: Impact of 2010 CDC Reporting Guidelines. Annals of Surgical Oncology, 2012, 19, 4099-4103.  | 0.7 | 46        |
| 39 | Impact that Timing of Genetic Mutation Diagnosis has on Surgical Decision Making and Outcome for BRCA1/BRCA2 Mutation Carriers with Breast Cancer. Annals of Surgical Oncology, 2016, 23, 3232-3238.                    | 0.7 | 46        |
| 40 | Alterations in the Immune Cell Composition in Premalignant Breast Tissue that Precede Breast Cancer Development. Clinical Cancer Research, 2017, 23, 3945-3952.   | 3.2 | 46        |
| 41 | Flat Epithelial Atypia on Core Biopsy and Upgrade to Cancer: a Systematic Review and Meta-Analysis.<br>Annals of Surgical Oncology, 2017, 24, 3549-3558.  | 0.7 | 46        |
| 42 | Effect of Surgery Type on Time to Adjuvant Chemotherapy and Impact of Delay on Breast Cancer Survival: A National Cancer Database Analysis. Annals of Surgical Oncology, 2019, 26, 3240-3249.                           | 0.7 | 46        |
| 43 | Use of immediate breast reconstruction and choice for contralateral prophylactic mastectomy. Surgery, 2016, 159, 1199-1209.   | 1.0 | 39        |
| 44 | Bioinformatics and DNA-extraction strategies to reliably detect genetic variants from FFPE breast tissue samples. BMC Genomics, 2019, 20, 689.  | 1.2 | 37        |
| 45 | Has the Time Come to Stop Surgical Staging of the Axilla for All Women Age 70ÂYears or Older with Hormone Receptor-Positive Breast Cancer?. Annals of Surgical Oncology, 2017, 24, 614-617.                             | 0.7 | 35        |
| 46 | Endovascular Repair of Abdominal Aortic Aneurysms: Initial Experience With 100 Consecutive Patients. Mayo Clinic Proceedings, 2003, 78, 1234-1242.  | 1.4 | 34        |
| 47 | Sentinel node positive breast cancer patients who do not undergo axillary dissection: Are they different?. Surgery, 2008, 143, 641-647.   | 1.0 | 31        |
| 48 | Assessment of the performance of the Stanford Online Calculator for the prediction of nonsentinel lymph node metastasis in sentinel lymph nodeâ€positive breast cancer patients. Cancer, 2009, 115, 4064-4070.          | 2.0 | 31        |
| 49 | MRI Radiomics for Assessment of Molecular Subtype, Pathological Complete Response, and Residual Cancer Burden in Breast Cancer Patients Treated With Neoadjuvant Chemotherapy. Academic Radiology, 2022, 29, S145-S154. | 1.3 | 31        |
| 50 | Conclusion about the association between valve surgery and mortality in an infective endocarditis cohort changed after adjusting for survivor bias. Journal of Clinical Epidemiology, 2010, 63, 130-135.                | 2.4 | 30        |
| 51 | Mastectomy and immediate breast reconstruction in the elderly: Trends and outcomes. Surgery, 2019, 166, 709-714.  | 1.0 | 30        |
| 52 | Natural history of age-related lobular involution and impact on breast cancer risk. Breast Cancer Research and Treatment, 2016, 155, 423-430.   | 1.1 | 29        |
| 53 | Brief Interdisciplinary Treatment Program for Fibromyalgia. American Journal of Physical Medicine and Rehabilitation, 2010, 89, 115-124.  | 0.7 | 28        |
| 54 | Mastectomy and Immediate Breast Reconstruction for Cancer in the Elderly: A National Cancer Data Base Study. Journal of the American College of Surgeons, 2017, 224, 895-905.   | 0.2 | 26        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | Outcomes of > 1300 Nipple-Sparing Mastectomies with Immediate Reconstruction: The Impact of Expanding Indications on Complications. Annals of Surgical Oncology, 2019, 26, 3115-3123.                       | 0.7 | 26        |
| 56 | Intermittent-Mode CT Fluoroscopy–guided Biopsy of the Lung or Upper Abdomen with Breath-hold Monitoring and Feedback: System Development and Feasibility. Radiology, 2003, 229, 906-912.                    | 3.6 | 25        |
| 57 | Impact of Neoadjuvant Chemotherapy on Nodal Disease and Nodal Surgery by Tumor Subtype. Annals of Surgical Oncology, 2018, 25, 482-493.   | 0.7 | 25        |
| 58 | Lessons Learned Regarding Missing Clinical Stage in the National Cancer Database. Annals of Surgical Oncology, 2019, 26, 739-745.   | 0.7 | 24        |
| 59 | Patients With Fibromyalgia Have Significant Autonomic Symptoms But Modest Autonomic Dysfunction. PM and R, 2016, 8, 425-435.  | 0.9 | 22        |
| 60 | Model for Predicting Breast Cancer Risk in Women With Atypical Hyperplasia. Journal of Clinical Oncology, 2018, 36, 1840-1846.  | 0.8 | 22        |
| 61 | Novel Factors to Improve Prediction of Nodal Positivity in Patients with Clinical T1/T2 Breast Cancers. Annals of Surgical Oncology, 2013, 20, 3286-3293.   | 0.7 | 19        |
| 62 | Influence of Biologic Subtype of Inflammatory Breast Cancer on Response to Neoadjuvant Therapy and Cancer Outcomes. Clinical Breast Cancer, 2018, 18, e501-e506.  | 1.1 | 19        |
| 63 | Use of 21-gene recurrence score assay to individualize adjuvant chemotherapy recommendations in ER+/HER2â^' node positive breast cancerâ€"A National Cancer Database study. Npj Breast Cancer, 2017, 3, 41. | 2.3 | 18        |
| 64 | Preoperative Prediction of Node-Negative Disease After Neoadjuvant Chemotherapy in Patients Presenting with Node-Negative or Node-Positive Breast Cancer. Annals of Surgical Oncology, 2017, 24, 2518-2525. | 0.7 | 17        |
| 65 | Predicting Non-sentinel Lymph Node Metastases in Patients with a Positive Sentinel Lymph Node After Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2018, 25, 2867-2874.                             | 0.7 | 17        |
| 66 | Anastrozole has an Association between Degree of Estrogen Suppression and Outcomes in Early Breast Cancer and is a Ligand for Estrogen Receptor α. Clinical Cancer Research, 2020, 26, 2986-2996.           | 3.2 | 17        |
| 67 | $\mathrm{ER}\hat{\mathrm{I}}^2$ Expression and Breast Cancer Risk Prediction for Women with Atypias. Cancer Prevention Research, 2015, 8, 1084-1092.  | 0.7 | 16        |
| 68 | Predictors of Clinical Outcome in Fibromyalgia After a Brief Interdisciplinary Fibromyalgia Treatment Program: Single Center Experience. PM and R, 2012, 4, 257-263.  | 0.9 | 15        |
| 69 | Contralateral Prophylactic Mastectomy: Factors Predictive of Occult Malignancy or High-Risk Lesion and the Impact of MRI and Genetic Testing. Annals of Surgical Oncology, 2016, 23, 72-77.                 | 0.7 | 14        |
| 70 | Is axillary surgery beneficial for patients with adenoid cystic carcinoma of the breast?. Journal of Surgical Oncology, 2017, 116, 690-695.   | 0.8 | 14        |
| 71 | Treatment Outcomes for Pleomorphic Lobular Carcinoma In Situ of the Breast. Annals of Surgical Oncology, 2018, 25, 3064-3068.   | 0.7 | 14        |
| 72 | Randomized Trial of Drain Antisepsis After Mastectomy and Immediate Prosthetic Breast Reconstruction. Annals of Surgical Oncology, 2014, 21, 3240-3248.   | 0.7 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Ki-67 expression in sclerosing adenosis and adjacent normal breast terminal ductal lobular units: a<br>nested case–control study from the Mayo Benign Breast Disease Cohort. Breast Cancer Research and<br>Treatment, 2015, 151, 89-97. | 1.1 | 13        |
| 74 | Frequency of diagnosis of cancer orÂhigh-risk lesion at operation forÂpathologic nipple discharge. Surgery, 2015, 158, 988-995.   | 1.0 | 13        |
| 75 | Effect of Primary Breast Tumor Location on Axillary Nodal Positivity. Annals of Surgical Oncology, 2018, 25, 3011-3018.   | 0.7 | 13        |
| 76 | Breast cancer after prophylactic mastectomy (bilateral or contralateral prophylactic mastectomy), a clinical entity: presentation, management, and outcomes. Breast Cancer Research and Treatment, 2015, 153, 183-190.                  | 1,1 | 12        |
| 77 | Management of the axilla in metaplastic breast carcinoma. Gland Surgery, 2018, 7, 200-206.  | 0.5 | 11        |
| 78 | Antitumor activity of Z-endoxifen in aromatase inhibitor-sensitive and aromatase inhibitor-resistant estrogen receptor-positive breast cancer. Breast Cancer Research, 2020, 22, 51.  | 2.2 | 11        |
| 79 | Increasing Use of Neoadjuvant Treatment for T1 and T2 HER2-Positive Tumors. Annals of Surgical Oncology, 2015, 22, 3369-3375.   | 0.7 | 10        |
| 80 | Validation of the CPSÂ+ÂEG Staging System for Disease-Specific Survival in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2016, 23, 3206-3211.  | 0.7 | 10        |
| 81 | NanoString-based breast cancer risk prediction for women with sclerosing adenosis. Breast Cancer<br>Research and Treatment, 2017, 166, 641-650.   | 1.1 | 10        |
| 82 | Changes in Management Strategy and Impact of Neoadjuvant Therapy on Extent of Surgery in Invasive Lobular Carcinoma of the Breast: Analysis of the National Cancer Database (NCDB). Annals of Surgical Oncology, 2021, 28, 5867-5877.   | 0.7 | 10        |
| 83 | Noninvasive measurement of aortic aneurysm sac tension with vibrometry. Journal of Vascular Surgery, 2005, 42, 963-971.   | 0.6 | 9         |
| 84 | Factors Influencing Use of Hormone Therapy for Ductal Carcinoma In Situ: A National Cancer Database Study. Annals of Surgical Oncology, 2017, 24, 2989-2998.  | 0.7 | 9         |
| 85 | Outcomes and feasibility of nipple-sparing mastectomy for node-positive breast cancer Patients. American Journal of Surgery, 2017, 213, 810-813.  | 0.9 | 9         |
| 86 | Breast Cancer Risk and Use of Nonsteroidal Anti-inflammatory Agents After a Benign Breast Biopsy. Cancer Prevention Research, 2020, 13, 967-976.  | 0.7 | 9         |
| 87 | Upgrade at excisional biopsy after a core needle biopsy diagnosis of classic lobular carcinoma in situ.<br>Surgery, 2021, 169, 644-648.   | 1.0 | 9         |
| 88 | Estrogen receptor beta repurposes EZH2 to suppress oncogenic NFκB/p65 signaling in triple negative breast cancer. Npj Breast Cancer, 2022, 8, 20.   | 2.3 | 9         |
| 89 | The breast tissue microbiome, stroma, immune cells and breast cancer. Neoplasia, 2022, 27, 100786.  | 2.3 | 9         |
| 90 | Neoadjuvant Chemotherapy and Nodal Response Rates in Luminal Breast Cancer: Effects of Age and Tumor Ki67. Annals of Surgical Oncology, 2022, 29, 5747-5756.  | 0.7 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | The Effect of Grape Seed Extract on Estrogen Levels of Postmenopausal Women: A Pilot Study. Journal of Dietary Supplements, 2014, 11, 184-197.  | 1.4 | 8         |
| 92  | Contemporary operative management of T4 breast cancer. Surgery, 2016, 160, 1059-1069.   | 1.0 | 8         |
| 93  | Contralateral Axillary Metastases in Breast Cancer: Stage IV Disease or a Locoregional Event?.<br>American Surgeon, 2019, 85, 1391-1396.  | 0.4 | 8         |
| 94  | Contemporary Axillary Management in cT1–2N0 Breast Cancer with One or Two Positive Sentinel Lymph Nodes: Factors Associated with Completion Axillary Lymph Node Dissection Within the National Cancer Database. Annals of Surgical Oncology, 2022, 29, 4740-4749. | 0.7 | 8         |
| 95  | Contralateral Prophylactic Mastectomy for Women with T4 Locally Advanced Breast Cancer. Annals of Surgical Oncology, 2016, 23, 3365-3370.   | 0.7 | 7         |
| 96  | Longitudinal stability of fibromyalgia symptom clusters. Arthritis Research and Therapy, 2018, 20, 37.  | 1.6 | 7         |
| 97  | Simple Prediction Models for Breast Cancer Patients with Solitary Positive Sentinel Nodes-are they Valid?. Breast Journal, 2009, 15, 610-614.   | 0.4 | 6         |
| 98  | Propensity score analysis with a time-dependent intervention is an acceptable although not an optimal analytical approach when treatment selection bias and survivor bias coexist. Journal of Clinical Epidemiology, 2010, 63, 139-140.                           | 2.4 | 6         |
| 99  | Surgical Management of Axilla Following Neoadjuvant Endocrine Therapy. Annals of Surgical Oncology, 2021, 28, 8729-8739.  | 0.7 | 6         |
| 100 | Automated quantification of levels of breast terminal duct lobular (TDLU) involution using deep learning. Npj Breast Cancer, 2022, 8, 13.   | 2.3 | 6         |
| 101 | Impact of neoadjuvant chemotherapy on pathologic axillary nodal status in HERâ€2 positive patients presenting with clinically nodeâ€negative disease. Journal of Surgical Oncology, 2015, 112, 453-457.   | 0.8 | 5         |
| 102 | CD56+ immune cell infiltration and MICA are decreased in breast lobules with fibrocystic changes. Breast Cancer Research and Treatment, 2018, 167, 649-658.   | 1.1 | 5         |
| 103 | Sentinel Lymph Node Removal After Neoadjuvant Chemotherapy in Clinically Node-Negative Patients: When to Stop?. Annals of Surgical Oncology, 2021, 28, 888-893.   | 0.7 | 5         |
| 104 | Perceived dyscognition reported by patients with fibromyalgia. Clinical and Experimental Rheumatology, 2016, 34, S48-54.  | 0.4 | 5         |
| 105 | Contralateral Axillary Metastases in Breast Cancer: Stage IV Disease or a Locoregional Event?.<br>American Surgeon, 2019, 85, 1391-1396.  | 0.4 | 5         |
| 106 | Cytotoxic T cell depletion with increasing epithelial abnormality in women with benign breast disease. Breast Cancer Research and Treatment, 2020, 180, 55-61.  | 1.1 | 4         |
| 107 | Performance and Clinical Utility of Models Predicting Eradication of Nodal Disease in Patients with Clinically Node-Positive Breast Cancer Treated with Neoadjuvant Chemotherapy by Tumor Biology. Annals of Surgical Oncology, 2020, 27, 4678-4686.              | 0.7 | 4         |
| 108 | Decreasing the Use of Sentinel Lymph Node Surgery in Women Older than 70 Years with Hormone Receptor-Positive Breast Cancer and the Impact on Adjuvant Radiation and Hormonal Therapy. Annals of Surgical Oncology, 2021, 28, 8766-8774.                          | 0.7 | 4         |

7

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Use of the Twelve-Gene Recurrence Score for Ductal Carcinoma in Situ and Its Influence on Receipt of Adjuvant Radiation and Hormonal Therapy. Annals of Surgical Oncology, 2021, 28, 4294-4303.              | 0.7 | 4         |
| 110 | Predicting Four or More Metastatic Axillary Lymph Nodes in Patients with Sentinel Node-Positive Breast Cancer: Assessment of Existent Risk Scores. Annals of Surgical Oncology, 2010, 17, 2884-2891.         | 0.7 | 3         |
| 111 | Widespread Non-Canonical Epigenetic Modifications in MMTV-NeuT Breast Cancer. Neoplasia, 2015, 17, 348-357.  | 2.3 | 3         |
| 112 | Evaluation of the Aromatase Inhibition Potential of Freeze-Dried Grape Powder. Journal of Dietary Supplements, 2015, 12, 373-382.  | 1.4 | 2         |
| 113 | ASO Author Reflections: A Statistical Caution Regarding Missing Clinical Stage in the National Cancer Database. Annals of Surgical Oncology, 2019, 26, 569-570.  | 0.7 | 2         |
| 114 | Inflammatory Breast Cancer: Durable Breast Cancer-Specific Survival for HER2-Positive Patients with a Pathologic Complete Response to Neoadjuvant Therapy. Annals of Surgical Oncology, 2022, 29, 5383-5386. | 0.7 | 2         |
| 115 | Factors Influencing Non-sentinel Lymph Node Involvement in Patients with Positive Sentinel Lymph Node(s) After Neoadjuvant Chemotherapy for Breast Cancer. Annals of Surgical Oncology, 2022, 29, 7769-7778. | 0.7 | 2         |
| 116 | Using Size and Grade to Identify Women AgedÂ≥Â70ÂYears with Endocrine-Responsive Breast Cancer at Low Risk of Nodal Positivity. Annals of Surgical Oncology, 2017, 24, 557-558.                              | 0.7 | 1         |
| 117 | Hyaline fibrous involution of breast lobules: a histologic finding associated with germline BRCA mutation. Modern Pathology, 2019, 32, 1263-1270.  | 2.9 | 1         |
| 118 | ASO Visual Abstract: Surgical Management of Axilla Following Neoadjuvant Endocrine Therapy. Annals of Surgical Oncology, 2021, 28, 560-561.  | 0.7 | 1         |
| 119 | Sexual Well-Being After Nipple-Sparing Mastectomy: Does Preservation of the Nipple Matter?. Annals of Surgical Oncology, 2022, 29, 4167-4179.  | 0.7 | 1         |
| 120 | ASO Author Reflections: Axillary Management in Mastectomy Patients with Limited Nodal Burden. Annals of Surgical Oncology, 2022, , 1.  | 0.7 | 1         |
| 121 | Towards defining morphologic parameters of normal parous and nulliparous breast tissues by artificial intelligence. Breast Cancer Research, 2022, 24, .  | 2.2 | 1         |
| 122 | Endovascular Repair of Abdominal Aortic Aneurysms: In Response. Mayo Clinic Proceedings, 2004, 79, 570-571.  | 1.4 | 0         |
| 123 | Reply to S.L. Gomez et al. Journal of Clinical Oncology, 2010, 28, e158-e158.  | 0.8 | 0         |
| 124 | Postlactational involution biomarkers plasminogen and phospho-STAT3 are linked with active age-related lobular involution. Breast Cancer Research and Treatment, 2017, 166, 133-143.                         | 1.1 | 0         |
| 125 | Repeat Sentinel Lymph Node Surgery in Recurrent Breast Cancer: Peritumoral vs. Periareolar Injections. Clinical Breast Cancer, 2021, 21, 466-476.  | 1.1 | 0         |
| 126 | Single-nucleotide polymorphism biomarkers of adjuvant anastrozole-induced estrogen suppression in early breast cancer. Pharmacogenetics and Genomics, 2021, 31, 1-9.   | 0.7 | 0         |

| #   | Article   | lF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | ASO Visual Abstract: Sexual Well-Being After Nipple-Sparing Mastectomy: Does Preservation of the Nipple Matter?. Annals of Surgical Oncology, 2022, , .   | 0.7 | o         |
| 128 | ASO Visual Abstract: Contemporary Axillary Management in cT1-2N0 Breast Cancer with $1\hat{a}\in$ 2 Positive Sentinel Lymph Nodes: Factors Associated with Completion Axillary Lymph Node Dissection Within the National Cancer Database. Annals of Surgical Oncology, 2022, , 1. | 0.7 | O         |