

David Waltregny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10478016/publications.pdf>

Version: 2024-02-01

49
papers

4,471
citations

109137

35
h-index

214527

47
g-index

51
all docs

51
docs citations

51
times ranked

5612
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipidomic Profiling of Clinical Prostate Cancer Reveals Targetable Alterations in Membrane Lipid Composition. <i>Cancer Research</i> , 2021, 81, 4981-4993.	0.4	43
2	Parastomal hernia after radical cystectomy with ileal conduit diversion: a narrative review. <i>Acta Chirurgica Belgica</i> , 2021, 121, 373-379.	0.2	4
3	A noninvasive urine-based methylation biomarker panel to detect bladder cancer and discriminate cancer grade. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 603.e1-603.e7.	0.8	13
4	Updated Systematic Review and Meta-analysis of the Comparative Data on Colposuspensions, Pubovaginal Slings, and Midurethral Tapes in the Surgical Treatment of Female Stress Urinary Incontinence. <i>European Urology</i> , 2017, 72, 567-591.	0.9	175
5	A Review of the Current Status of Laparoscopic and Robot-assisted Sacrocolpopexy for Pelvic Organ Prolapse. <i>European Urology</i> , 2014, 65, 1128-1137.	0.9	117
6	Incidence and risk factors of postoperative stress urinary incontinence following laparoscopic sacrocolpopexy in patients with negative preoperative prolapse reduction stress testing. <i>International Urogynecology Journal</i> , 2013, 24, 485-491.	0.7	47
7	TVT-O: A New Gold Standard Surgical Treatment of Female Stress Urinary Incontinence?. <i>European Urology</i> , 2013, 63, 879-880.	0.9	5
8	The Inside-Out Transobturator Male Sling for the Surgical Treatment of Stress Urinary Incontinence After Radical Prostatectomy: Midterm Results of a Single-Center Prospective Study. <i>European Urology</i> , 2012, 61, 608-615.	0.9	45
9	The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. <i>International Urogynecology Journal</i> , 2011, 22, 145-156.	0.7	40
10	Modified inside-out transobturator procedure: reply by the authors. <i>International Urogynecology Journal</i> , 2011, 22, 767-767.	0.7	0
11	An anatomic comparison of the original versus a modified inside-out transobturator procedure. <i>International Urogynecology Journal</i> , 2011, 22, 997-1004.	0.7	17
12	Identification of stromal proteins overexpressed in nodular sclerosis Hodgkin lymphoma. <i>Proteome Science</i> , 2011, 9, 63.	0.7	6
13	Diverse Phenotypic Profile of Uterine Tumors Resembling Ovarian Sex Cord Tumors. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1749-1761.	2.1	60
14	Increased Expression of Bone Sialoprotein in Bone Metastases Compared with Visceral Metastases in Human Breast and Prostate Cancers. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 834-843.	3.1	123
15	Identification and Validation of the Methylated TWIST1 and NID2 Genes through Real-Time Methylation-Specific Polymerase Chain Reaction Assays for the Noninvasive Detection of Primary Bladder Cancer in Urine Samples. <i>European Urology</i> , 2010, 58, 96-104.	0.9	134
16	Updated Systematic Review and Meta-Analysis of the Comparative Data on Colposuspensions, Pubovaginal Slings, and Midurethral Tapes in the Surgical Treatment of Female Stress Urinary Incontinence. <i>European Urology</i> , 2010, 58, 218-238.	0.9	359
17	Versican overexpression in human breast cancer lesions: Known and new isoforms for stromal tumor targeting. <i>International Journal of Cancer</i> , 2010, 126, 640-650.	2.3	125
18	<i>De novo</i> Lipogenesis Protects Cancer Cells from Free Radicals and Chemotherapeutics by Promoting Membrane Lipid Saturation. <i>Cancer Research</i> , 2010, 70, 8117-8126.	0.4	557

#	ARTICLE	IF	CITATIONS
19	The TVT-obturator surgical procedure for the treatment of female stress urinary incontinence: a clinical update. <i>International Urogynecology Journal</i> , 2009, 20, 337-348.	0.7	47
20	Androgen Receptor Controls <i>EGFR</i> and <i>ERBB2</i> Gene Expression at Different Levels in Prostate Cancer Cell Lines. <i>Cancer Research</i> , 2009, 69, 2941-2949.	0.4	62
21	Identification of new accessible tumor antigens in human colon cancer by <i>ex vivo</i> protein biotinylation and comparative mass spectrometry analysis. <i>International Journal of Cancer</i> , 2008, 123, 2856-2864.	2.3	70
22	TVT-O for the Treatment of Female Stress Urinary Incontinence: Results of a Prospective Study after a 3-Year Minimum Follow-Up. <i>European Urology</i> , 2008, 53, 401-410.	0.9	71
23	The Inside-Out Trans-Obturator Sling: A Novel Surgical Technique for the Treatment of Male Urinary Incontinence. <i>European Urology</i> , 2008, 54, 1051-1065.	0.9	36
24	Identification of accessible human cancer biomarkers using <i>ex vivo</i> chemical proteomic strategies. <i>Expert Review of Proteomics</i> , 2007, 4, 727-739.	1.3	13
25	Histone Deacetylase 7 Silencing Alters Endothelial Cell Migration, a Key Step in Angiogenesis. <i>Circulation Research</i> , 2007, 101, 1237-1246.	2.0	166
26	Identification of specific reachable molecular targets in human breast cancer using a versatile <i>ex vivo</i> proteomic method. <i>Proteomics</i> , 2007, 7, 1188-1196.	1.3	29
27	Histone deacetylase 4 is required for TGF β 1-induced myofibroblastic differentiation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007, 1773, 1572-1582.	1.9	145
28	Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup. <i>Journal of Urology</i> , 2006, 175, 2191-2195.	0.2	60
29	Use of Histone Deacetylase 8 (HDAC8), a New Marker of Smooth Muscle Differentiation, in the Classification of Mesenchymal Tumors of the Uterus. <i>American Journal of Surgical Pathology</i> , 2006, 30, 319-327.	2.1	66
30	Activation of the Thromboxane A2 Pathway in Human Prostate Cancer Correlates with Tumor Gleason Score and Pathologic Stage. <i>European Urology</i> , 2006, 50, 1021-1031.	0.9	38
31	Expression of dentin sialophosphoprotein in human prostate cancer and its correlation with tumor aggressiveness. <i>International Journal of Cancer</i> , 2006, 118, 850-856.	2.3	37
32	A Chemical Proteomics Approach for the Identification of Accessible Antigens Expressed in Human Kidney Cancer. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 2083-2091.	2.5	79
33	Histone deacetylase HDAC8 associates with smooth muscle α -actin and is essential for smooth muscle cell contractility. <i>FASEB Journal</i> , 2005, 19, 966-968.	0.2	183
34	TRANSOBTURATOR VAGINAL TAPE INSIDE OUT FOR THE SURGICAL TREATMENT OF FEMALE STRESS URINARY INCONTINENCE: ANATOMICAL CONSIDERATIONS. <i>Journal of Urology</i> , 2005, 173, 1223-1228.	0.2	86
35	New surgical technique for treatment of stress urinary incontinence TVT-Obturator: new developments and results. <i>Surgical Technology International</i> , 2005, 14, 212-21.	0.1	42
36	Expression of Histone Deacetylase 8, a Class I Histone Deacetylase, Is Restricted to Cells Showing Smooth Muscle Differentiation in Normal Human Tissues. <i>American Journal of Pathology</i> , 2004, 165, 553-564.	1.9	117

#	ARTICLE	IF	CITATIONS
37	Intermediate basal cells of the prostate: In vitro and in vivo characterization. <i>Prostate</i> , 2003, 55, 206-218.	1.2	97
38	Gene Transcript Quantitation by Real-Time RT-PCR in Cells Selected by Immunohistochemistry-Laser Capture Microdissection. <i>Diagnostic Molecular Pathology</i> , 2002, 11, 187-192.	2.1	22
39	Overexpression of the homeobox gene HOXC8 in human prostate cancer correlates with loss of tumor differentiation. <i>Prostate</i> , 2002, 50, 162-169.	1.2	102
40	BONE SIALOPROTEIN, BONE MORPHOGENETIC PROTEIN 6 AND THYMIDINE PHOSPHORYLASE EXPRESSION IN LOCALIZED HUMAN PROSTATIC ADENOCARCINOMA AS PREDICTORS OF CLINICAL OUTCOME: A CLINICOPATHOLOGICAL AND IMMUNOHISTOCHEMICAL STUDY OF 43 CASES. <i>Journal of Urology</i> , 2001, 166, 1924-1930.	0.2	31
41	Detection of the 67-kD Laminin Receptor in Prostate Cancer Biopsies as a Predictor of Recurrence after Radical Prostatectomy. <i>European Urology</i> , 2001, 40, 495-503.	0.9	10
42	Increased expression of galectin-1 in carcinoma-associated stroma predicts poor outcome in prostate carcinoma patients. <i>Journal of Pathology</i> , 2001, 193, 80-87.	2.1	110
43	Androgen-Driven Prostate Epithelial Cell Proliferation and Differentiation in Vivo Involve the Regulation of p27. <i>Molecular Endocrinology</i> , 2001, 15, 765-782.	3.7	77
44	Increased expression of galectin-1 in carcinoma-associated stroma predicts poor outcome in prostate carcinoma patients. , 2001, 193, 80.		4
45	BONE SIALOPROTEIN, BONE MORPHOGENETIC PROTEIN 6 AND THYMIDINE PHOSPHORYLASE EXPRESSION IN LOCALIZED HUMAN PROSTATIC ADENOCARCINOMA AS PREDICTORS OF CLINICAL OUTCOME. <i>Journal of Urology</i> , 2001, 166, 1924-1930.	0.2	6
46	Alteration of the cytoplasmic/nuclear expression pattern of galectin-3 correlates with prostate carcinoma progression. <i>International Journal of Cancer</i> , 2000, 89, 361-367.	2.3	128
47	p63 Is a Prostate Basal Cell Marker and Is Required for Prostate Development. <i>American Journal of Pathology</i> , 2000, 157, 1769-1775.	1.9	538
48	Alteration of the cytoplasmic/nuclear expression pattern of galectin-3 correlates with prostate carcinoma progression. <i>International Journal of Cancer</i> , 2000, 89, 361-367.	2.3	86
49	Independent Prognostic Value of the 67-kd Laminin Receptor in Human Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 1997, 89, 1224-1227.	3.0	41