Stefan Nehring

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10482400/publications.pdf

Version: 2024-02-01

623734 713466 1,050 24 14 21 citations g-index h-index papers 24 24 24 1409 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Assessing the risks of aquatic species invasions via european inland waterways: from concepts to environmental indicators. Integrated Environmental Assessment and Management, 2009, 5, 110-126.	2.9	174
2	Review of risk assessment systems of IAS in Europe and introducing the German–Austrian Black List Information System (GABLIS). Journal for Nature Conservation, 2011, 19, 339-350.	1.8	117
3	Assessment of biocontamination of benthic macroinvertebrate communities in European inland waterways. Aquatic Invasions, 2008, 3, 211-230.	1.6	84
4	Mortality of dogs associated with a mass development of Nodularia spumigena (Cyanophyceae) in a brackish lake at the German North Sea coast. Journal of Plankton Research, 1993, 15, 867-872.	1.8	83
5	Four arguments why so many alien species settle into estuaries, with special reference to the German river Elbe. Helgoland Marine Research, 2006, 60, 127-134.	1.3	80
6	Waterways as Invasion Highways – Impact of Climate Change and Globalization. , 2008, , 59-74.		77
7	Spatial distribution of dinoflagellate resting cysts in Recent sediments of Kiel Bight, Germany (Baltic) Tj ETQq1 1 (0.784314 i 0.3	rgBT /Over <mark>lo</mark>
8	Invasive alien plants in marine protected areas: the Spartina anglica affair in the European Wadden Sea. Biological Invasions, 2008, 10, 937-950.	2.4	69
9	Invasion History and Success of the American Blue Crab Callinectes sapidus in European and Adjacent Waters., 2011,, 607-624.		45
10	Gymnodinium catenatum Graham (Dinophyceae)in Europe: a growing problem?. Journal of Plankton Research, 1995, 17, 85-102.	1.8	37
11	Biological Invasions into German Waters: An Evaluation of the Importance of Different Human-Mediated Vectors for Nonindigenous Macrozoobenthic Species. , 2002, , 373-383.		30
12	Recruitment of Planktonic Dinoflagellates: Importance of Benthic Resting Stages and Resuspension Events. International Review of Hydrobiology, 1996, 81, 513-527.	0.6	27
13	From first reports to successful control: a plea for improved management of alien aquatic plant species in Germany. Hydrobiologia, 2014, 737, 321-331.	2.0	25
14	After the TBT era: Alternative anti-fouling paints and their ecological risks. Senckenbergiana Maritima, 2001, 31, 341-351.	0.5	24
15	The invasive water primrose Ludwigia grandiflora (Michaux) Greuter & $amp; Burdet (Spermatophyta:) Tj ETQq1 1 ($	0.784314 r 1.6	rgBT /Overloo
16	Evaluation system for management measures of invasive alien species. Biodiversity and Conservation, 2016, 25, 357-374.	2.6	17
17	Tube-dwelling Meiofauna in Marine Sediments. International Review of Hydrobiology, 1993, 78, 521-534.	0.6	16
18	The American blue crabCallinectes sapidus Rathbun on the German North Sea coast: Status quo and further perspectives. Senckenbergiana Maritima, 2008, 38, 39-44.	0.5	12

#	Article	lF	CITATIONS
19	The invasive ergot Claviceps purpurea var. spartinae recently established in the European Wadden Sea on common cord grass is genetically homogeneous and the sclerotia contain high amounts of ergot alkaloids. European Journal of Plant Pathology, 2015, 141, 445-461.	1.7	11
20	The BfG-monitoring in the German North Sea Estuaries: Macrozoobenthos. Senckenbergiana Maritima, 1999, 29, 107-111.	0.5	9
21	Zur bestandssituation vonRhithropanopeus harrisii (Gould, 1841) in deutschen GewÃssern: Die sukzessive Ausbreitung eines amerikanischen Neozoons (Crustacea: Decapoda: Panopeidae). Senckenbergiana Maritima, 2000, 30, 115-122.	0.5	9
22	Review of Ptycholaimellus Cobb (Nematoda, Chromadoridae), with descriptions of three species. Zoologica Scripta, 1992, 21, 239-245.	1.7	8
23	First record of a fertilized female blue crab, Callinectes sapidus Rathbun, 1896 (Crustacea: Decapoda:) Tj ETQq1 Invasions, 2010, 5, 215-218.	1 0.78431 1.6	.4 rgBT /Over 3
24	Biocoenotic signals in the pelagial of the Wadden Sea: the possible biological effects of climate change. Senckenbergiana Maritima, 1999, 29, 101-106.	0.5	1