

Stefan Nehring

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10482400/publications.pdf>

Version: 2024-02-01

24
papers

1,050
citations

623734

14
h-index

713466

21
g-index

24
all docs

24
docs citations

24
times ranked

1409
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation system for management measures of invasive alien species. <i>Biodiversity and Conservation</i> , 2016, 25, 357-374.	2.6	17
2	The invasive ergot <i>Claviceps purpurea</i> var. <i>spartinae</i> recently established in the European Wadden Sea on common cord grass is genetically homogeneous and the sclerotia contain high amounts of ergot alkaloids. <i>European Journal of Plant Pathology</i> , 2015, 141, 445-461.	1.7	11
3	From first reports to successful control: a plea for improved management of alien aquatic plant species in Germany. <i>Hydrobiologia</i> , 2014, 737, 321-331.	2.0	25
4	Review of risk assessment systems of IAS in Europe and introducing the German "Austrian Black List Information System (GABLIS). <i>Journal for Nature Conservation</i> , 2011, 19, 339-350.	1.8	117
5	Invasion History and Success of the American Blue Crab <i>Callinectes sapidus</i> in European and Adjacent Waters. , 2011, , 607-624.		45
6	The invasive water primrose <i>Ludwigia grandiflora</i> (Michaux) Greuter & Burdet (Spermatophyta): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.6	18
7	First record of a fertilized female blue crab, <i>Callinectes sapidus</i> Rathbun, 1896 (Crustacea: Decapoda): Tj ETQq1 1 0.784314 rgBT /Overl Invasions, 2010, 5, 215-218.	1.6	3
8	Assessing the risks of aquatic species invasions via european inland waterways: from concepts to environmental indicators. <i>Integrated Environmental Assessment and Management</i> , 2009, 5, 110-126.	2.9	174
9	Waterways as Invasion Highways " Impact of Climate Change and Globalization. , 2008, , 59-74.		77
10	Invasive alien plants in marine protected areas: the <i>Spartina anglica</i> affair in the European Wadden Sea. <i>Biological Invasions</i> , 2008, 10, 937-950.	2.4	69
11	The American blue crab <i>Callinectes sapidus</i> Rathbun on the German North Sea coast: Status quo and further perspectives. <i>Senckenbergiana Maritima</i> , 2008, 38, 39-44.	0.5	12
12	Assessment of biocontamination of benthic macroinvertebrate communities in European inland waterways. <i>Aquatic Invasions</i> , 2008, 3, 211-230.	1.6	84
13	Four arguments why so many alien species settle into estuaries, with special reference to the German river Elbe. <i>Helgoland Marine Research</i> , 2006, 60, 127-134.	1.3	80
14	Biological Invasions into German Waters: An Evaluation of the Importance of Different Human-Mediated Vectors for Nonindigenous Macrozoobenthic Species. , 2002, , 373-383.		30
15	After the TBT era: Alternative anti-fouling paints and their ecological risks. <i>Senckenbergiana Maritima</i> , 2001, 31, 341-351.	0.5	24
16	Zur bestandssituation von <i>Rhithropanopeus harrisi</i> (Gould, 1841) in deutschen Gewässern: Die sukzessive Ausbreitung eines amerikanischen Neozoons (Crustacea: Decapoda: Panopeidae). <i>Senckenbergiana Maritima</i> , 2000, 30, 115-122.	0.5	9
17	Biocoenotic signals in the pelagial of the Wadden Sea: the possible biological effects of climate change. <i>Senckenbergiana Maritima</i> , 1999, 29, 101-106.	0.5	1
18	The BfG-monitoring in the German North Sea Estuaries: Macrozoobenthos. <i>Senckenbergiana Maritima</i> , 1999, 29, 107-111.	0.5	9

#	ARTICLE	IF	CITATIONS
19	Recruitment of Planktonic Dinoflagellates: Importance of Benthic Resting Stages and Resuspension Events. <i>International Review of Hydrobiology</i> , 1996, 81, 513-527.	0.6	27
20	<i>Gymnodinium catenatum</i> Graham (Dinophyceae) in Europe: a growing problem?. <i>Journal of Plankton Research</i> , 1995, 17, 85-102.	1.8	37
21	Spatial distribution of dinoflagellate resting cysts in Recent sediments of Kiel Bight, Germany (Baltic) <i>Tj ETQq1 1 0.784314 rgBT /Over</i>	0.3	74
22	Tube-dwelling Meiofauna in Marine Sediments. <i>International Review of Hydrobiology</i> , 1993, 78, 521-534.	0.6	16
23	Mortality of dogs associated with a mass development of <i>Nodularia spumigena</i> (Cyanophyceae) in a brackish lake at the German North Sea coast. <i>Journal of Plankton Research</i> , 1993, 15, 867-872.	1.8	83
24	Review of <i>Ptycholaimellus</i> Cobb (Nematoda, Chromadoridae), with descriptions of three species. <i>Zoologica Scripta</i> , 1992, 21, 239-245.	1.7	8