

# Sionara Eliasaro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10487005/publications.pdf>

Version: 2024-02-01

20  
papers

100  
citations

1478505  
6  
h-index

1474206  
9  
g-index

20  
all docs

20  
docs citations

20  
times ranked

51  
citing authors

#	ARTICLE	IF	CITATIONS
1	The genus Cladonia (Lichenized Ascomycota) from Restinga vegetation of Espírito Santo state, Brazil: Supergroups Cladonia and Cocciferae. <i>Rodriguesia</i> , 2017, 68, 1951-1962.	0.9	4
2	Three new species of Cladonia (Cladoniaceae, Ascomycota) from Southern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 101-108.	0.8	0
3	Five new species of Graphis (Graphidaceae: Lichenized Ascomycota) from Brazil. <i>Revista Brasileira De Botanica</i> , 2015, 38, 141-148.	1.3	3
4	Especies de Parmeliaceae (Ascomycota) ciliadas e sem máculas reticulares em costões rochosos dos estados do Paraná e de Santa Catarina, Brasil. <i>Hoehnea (revista)</i> , 2014, 41, 321-336.	0.2	3
5	Parmotrema marcellii, a new species of Parmeliaceae (lichenized Ascomycota) from Brazil. <i>Revista Brasileira De Botanica</i> , 2014, 37, 597-600.	1.3	1
6	Especies de Cladonia com cífigos nãos vetricilados do supergrupo Cladonia em ambientes de altitude da Serra do Mar no Sul do Brasil. <i>Hoehnea (revista)</i> , 2014, 41, 453-468.	0.2	1
7	< i>Cladonia dunensis</i> sp. nov. from southern Brazil, with notes on the genus in beach dune environments. <i>Mycotaxon</i> , 2013, 124, 333-340.	0.3	7
8	First record of the genus Everniastrum Sipman (Parmeliaceae, lichenized Ascomycota) for the state of Paraná, Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 851-853.	0.8	0
9	Notes on the chemical variation of the lichenized Ascomycota Cladonia aggregata (Cladoniaceae) in the states of Paraná and Santa Catarina, Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 624-625.	0.8	2
10	Verticillate Cladonia species (Lichenized Ascomycota) from high-altitude environments of Serra do Mar in Southern Brazil. <i>Hoehnea (revista)</i> , 2013, 40, 87-97.	0.2	5
11	Liquens parmelioides eciliados (Parmeliaceae, Ascomycota) em costões rochosos dos estados do Paraná e Santa Catarina, Brasil. <i>Acta Botanica Brasilica</i> , 2012, 26, 570-584.	0.8	10
12	Peterjamesia circumscripta (Leight.) D. Hawksw. (Roccellaceae: Ascomycota): First record to continental South America. <i>Check List</i> , 2012, 8, 267.	0.4	3
13	Especies de Cladonia P. Browne (Cladoniaceae, Ascomycota) dos Supergrupos Cocciferae, Crustaceae e Perviae em restingas e costões rochosos dos estados do Paraná e de Santa Catarina, Brasil. <i>Acta Botanica Brasilica</i> , 2012, 26, 619-631.	0.8	7
14	Especies de Cladonia P. Browne (Cladoniaceae, Ascomycota) do Supergrupo Cladonia em restingas e costões rochosos dos Estados do Paraná e de Santa Catarina, Brasil. <i>Hoehnea (revista)</i> , 2012, 39, 315-337.	0.2	8
15	Inventário de macrolichens epífitos sobre árvores utilizadas na arborização urbana em Curitiba, Paraná, Brasil: Subsídio para biomonitoramento urbano. <i>Biotemas</i> , 2011, 22, 1.	0.1	6
16	Cladonia litoralis (Cladoniaceae), a new species from southern Brazil. <i>Bryologist</i> , 2011, 114, 665-667.	0.6	14
17	Four new species of < i>Graphis</i> (< i>Ostropales: Graphidaceae</i>) from Brazil. <i>Lichenologist</i> , 2010, 42, 77-81.	0.8	11
18	Phylogenetic relationship of < i>Parmelia lindmanii</i> (< i>Parmeliaceae</i>) inferred by analysis of its nuITS rDNA sequence. <i>Lichenologist</i> , 2010, 42, 423-428.	0.8	4

#	ARTICLE	IF	CITATIONS
19	The species of Canomaculina, Myelochroa, Parmeunella, and Parmeunopsis (Parmeliaceae, Lichenized) Tj ETQq1 1 0.784314 rgBT /Overl 2000, 14, 141-149.	0.8	10
20	The genus Cladonia (Lichenized Ascomycota) from Restinga Vegetation of Espírito Santo state, Brazil: Supergroups Crustaceae and Perviae. Rodriguesia, 0, 71, .	0.9	1