

# Elizabeth Bryce

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/104873/publications.pdf>

Version: 2024-02-01

14  
papers

245  
citations

1307594

7  
h-index

1058476

14  
g-index

16  
all docs

16  
docs citations

16  
times ranked

430  
citing authors

#	ARTICLE	IF	CITATIONS
1	FilmArray respiratory panel assay: An effective method for detecting viral and atypical bacterial pathogens in bronchoscopy specimens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 95, 114880.	1.8	6
2	Bioaerosols and Transmission, a Diverse and Growing Community of Practice. <i>Frontiers in Public Health</i> , 2019, 7, 23.	2.7	23
3	Results from the Canadian Nosocomial Infection Surveillance Program for detection of carbapenemase-producing <i>Acinetobacter</i> spp. in Canadian hospitals, 2010–16. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 315-320.	3.0	16
4	Using scent detection dogs to identify environmental reservoirs of <i>Clostridium difficile</i> : Lessons from the field. <i>The Canadian Journal of Infection Control: the Official Journal of the Community &amp; Hospital Infection Control Association-Canada = Revue Canadienne De Prevention Des Infections</i> , 2019, 93-95.	0.1	2
5	A model for choosing an automated ultraviolet-C disinfection system and building a case for the C-suite: Two case reports. <i>American Journal of Infection Control</i> , 2017, 45, 288-292.	2.3	11
6	BioFire FilmArray Decreases Infection Control Isolation Times by 4 Days in ICU, BMT and Respiratory Wards. <i>Open Forum Infectious Diseases</i> , 2017, 4, S353-S353.	0.9	2
7	Performance assessment of urine flow cytometry (UFC) to screen urines to reflex to culture in immunocompetent and immunosuppressed hosts. <i>Journal of Medical Microbiology</i> , 2017, 66, 1308-1315.	1.8	4
8	Results from the Canadian Nosocomial Infection Surveillance Program on Carbapenemase-Producing <i>Enterobacteriaceae</i> , 2010 to 2014. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 6787-6794.	3.2	55
9	Efficacy of an automated ultraviolet C device in a shared hospital bathroom. <i>American Journal of Infection Control</i> , 2016, 44, 1692-1694.	2.3	6
10	Evaluation of an ultraviolet C light-emitting device for disinfection of electronic devices. <i>American Journal of Infection Control</i> , 2016, 44, 1554-1557.	2.3	8
11	Postdischarge decontamination of MRSA, VRE, and <i>Clostridium difficile</i> isolation rooms using 2 commercially available automated ultraviolet-C-emitting devices. <i>American Journal of Infection Control</i> , 2016, 44, 416-420.	2.3	59
12	Horizontal infection prevention measures and a risk-managed approach to vancomycin-resistant enterococci: An evaluation. <i>American Journal of Infection Control</i> , 2015, 43, 1238-1243.	2.3	17
13	Impact of a mandated provincial hand hygiene program: Messages from the field. <i>American Journal of Infection Control</i> , 2014, 42, 708-712.	2.3	4
14	Health economic evaluation of an infection prevention and control program: Are quality and patient safety programs worth the investment?. <i>American Journal of Infection Control</i> , 2013, 41, 773-777.	2.3	28