

Dursun Saraydin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1048838/publications.pdf>

Version: 2024-02-01

82
papers

2,843
citations

136885

32
h-index

182361

51
g-index

82
all docs

82
docs citations

82
times ranked

1992
citing authors

#	ARTICLE	IF	CITATIONS
1	Calculations of the magnitude of responsivities in pH-, temperature- and ion- responsive hydrogels. <i>Materials Today Communications</i> , 2022, 31, 103253.	0.9	4
2	Effects of diabetes on apoptosis and mitosis in rat hippocampus. <i>Biotechnic and Histochemistry</i> , 2021, 96, 460-467.	0.7	8
3	Nanocomposite smart hydrogel based on sepiolite nanochannels/N-isopropyl acrylamide/itaconic acid/acrylamide for invertase immobilization. <i>Polymer-Plastics Technology and Materials</i> , 2021, 60, 25-36.	0.6	3
4	Smart Hydrogels: Preparation, Characterization, and Determination of Transition Points of Crosslinked N-Isopropyl Acrylamide/Acrylamide/Carboxylic Acids Polymers. <i>Gels</i> , 2021, 7, 113.	2.1	8
5	A study of digital image analysis on the acrylamide derivative monomers induced apoptosis in rat cerebrum. <i>Microscopy Research and Technique</i> , 2020, 83, 436-445.	1.2	7
6	A digital image analysis study on the disintegration kinetics of reticular fibers in the ethylene glycolâ€induced rat liver tissue. <i>Microscopy Research and Technique</i> , 2020, 83, 1585-1593.	1.2	1
7	Poly(acrylamide/vinylsulfonic acid) hydrogel for invertase immobilization. <i>Microscopy Research and Technique</i> , 2020, 83, 1487-1498.	1.2	12
8	Preparation and Characterization of Molecular Imprinted Polymer for the Selective Recognition of Serotonin. <i>Chemistry and Chemical Technology</i> , 2020, 14, 195-204.	0.2	1
9	Stimuli Responsive Hydrogels: NIPAM/AAm/Carboxylic Acid Polymers. <i>Acta Chemica Iasi</i> , 2019, 27, 155-184.	0.1	5
10	Radiationâ€Synthesized Acrylamide/Crotonic Acid Hydrogels for Selective Mercury (<sc>II</sc>) Ion Adsorption. <i>Advances in Polymer Technology</i> , 2018, 37, 822-829.	0.8	15
11	Adsorption of phenazine dyes using poly(hydroxamic acid) hydrogels from aqueous solutions. <i>Polymer Engineering and Science</i> , 2018, 58, 310-318.	1.5	8
12	A Study on the Correlation Between Adsorption and Swelling for Poly(Hydroxamic Acid) Hydrogels-Triarylmethane Dyes Systems. <i>Journal of Polymers and the Environment</i> , 2018, 26, 3924-3936.	2.4	23
13	The Properties of Immobilized Invertase Onto a New Support Material; Poly(Methacrylamide/Maleic) Tj ETQq1 1 0.784314 rgBT /Overl	0.1	2
14	Influence of Concentrations of Methacrylate and Acrylate Monomers on the Properties of Fiber Reinforced Polymethyl Methacrylate Denture Base Materials. <i>Acta Chemica Iasi</i> , 2018, 26, 329-350.	0.1	5
15	Synthesis of New Molecular Imprinted Polymer for Highly Recognition of Cholic Acid. <i>Acta Chemica Iasi</i> , 2018, 26, 123-152.	0.1	0
16	Radiation-Induced Acrylamide/4-Vinyl Pyridine Biocidal Hydrogels: Synthesis, Characterization, and Antimicrobial Activities. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 1295-1306.	1.9	6
17	<i>In vitro</i> swelling studies in simulated physiological solutions and biocompatibility of NIPAM-based hydrogels with some biochemical parameters of human sera. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2017, 54, 452-457.	1.2	5
18	The Effects of Monomers Used in Polymeric Biomaterials on Renal Tissue. <i>International Journal of Morphology</i> , 2017, 35, 1203-1208.	0.1	2

#	ARTICLE	IF	CITATIONS
19	Full Factorial Design Approach to Hg(II) Adsorption onto Hydrogels. <i>Arabian Journal for Science and Engineering</i> , 2015, 40, 109-116.	1.1	16
20	Environmentally sensitive hydrogels: N-Isopropyl acrylamide/Acrylamide/ Mono-, Di-, Tricarboxylic acid crosslinked polymers. <i>Polymer Engineering and Science</i> , 2015, 55, 843-851.	1.5	26
21	The Removal of Textile Dyes with Cross-Linked Chitosan-Poly(acrylamide) Adsorbent Hydrogels. <i>Polymer-Plastics Technology and Engineering</i> , 2011, 50, 1247-1255.	1.9	25
22	Poly(acrylamide/maleic acid)-sepiolite composite hydrogels for immobilization of invertase. <i>Polymer Bulletin</i> , 2010, 64, 27-40.	1.7	14
23	Acrylamide-Sepiolite Based Composite Hydrogels for Immobilization of Invertase. <i>Journal of Food Science</i> , 2009, 74, N45-9.	1.5	10
24	Preparation of Cu(II) adsorbed chitosan beads for catalase immobilization. <i>Food Chemistry</i> , 2009, 114, 962-969.	4.2	79
25	Polyelectrolyte CASA hydrogels for uptake of uranyl ions from aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2007, 104, 200-204.	1.3	24
26	Immobilization of catalase onto chitosan and cibacron blue F3GA attached chitosan beads. <i>Enzyme and Microbial Technology</i> , 2007, 41, 447-454.	1.6	43
27	Interpenetrating polymeric network hydrogels for potential gastrointestinal drug release. <i>Polymer International</i> , 2007, 56, 1371-1377.	1.6	58
28	Swelling Characterization of Polyelectrolyte Poly(Hydroxamic Acid) Hydrogels in Aqueous Thiazin Dye Solutions. <i>Polymer-Plastics Technology and Engineering</i> , 2006, 45, 729-734.	1.9	9
29	Poly(Acrylamide-Sepiolite) Composite Hydrogels: Preparation, Swelling and Dye Adsorption Properties. <i>Polymer Bulletin</i> , 2006, 57, 231-241.	1.7	72
30	Swelling characterization of gamma-radiation induced crosslinked acrylamide/maleic acid hydrogels in urea solutions. <i>Materials & Design</i> , 2006, 27, 576-584.	5.1	25
31	Dynamic swelling behavior of γ -radiation induced polyelectrolyte poly(AAm-co-CA) hydrogels in urea solutions. <i>International Journal of Pharmaceutics</i> , 2005, 301, 102-111.	2.6	41
32	Water uptake in chemically crosslinked poly(acrylamide-co-crotonic acid) hydrogels. <i>Materials & Design</i> , 2005, 26, 265-270.	5.1	52
33	Adsorption of Bovine Serum Albumin onto Radiation-Crosslinked Poly(Acrylamide/Acrylic Acid). <i>Adsorption Science and Technology</i> , 2004, 22, 311-325.	1.5	2
34	In vivo biocompatibility of radiation crosslinked acrylamide copolymers. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2004, 217, 281-292.	0.6	29
35	Water absorbency studies of γ -radiation crosslinked poly(acrylamide-co-2,3-dihydroxybutanedioic acid) hydrogels. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2004, 225, 489-496.	0.6	41
36	The Influence of Preparation Methods on the Swelling and Network Properties of Acrylamide Hydrogels with Crosslinkers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2004, 41, 419-431.	1.2	68

#	ARTICLE	IF	CITATIONS
37	Synthesis, Characterization and Evaluation of IPN Hydrogels for Antibiotic Release. <i>Drug Delivery</i> , 2004, 11, 381-388.	2.5	59
38	Adsorption of BSA onto radiation-crosslinked poly (AAm/HPMA/MA) terpolymers. <i>Polymer Bulletin</i> , 2003, 50, 183-190.	1.7	18
39	Immobilization of <i>Saccharomyces cerevisiae</i> on to acrylamide- α -sodium acrylate hydrogels for production of ethyl alcohol. <i>Enzyme and Microbial Technology</i> , 2003, 32, 114-119.	1.6	35
40	Adsorption of methyl violet in aqueous solutions by poly(acrylamide-co-acrylic acid) hydrogels. <i>Radiation Physics and Chemistry</i> , 2003, 66, 117-127.	1.4	82
41	Adsorption of Some Textile Dyes onto Crosslinked Poly(N-Vinylpyrrolidone). <i>Adsorption Science and Technology</i> , 2003, 21, 651-659.	1.5	20
42	RADIATION CROSSLINKED POLY(ACRYLAMIDE/2-HYDROXYPROPYL METHACRYLATE/MALEIC ACID) AND THEIR USABILITY IN THE UPTAKE OF URANIUM. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2002, 39, 969-990.	1.2	18
43	In vitro dynamic swelling behaviors of radiation synthesized polyacrylamide with crosslinkers in the simulated physiological body fluids. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2002, 187, 340-344.	0.6	24
44	Swelling studies of super water retainer acrylamide/crotonic acid hydrogels crosslinked by trimethylolpropane triacrylate and 1,4-butanediol dimethacrylate. <i>Polymer Bulletin</i> , 2002, 48, 299-307.	1.7	76
45	Immobilization of <i>Saccharomyces cerevisiae</i> on to radiation crosslinked HEMA/AAm hydrogels for production of ethyl alcohol. <i>Process Biochemistry</i> , 2002, 37, 651-657.	1.8	11
46	The use of immobilized <i>Saccharomyces cerevisiae</i> on radiation crosslinked acrylamide- α -maleic acid hydrogel carriers for production of ethyl alcohol. <i>Process Biochemistry</i> , 2002, 37, 1351-1357.	1.8	19
47	Swelling equilibria and dye adsorption studies of chemically crosslinked superabsorbent acrylamide/maleic acid hydrogels. <i>European Polymer Journal</i> , 2002, 38, 2133-2141.	2.6	195
48	Title is missing!. <i>Journal of Materials Science</i> , 2002, 37, 3217-3223.	1.7	18
49	pH-Sensitive Chitosan Films for Baker's Yeast Immobilization. <i>Applied Biochemistry and Biotechnology</i> , 2002, 101, 239-250.	1.4	14
50	Poly(hydroxamic acid) hydrogels from poly(acrylamide): preparation and characterization. <i>Polymer Bulletin</i> , 2001, 47, 71-79.	1.7	16
51	Uranyl ion binding properties of poly(hydroxamic acid) hydrogels. <i>Polymer Bulletin</i> , 2001, 47, 81-89.	1.7	48
52	In vitro dynamic swelling behaviors of polyhydroxamic acid hydrogels in the simulated physiological body fluids. <i>Polymer Bulletin</i> , 2001, 46, 91-98.	1.7	38
53	Nicotine-selective radiation-induced poly(acrylamide/maleic acid) hydrogels. <i>Radiation Physics and Chemistry</i> , 2001, 60, 203-210.	1.4	37
54	Use of superswelling acrylamide/maleic acid hydrogels for monovalent cationic dye adsorption. <i>Journal of Applied Polymer Science</i> , 2001, 79, 1809-1815.	1.3	51

#	ARTICLE	IF	CITATIONS
55	Radiation Induced Superabsorbent Hydrogels. Acrylamide/Itaconic Acid Copolymers. <i>Macromolecular Materials and Engineering</i> , 2001, 286, 34-42.	1.7	102
56	RADIATION INDUCED ACRYLAMIDE/CITRIC ACID HYDROGELS AND THEIR SWELLING BEHAVIORS. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2001, 38, 1105-1121.	1.2	40
57	In vivo biocompatibility of radiation induced acrylamide and acrylamide/maleic acid hydrogels. <i>Journal of Materials Science</i> , 2001, 36, 2473-2481.	1.7	21
58	Radiation Induced Superabsorbent Hydrogels. Acrylamide/Itaconic Acid Copolymers. <i>Macromolecular Materials and Engineering</i> , 2001, 286, 34-42.	1.7	2
59	Swelling studies of copolymeric acrylamide/crotonic acid hydrogels as carriers for agricultural uses. <i>Polymers for Advanced Technologies</i> , 2000, 11, 59-68.	1.6	92
60	Relationship between the swelling process and the releases of water soluble agrochemicals from radiation crosslinked acrylamide/itaconic acid copolymers. <i>Polymer Bulletin</i> , 2000, 45, 287-294.	1.7	35
61	Binding of some dyes onto crosslinked poly (N-vinylpyrrolidone). <i>Polymer Bulletin</i> , 2000, 44, 501-508.	1.7	11
62	Swelling studies of copolymeric acrylamide/crotonic acid hydrogels as carriers for agricultural uses. <i>Polymers for Advanced Technologies</i> , 2000, 11, 59-68.	1.6	2
63	A review on the radiation synthesis of copolymeric hydrogels for adsorption and separation purposes. <i>Radiation Physics and Chemistry</i> , 1999, 56, 381-386.	1.4	130
64	Influence of Some Amino Acids on the Dynamic Swelling Behavior of Radiation-Induced Acrylamide Hydrogel. <i>Applied Biochemistry and Biotechnology</i> , 1999, 82, 115-126.	1.4	26
65	Removal of some cationic dyes from aqueous solutions by acrylamide/itaconic acid hydrogels. <i>Water, Air, and Soil Pollution</i> , 1998, 106, 369-378.	1.1	17
66	Influence of some aromatic amino acids on the swelling behavior of acrylamide/maleic acid hydrogel. <i>Polymer Bulletin</i> , 1998, 40, 575-581.	1.7	14
67	Swelling and dye adsorption properties of radiation induced N -vinyl-2-pyrrolidone/acrylonitrile hydrogels. <i>Polymer Bulletin</i> , 1998, 41, 371-378.	1.7	61
68	The releases of agrochemicals from radiation induced acrylamide/crotonic acid hydrogels. <i>Polymer Bulletin</i> , 1998, 41, 577-584.	1.7	45
69	Super Water-Retainer Hydrogels: Crosslinked Acrylamide/Succinic Acid Copolymers. <i>Polymer Journal</i> , 1997, 29, 631-636.	1.3	29
70	Interaction of nicotine and its pharmaceutical derivatives with acrylamide/itaconic acid hydrogels. <i>Journal of Applied Polymer Science</i> , 1997, 66, 733-739.	1.3	19
71	Cationic dye adsorption by acrylamide/itaconic acid hydrogels in aqueous solutions. <i>Polymers for Advanced Technologies</i> , 1997, 8, 574-578.	1.6	26
72	Interaction of some cationic dyes with acrylamide/itaconic acid hydrogels. <i>Journal of Applied Polymer Science</i> , 1996, 61, 2367-2372.	1.3	55

#	ARTICLE	IF	CITATIONS
73	In vitro swelling studies and preliminary biocompatibility evaluation of acrylamide-based hydrogels. <i>Biomaterials</i> , 1996, 17, 67-70.	5.7	121
74	Adsorption of Some Basic Dyes by Acrylamide-Maleic Acid Hydrogels. <i>Separation Science and Technology</i> , 1996, 31, 423-434.	1.3	40
75	Behaviors of Acrylamide/Maleic Acid Hydrogels in Uptake of Some Cationic Dyes from Aqueous Solutions. <i>Separation Science and Technology</i> , 1996, 31, 2359-2371.	1.3	17
76	Acrylamide/maleic acid hydrogels. <i>Polymers for Advanced Technologies</i> , 1995, 6, 719-726.	1.6	84
77	Preparation of acrylamide/maleic acid hydrogels and their biocompatibility with some biochemical parameters of human serum. <i>Radiation Physics and Chemistry</i> , 1995, 46, 1049-1052.	1.4	32
78	Adsorptions of Some Heavy Metal Ions in Aqueous Solutions by Acrylamide/Maleic Acid Hydrogels. <i>Separation Science and Technology</i> , 1995, 30, 3287-3298.	1.3	81
79	Behaviors of Acrylamide/Itaconic Acid Hydrogels in Uptake of Uranyl Ions from Aqueous Solutions. <i>Separation Science and Technology</i> , 1995, 30, 3747-3760.	1.3	98
80	Adsorption of bovine serum albumin to acrylamide-itaconic acid hydrogels. <i>Polymers for Advanced Technologies</i> , 1994, 5, 664-668.	1.6	51
81	Adsorption of bovine serum albumin onto acrylamide-maleic acid hydrogels. <i>Biomaterials</i> , 1994, 15, 917-920.	5.7	62
82	Kinetic investigation of some steroids by thermogravimetry. <i>Journal of Thermal Analysis</i> , 1990, 36, 733-742.	0.7	2