Rui Zhao

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1049054/rui-zhao-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers
1,764
citations
h-index

41
g-index

67
ext. papers
ext. citations

5.8
avg, IF
L-index

#	Paper	IF	Citations
58	Recent Progress of Exosome Isolation and Peptide Recognition-Guided Strategies for Exosome Research <i>Frontiers in Chemistry</i> , 2022 , 10, 844124	5	3
57	Metal-Organic Framework-Based Nanoheater with Photo-Triggered Cascade Effects for On-Demand Suppression of Cellular Thermoresistance and Synergistic Cancer Therapy <i>Advanced Healthcare Materials</i> , 2022 , e2200004	10.1	
56	Selective recognition of a cyclic peptide hormone in human plasma by hydrazone bond-oriented surface imprinted nanoparticles. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338301	6.6	7
55	Activity-Based Probe for Ratiometric Fluorescence Imaging of Caspase-3 in Living Cells. <i>Analytical Chemistry</i> , 2021 , 93, 2045-2052	7.8	7
54	Metal-organic frameworks as advanced materials for sample preparation of bioactive peptides. <i>Analytical Methods</i> , 2021 , 13, 862-873	3.2	6
53	Engineering Peptide-Functionalized Biomimetic Nanointerfaces for Synergetic Capture of Circulating Tumor Cells in an EpCAM-Independent Manner. <i>Analytical Chemistry</i> , 2021 , 93, 9778-9787	7.8	6
52	Pyridinium-Substituted Tetraphenylethylenes Functionalized with Alkyl Chains as Autophagy Modulators for Cancer Therapy. <i>Angewandte Chemie</i> , 2020 , 132, 10128-10137	3.6	3
51	Pyridinium-Substituted Tetraphenylethylenes Functionalized with Alkyl Chains as Autophagy Modulators for Cancer Therapy. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 10042-10051	16.4	27
50	Aggregation-Induced Emission Luminogens for Mitochondria-Targeted Cancer Therapy. <i>ChemMedChem</i> , 2020 , 15, 2220-2227	3.7	7
49	Biomimetic Sensing System for Tracing Pb Distribution in Living Cells Based on the Metal-Peptide Supramolecular Assembly. <i>ACS Applied Materials & amp; Interfaces</i> , 2019 , 11, 5804-5811	9.5	18
48	Recent Advances in AIEgens for Metal Ion Biosensing and Bioimaging. <i>Molecules</i> , 2019 , 24,	4.8	20
47	Peptide-Guided System with Programmable Subcellular Translocation for Targeted Therapy and Bypassing Multidrug Resistance. <i>Analytical Chemistry</i> , 2019 , 91, 1880-1886	7.8	8
46	Enzyme-MOF Nanoreactor Activates Nontoxic Paracetamol for Cancer Therapy. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 5725-5730	16.4	166
45	Enzyme-MOF Nanoreactor Activates Nontoxic Paracetamol for Cancer Therapy. <i>Angewandte Chemie</i> , 2018 , 130, 5827-5832	3.6	29
44	Bioinspired Peptide for Imaging Hg Distribution in Living Cells and Zebrafish Based on Coordination-Mediated Supramolecular Assembling. <i>Analytical Chemistry</i> , 2018 , 90, 9708-9715	7.8	22
43	Probing the Dynamic Interaction between Damaged DNA and a Cellular Responsive Protein Using a Piezoelectric Mass Biosensor. <i>ACS Applied Materials & Discounty of the Protein Using a Piezoelectric Mass Biosensor</i> .	9.5	9
42	Surface-imprinted magnetic nanoparticles for the selective enrichment and fast separation of fluoroquinolones in human serum. <i>Journal of Separation Science</i> , 2017 , 40, 2269-2277	3.4	5

41	Dual-targeting peptide probe for sequence- and structure-sensitive sensing of serum albumin. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 657-662	11.8	9
40	Rapid, sensitive, and in-solution screening of peptide probes for targeted imaging of live cancer cells based on peptide recognition-induced emission. <i>Chemical Communications</i> , 2017 , 53, 11091-11094	5.8	15
39	Well-defined magnetic surface imprinted nanoparticles for selective enrichment of 2,4-dichlorophenoxyacetic acid in real samples. <i>Talanta</i> , 2017 , 174, 725-732	6.2	21
38	Rational design and functional evolution of targeted peptides for bioanalytical applications. <i>Science China Chemistry</i> , 2016 , 59, 1250-1257	7.9	5
37	Self-Assembled Nanostructures Based on Activatable Red Fluorescent Dye for Site-Specific Protein Probing and Conformational Transition Detection. <i>Analytical Chemistry</i> , 2016 , 88, 6374-81	7.8	34
36	Emissive nanoparticles from pyridinium-substituted tetraphenylethylene salts: imaging and selective cytotoxicity towards cancer cells and by varying counter anions. <i>Chemical Science</i> , 2016 , 7, 701	3²7 019	9 ⁵⁶
35	A peptide-based pH-sensitive drug delivery system for targeted ablation of cancer cells. <i>Chemical Communications</i> , 2015 , 51, 14454-7	5.8	24
34	A continuous-flow mass biosensor for the real-time dynamic analysis of protease inhibition. <i>Chemical Communications</i> , 2015 , 51, 6601-4	5.8	6
33	Fluorescence turn-on chemosensor for highly selective and sensitive detection and bioimaging of Al(3+) in living cells based on ion-induced aggregation. <i>Analytical Chemistry</i> , 2015 , 87, 1470-4	7.8	162
32	Highly selective piezoelectric sensor for lead(II) based on the lead-catalyzed release of gold nanoparticles from a self-assembled nanosurface. <i>Mikrochimica Acta</i> , 2014 , 181, 1521-1527	5.8	7
31	Well-defined nanostructured surface-imprinted polymers for highly selective magnetic separation of fluoroquinolones in human urine. <i>ACS Applied Materials & Description</i> (2014), 6, 9634-42	9.5	100
30	Targeted bioimaging and photodynamic therapy of cancer cells with an activatable red fluorescent bioprobe. <i>Analytical Chemistry</i> , 2014 , 86, 7987-95	7.8	236
29	Tetraphenylethylene conjugated with a specific peptide as a fluorescence turn-on bioprobe for the highly specific detection and tracing of tumor markers in live cancer cells. <i>Chemistry - A European Journal</i> , 2014 , 20, 158-64	4.8	89
28	Preparation of monodispersed macroporous core-shell molecularly imprinted particles and their application in the determination of 2,4-dichlorophenoxyacetic acid. <i>Journal of Chromatography A</i> , 2014 , 1323, 11-7	4.5	55
27	Discovery, synthesis, and evaluation of small-molecule signal transducer and activator of transcription 3 inhibitors. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1574-80	1.9	6
26	Cyclic interconversion of methionine containing peptide between oxidized and reduced phases monitored by reversed-phase HPLC and ESI-MS/MS. <i>Talanta</i> , 2012 , 89, 531-6	6.2	3
25	Superparamagnetic surface molecularly imprinted nanoparticles for water-soluble pefloxacin mesylate prepared via surface initiated atom transfer radical polymerization and its application in egg sample analysis. <i>Journal of Chromatography A</i> , 2012 , 1246, 15-21	4.5	50
24	A novel polychloromethylstyrene coated superparamagnetic surface molecularly imprinted corelinely in an oparticle for bisphenol A. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9232		85

23	Highly specific targeting and imaging of live cancer cells by using a peptide probe developed from rationally designed peptides. <i>ChemBioChem</i> , 2011 , 12, 1209-15	3.8	14
22	Dynamic interaction between melamine and cyanuric acid in artificial urine investigated by quartz crystal microbalance. <i>Analyst, The</i> , 2011 , 136, 2482-8	5	7
21	Determination of methotrexate in human serum by high-performance liquid chromatography combined with pseudo template molecularly imprinted polymer. <i>Journal of Chromatography A</i> , 2009 , 1216, 7533-8	4.5	56
20	Design, synthesis and screening of antisense peptide based combinatorial peptide libraries towards an aromatic region of SARS-CoV. <i>Journal of Molecular Recognition</i> , 2008 , 21, 122-31	2.6	10
19	In situ growth of nanogold on quartz crystal microbalance and its application in the interaction between heparin and antithrombin III. <i>Journal of Colloid and Interface Science</i> , 2008 , 319, 94-9	9.3	10
18	Determining binding sites of drugs on human serum albumin using FIA-QCM. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 48-54	11.8	33
17	Quartz crystal microbalance biosensor for recombinant human interferon-beta detection based on antisense peptide approach. <i>Analytica Chimica Acta</i> , 2007 , 590, 91-7	6.6	16
16	Study on peptide-peptide interaction using high-performance affinity chromatography and quartz crystal microbalance biosensor. <i>Science Bulletin</i> , 2007 , 52, 1311-1319		3
15	Uniform-sized molecularly imprinted polymer for metsulfuron-methyl by one-step swelling and polymerization method. <i>Talanta</i> , 2007 , 71, 1205-10	6.2	40
14	A novel matrix for high performance affinity chromatography and its application in the purification of antithrombin III. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 816, 175-81	3.2	3
13	Screening of inhibitors for influenza A virus using high-performance affinity chromatography and combinatorial peptide libraries. <i>Journal of Chromatography A</i> , 2005 , 1064, 59-66	4.5	11
12	Preparation and evaluation of uniform-sized molecularly imprinted polymer beads used for the separation of sulfamethazine. <i>Biomedical Chromatography</i> , 2005 , 19, 533-8	1.7	31
11	Real time kinetic analysis of the interaction between immunoglobulin G and histidine using quartz crystal microbalance biosensor in solution. <i>Biosensors and Bioelectronics</i> , 2003 , 18, 1419-27	11.8	45
10	Quartz crystal biosensor for real-time monitoring of molecular recognition between protein and small molecular medicinal agents. <i>Biosensors and Bioelectronics</i> , 2003 , 19, 9-19	11.8	81
9	SEPARATION OF FOUR BASIC PROTEINS IN THE MIXTURE BY CAPILLARY ELECTROPHORESIS WITH A NEW CHEMICAL MODIFICATION COLUMN. <i>Analytical Letters</i> , 2002 , 35, 397-411	2.2	О
8	Three novel high performance affinity chromatographic media for the separation of antithrombin III from human plasma. <i>Biomedical Chromatography</i> , 2001 , 15, 487-92	1.7	10
7	Capillary electrophoresis of catecholamines with laser-induced fluorescence intensified charge-coupled device detection. <i>Biomedical Chromatography</i> , 2001 , 15, 83-8	1.7	32
6	Study on the degeneracy of antisense peptides using affinity chromatography. <i>Journal of Chromatography A</i> , 2001 , 913, 421-8	4.5	11

LIST OF PUBLICATIONS

5	A NOVEL METHOD FOR PREPARATION AND CHARACTERIZATION OF RESTRICTED-ACCESS MEDIA-ALKYL-DIOL SILICA (ADS). <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001 , 24, 2197-2208	1.3	1
4	Derivatization and fluorescence detection of amino acids and peptides with 9-fluorenylmethyl chloroformate on the surface of a solid adsorbent. <i>Analytical Chemistry</i> , 2001 , 73, 2054-7	7.8	29
3	Affinity capillary electrophoresis coupled with on-line microdialysis by attachable electrode. <i>Electrophoresis</i> , 1999 , 20, 1846-9	3.6	10
2	DETERMINATION OF ENKEPHALINS IN FETUS BRAIN TISSUES BY MEANS OF HPLC WITH PRE-COLUMN FLUORESCENCE DERIVATIZATION. <i>Analytical Sciences</i> , 1991 , 7, 951-954	1.7	1
1	Metagenomic analysis reveals wide distribution of phototrophic bacteria in hydrothermal vents on the ultraslow-spreading Southwest Indian Ridge. <i>Marine Life Science and Technology</i> ,1	4.5	О