## Xiaodong Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10491851/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Population differences in associations of serotonin transporter promoter polymorphism (5HTTLPR) di- and triallelic genotypes with blood pressure and hypertension prevalence. American Heart Journal, 2017, 185, 110-122.	2.7	11
2	Genetic or pharmacological activation of the Drosophila PGC-1α ortholog spargel rescues the disease phenotypes of genetic models of Parkinson's disease. Neurobiology of Aging, 2017, 55, 33-37.	3.1	44
3	Early life environmental and pharmacological stressors result in persistent dysregulations of the serotonergic system. Frontiers in Behavioral Neuroscience, 2015, 9, 94.	2.0	25
4	Infection of male rats with <i>Toxoplasma gondii</i> results in enhanced delay aversion and neural changes in the nucleus accumbens core. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20150042.	2.6	22
5	Population Frequencies of the Triallelic 5HTTLPR in Six Ethnicially Diverse Samples from North America, Southeast Asia, and Africa. Behavior Genetics, 2015, 45, 255-261.	2.1	34
6	Metabolic tinkering by the gut microbiome. Gut Microbes, 2014, 5, 369-380.	9.8	105
7	Mfsd2a is a transporter for the essential omega-3 fatty acid docosahexaenoic acid. Nature, 2014, 509, 503-506.	27.8	733
8	The interaction of escitalopram and R-citalopram at the human serotonin transporter investigated in the mouse. Psychopharmacology, 2014, 231, 4527-4540.	3.1	23
9	Sustained Attention Performance during Sleep Deprivation Associates with Instability in Behavior and Physiologic Measures at Baseline. Sleep, 2014, 37, 27-39.	1.1	61
10	Chronic SSRI Treatment Exacerbates Serotonin Deficiency in Humanized <i>Tph2</i> Mutant Mice. ACS Chemical Neuroscience, 2013, 4, 84-88.	3.5	39
11	Pregnenolone Rescues Schizophrenia-Like Behavior in Dopamine Transporter Knockout Mice. PLoS ONE, 2012, 7, e51455.	2.5	52
12	The Dopamine Metabolite 3-Methoxytyramine Is a Neuromodulator. PLoS ONE, 2010, 5, e13452.	2.5	76
13	Tryptophan hydroxylase 2 genotype determines brain serotonin synthesis but not tissue content in C57Bl/6 and BALB/c congenic mice. Neuroscience Letters, 2010, 481, 6-11.	2.1	49
14	Role of GSK3β in behavioral abnormalities induced by serotonin deficiency. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 1333-1338.	7.1	331
15	A Regulatory Domain in the N Terminus of Tryptophan Hydroxylase 2 Controls Enzyme Expression. Journal of Biological Chemistry, 2008, 283, 13216-13224.	3.4	32
16	Pharmacological Characterization of Membrane-Expressed Human Trace Amine-Associated Receptor 1 (TAAR1) by a Bioluminescence Resonance Energy Transfer cAMP Biosensor. Molecular Pharmacology, 2008, 74, 585-594.	2.3	135
17	Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. Neuron, 2005, 45, 11-16.	8.1	420
18	Response to Correspondence: Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. Neuron, 2005, 48, 705-706.	8.1	20

#	Article	IF	CITATIONS
19	Tryptophan Hydroxylase-2 Controls Brain Serotonin Synthesis. Science, 2004, 305, 217-217.	12.6	591
20	Synaptotagmin IX Regulates Ca2+-dependent Secretion in PC12 Cells. Journal of Biological Chemistry, 2002, 277, 4601-4604.	3.4	93
21	Ca2+-Dependent Synaptotagmin Binding to SNAP-25 Is Essential for Ca2+-Triggered Exocytosis. Neuron, 2002, 34, 599-611.	8.1	224