Anna Jöud

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1049328/publications.pdf

Version: 2024-02-01

		623574	552653
36	739	14	26
papers	citations	h-index	g-index
27	27	27	1100
37	37	37	1199
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	How good is the agreement between clinical diagnoses and classification criteria fulfilment in axial spondyloarthritis? Results from the SPARTAKUS cohort. Scandinavian Journal of Rheumatology, 2023, 52, 364-373.	0.6	1
2	Utilization of healthcare and prescription medicines after non-pharmacological interventions for depression - A 3-year register follow-up of an RCT in primary care. Preventive Medicine Reports, 2022, 25, 101658.	0.8	1
3	Diagnostic codes of cancer in Skåne healthcare register: a validation study using individual-level data in southern Sweden. BMC Cancer, 2021, 21, 759.	1.1	1
4	Fertility outcomes in women with pre-existing type 2 diabetesâ€"a prospective cohort study. Fertility and Sterility, 2021, 116, 505-513.	0.5	9
5	Psychiatric Disorders and Cardiovascular Diseases During the Diagnostic Workup of Suspected Prostate Cancer. JNCI Cancer Spectrum, 2021, 5, pkaa108.	1.4	2
6	Susceptibility to COVID-19 after High Exposure to Perfluoroalkyl Substances from Contaminated Drinking Water: An Ecological Study from Ronneby, Sweden. International Journal of Environmental Research and Public Health, 2021, 18, 10702.	1.2	11
7	Physiotherapist-led rehabilitation for patients with chronic musculoskeletal pain: interventions and promising long-term outcomes. BMC Musculoskeletal Disorders, 2021, 22, 910.	0.8	10
8	Predicting regional COVID-19 hospital admissions in Sweden using mobility data. Scientific Reports, 2021, 11, 24171.	1.6	6
9	Estimating the SARS-CoV-2 infected population fraction and the infection-to-fatality ratio: a data-driven case study based on Swedish time series data. Scientific Reports, 2021, 11, 23963.	1.6	2
10	Irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?. Annals of the Rheumatic Diseases, 2020, 79, 159-161.	0.5	15
11	The value of the Skĥne Health-care Register: Prospectively collected individual-level data for population-based studies. Scandinavian Journal of Public Health, 2020, 48, 56-63.	1.2	31
12	Associations between antenatal and perinatal risk factors and cerebral palsy: a Swedish cohort study. BMJ Open, 2020, 10, e038453.	0.8	18
13	The effect of interventions on COVID-19. Nature, 2020, 588, E26-E28.	13.7	97
14	Disease duration, age at diagnosis and organ damage are important factors for cardiovascular disease in SLE. Lupus Science and Medicine, 2020, 7, e000398.	1.1	14
15	A diagnosis of rheumatoid arthritis, endometriosis or IBD is associated with later onset of fibromyalgia and chronic widespread pain. European Journal of Pain, 2019, 23, 1563-1573.	1.4	19
16	OPO112â€UNACCEPTABLE PAIN DESPITE INFLAMMATION CONTROL AFTER START OF A FIRST ANTI-TNF THERA IN PATIENTS WITH PSORIATIC ARTHRITIS AND ITS RELATION TO TREATMENT RESPONSE. , 2019, , .	 .py	0
17	SAT0336â€CLINICAL DIAGNOSES OF AXIAL SPONDYLOARTHRITIS SHOW A HIGH OVERALL CONCORDANCE W CLASSIFICATION CRITERIA FULFILMENT, BUT ARE LESS CONSISTENT FOR DIFFERENTIATION BETWEEN SUBTYPES IN ESTABLISHED AXIAL DISEASE: RESULTS FROM THE SPARTAKUS COHORT. , 2019, , .	ЛТН	1
18	SAT0355â \in IRRITABLE BOWEL SYNDROME SYMPTOMS IN AXIAL SPONDYLOARTHRITIS AND HEALTHY CONTROAND THEIR RELATION TO DISEASE CHARACTERISTICS â \in " IS IT AN OVERLOOKED COMORBIDITY?., 2019, , .)LS,	0

#	Article	IF	CITATIONS
19	Response to: â€response to: irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?' by Proft et al Annals of the Rheumatic Diseases, 2019, , annrheumdis-2019-216752.	0.5	1
20	<p>Cardiovascular Diseases And Psychiatric Disorders During The Diagnostic Workup Of Suspected Hematological Malignancy</p> . Clinical Epidemiology, 2019, Volume 11, 1025-1034.	1.5	3
21	Sex-based differences in pain distribution in a cohort of patients with persistent post-traumatic neck pain. Disability and Rehabilitation, 2018, 40, 1085-1091.	0.9	14
22	Income disparities in healthcare use remain after controlling for healthcare need: evidence from Swedish register data on psoriasis and psoriatic arthritis. European Journal of Health Economics, 2018, 19, 447-462.	1.4	9
23	Secular trends in sickness absence among Swedish patients with ankylosing spondylitis and psoriatic arthritis. Rheumatology International, 2018, 38, 275-282.	1.5	2
24	Work disability in non-radiographic axial spondyloarthritis patients before and after start of anti-TNF therapy: a population-based regional cohort study from southern Sweden. Rheumatology, 2017, 56, kew473.	0.9	6
25	The association between pain characteristics, pain catastrophizing and health care use – Baseline results from the SWEPAIN cohort. Scandinavian Journal of Pain, 2017, 16, 122-128.	0.5	13
26	Antithrombotic therapy in patients with non-valvular atrial fibrillation in Southern Sweden: A population-based cohort study. Thrombosis Research, 2016, 140, 94-99.	0.8	20
27	Injuries before and after diagnosis of cancer: nationwide register based study. BMJ, The, 2016, 354, i4218.	3.0	26
28	Influences on the decision to use an osteoarthritis diagnosis in primary care: a cohort study with linked survey and electronic health record data. Osteoarthritis and Cartilage, 2016, 24, 786-793.	0.6	17
29	Sickness Absence from Work among Persons with New Physician-Diagnosed Carpal Tunnel Syndrome: A Population-Based Matched-Cohort Study. PLoS ONE, 2015, 10, e0119795.	1.1	18
30	Population-wide incidence estimates for soft tissue knee injuries presenting to healthcare in southern Sweden: data from the Skåne Healthcare Register. Arthritis Research and Therapy, 2014, 16, R162.	1.6	46
31	International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. Annals of the Rheumatic Diseases, 2014, 73, 212-218.	0.5	124
32	Socioeconomic status and the risk for being diagnosed with spondyloarthritis and chronic pain: a nested case–control study. Rheumatology International, 2014, 34, 1291-1298.	1.5	17
33	Healthcare consultation and sick leave before and after neck injury: a cohort study with matched population-based references. BMJ Open, 2013, 3, e003172.	0.8	11
34	Sick leave in patients with ankylosing spondylitis before and after anti-TNF therapy: a population-based cohort study. Rheumatology, 2012, 51, 243-249.	0.9	34
35	Population-based consultation patterns in patients with shoulder pain diagnoses. BMC Musculoskeletal Disorders, 2012, 13, 238.	0.8	75
36	Low back pain: Epidemiology of consultations. Arthritis Care and Research, 2012, 64, 1084-1088.	1,5	65