

Bharathi Upadhyaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1049488/publications.pdf>

Version: 2024-02-01

64
papers

1,532
citations

430754

18
h-index

330025

37
g-index

64
all docs

64
docs citations

64
times ranked

2092
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Physical Rehabilitation for Older Patients Hospitalized for Heart Failure. <i>New England Journal of Medicine</i> , 2021, 385, 203-216. | 13.9 | 267 |
| 2 | Physical Function, Frailty, Cognition, Depression, and Quality of Life in Hospitalized Adults ≥60 Years With Acute Decompensated Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2018, 11, e005254. | 1.6 | 129 |
| 3 | Heart failure with preserved ejection fraction in the elderly: scope of the problem. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 83, 73-87. | 0.9 | 113 |
| 4 | Regional Adipose Distribution and its Relationship to Exercise Intolerance in Older Obese Patients Who Have Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2018, 6, 640-649. | 1.9 | 101 |
| 5 | Effect of Intensive Blood Pressure Treatment on Heart Failure Events in the Systolic Blood Pressure Reduction Intervention Trial. <i>Circulation: Heart Failure</i> , 2017, 10, . | 1.6 | 88 |
| 6 | Heart failure with preserved ejection fraction: New approaches to diagnosis and management. <i>Clinical Cardiology</i> , 2020, 43, 145-155. | 0.7 | 83 |
| 7 | Exercise intolerance in heart failure with preserved ejection fraction: more than a heart problem. <i>Journal of Geriatric Cardiology</i> , 2015, 12, 294-304. | 0.2 | 68 |
| 8 | Evolution of a Geriatric Syndrome: Pathophysiology and Treatment of Heart Failure with Preserved Ejection Fraction. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2431-2440. | 1.3 | 61 |
| 9 | Frailty Among Older Decompensated Heart Failure Patients. <i>JACC: Heart Failure</i> , 2019, 7, 1079-1088. | 1.9 | 61 |
| 10 | Sarcopenic Obesity and the Pathogenesis of Exercise Intolerance in Heart Failure with Preserved Ejection Fraction. <i>Current Heart Failure Reports</i> , 2015, 12, 205-214. | 1.3 | 56 |
| 11 | Heart Failure with Preserved Ejection Fraction in Older Adults. <i>Heart Failure Clinics</i> , 2017, 13, 485-502. | 1.0 | 50 |
| 12 | Effect of Spironolactone on Exercise Tolerance and Arterial Function in Older Adults with Heart Failure with Preserved Ejection Fraction. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2374-2382. | 1.3 | 36 |
| 13 | Rehabilitation Intervention in Older Patients With Acute Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2021, 9, 747-757. | 1.9 | 32 |
| 14 | What the Dead Can Teach the Living. <i>Circulation</i> , 2015, 131, 522-524. | 1.6 | 30 |
| 15 | Therapy for heart failure with preserved ejection fraction: current status, unique challenges, and future directions. <i>Heart Failure Reviews</i> , 2018, 23, 609-629. | 1.7 | 29 |
| 16 | Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 457-459. | 1.2 | 28 |
| 17 | Prolongation of QTc intervals and risk of death among patients with sickle cell disease. <i>European Journal of Haematology</i> , 2013, 91, 170-178. | 1.1 | 26 |
| 18 | Effect of Intensive Blood Pressure Reduction on Left Ventricular Mass, Structure, Function, and Fibrosis in the SPRINT-HEART. <i>Hypertension</i> , 2019, 74, 276-284. | 1.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effect of Intensive Blood Pressure Control on Aortic Stiffness in the SPRINT-HEART. <i>Hypertension</i> , 2021, 77, 1571-1580. | 1.3 | 17 |
| 20 | Right Ventricular Morphology and Systolic Function in Left Ventricular Noncompaction Cardiomyopathy. <i>American Journal of Cardiology</i> , 2014, 113, 1018-1023. | 0.7 | 15 |
| 21 | Is Left Ventricular Hypertrophy a Valid Therapeutic Target?. <i>Current Hypertension Reports</i> , 2019, 21, 47. | 1.5 | 15 |
| 22 | Hypertension as a Road to Treatment of Heart Failure with Preserved Ejection Fraction. <i>Current Hypertension Reports</i> , 2020, 22, 82. | 1.5 | 13 |
| 23 | Relation of serum levels of mast cell tryptase of left ventricular systolic function, left ventricular volume or congestive heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 31-35. | 0.7 | 12 |
| 24 | Management of Heart Failure with Preserved Ejection Fraction: Current Challenges and Future Directions. <i>American Journal of Cardiovascular Drugs</i> , 2017, 17, 283-298. | 1.0 | 10 |
| 25 | Preprocedural White Blood Cell Count and Major Adverse Cardiac Events Late After Percutaneous Coronary Intervention in Saphenous Vein Grafts. <i>American Journal of Cardiology</i> , 2005, 96, 515-518. | 0.7 | 9 |
| 26 | Role of Diastolic Function in Preserved Exercise Capacity in Patients with Reduced Ejection Fractions. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 1184-1193. | 1.2 | 9 |
| 27 | Association of P-Wave Axis With Incident Atrial Fibrillation in Diabetes Mellitus (from the ACCORD) <i>Tj ETQq1 1 0.784314 rgBJ /Overl</i> | 0.7 | 9 |
| 28 | Associations between physical activity, sedentary behaviour and left ventricular structure and function from the Echocardiographic Study of Latinos (ECHO-SOL). <i>Open Heart</i> , 2021, 8, e001647. | 0.9 | 9 |
| 29 | Incidence and Outcomes of Acute Heart Failure With Preserved Versus Reduced Ejection Fraction in SPRINT. <i>Circulation: Heart Failure</i> , 2021, 14, CIRCHEARTFAILURE121008322. | 1.6 | 9 |
| 30 | Delay of left ventricular longitudinal expansion with diastolic dysfunction: impact on load dependence of e_{a}^2 and longitudinal strain rate. <i>Physiological Reports</i> , 2014, 2, e12082. | 0.7 | 8 |
| 31 | Left ventricular diastolic dysfunction and exercise intolerance in obese heart failure with preserved ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H1535-H1542. | 1.5 | 8 |
| 32 | Relation of Cannabis Use to Elevated Atherosclerotic Cardiovascular Disease Risk Score. <i>American Journal of Cardiology</i> , 2022, 165, 46-50. | 0.7 | 8 |
| 33 | Heart Failure Prevention in Older Patients Using Intensive Blood Pressure Reduction. <i>JACC: Heart Failure</i> , 2019, 7, 1032-1041. | 1.9 | 7 |
| 34 | Optimizing The Management of Obese HFpEF Phenotype: Can We Mind Both The Heart and The Kidney?. <i>Journal of Cardiac Failure</i> , 2020, 26, 108-111. | 0.7 | 6 |
| 35 | Differences in baseline characteristics and in-hospital outcomes in patients with or without prior stroke undergoing percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2005, 17, 243-7. | 0.4 | 6 |
| 36 | Skeletal muscle abnormalities in heart failure with preserved ejection fraction. <i>Heart Failure Reviews</i> , 2023, 28, 157-168. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Papillary fibroelastoma of the mitral valve chordae with systemic embolization. <i>Journal of Cardiology Cases</i> , 2014, 10, 125-128. | 0.2 | 5 |
| 38 | New Concepts in an Old Disease. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 634-636. | 2.3 | 5 |
| 39 | The effect of Aliskiren on exercise capacity in older patients with heart failure and preserved ejection fraction: A randomized, placebo-controlled, double-blind trial. <i>American Heart Journal</i> , 2018, 201, 164-167. | 1.2 | 5 |
| 40 | Preventing Heart Failure by Treating Systolic Hypertension: What Does the SPRINT Add?. <i>Current Hypertension Reports</i> , 2019, 21, 9. | 1.5 | 5 |
| 41 | Wake Forest University long-term follow-up of type 2 myocardial infarction: The Wake-Up T2MI Registry. <i>Clinical Cardiology</i> , 2019, 42, 592-604. | 0.7 | 5 |
| 42 | Heart Failure Primary Prevention: What Does SPRINT Add?: Recent Advances in Hypertension. <i>Hypertension</i> , 2021, 77, 1804-1814. | 1.3 | 5 |
| 43 | Exercise training for prevention and treatment of older adults with heart failure with preserved ejection fraction. <i>Experimental Gerontology</i> , 2021, 155, 111559. | 1.2 | 5 |
| 44 | Left Atrial Stiffness Index Independently Predicts Exercise Intolerance and Quality of Life in Older, Obese Patients With Heart Failure With Preserved Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2022, 28, 567-575. | 0.7 | 5 |
| 45 | Newer Drugs to Reduce High Blood Pressure and Mitigate Hypertensive Target Organ Damage. <i>Current Hypertension Reports</i> , 2022, 24, 1-20. | 1.5 | 5 |
| 46 | Cannabis use is associated with prevalent coronary artery disease. <i>American Journal of the Medical Sciences</i> , 2022, 364, 304-308. | 0.4 | 5 |
| 47 | Cardiothoracic Morphology Measures in Heart Failure Patients to Inform Device Designs. <i>Cardiovascular Engineering and Technology</i> , 2019, 10, 543-552. | 0.7 | 4 |
| 48 | Exposure to secondhand smoke is associated with increased left ventricular mass. <i>Tobacco Induced Diseases</i> , 2021, 19, 1-7. | 0.3 | 4 |
| 49 | Cannabis Use and Electrocardiographic Myocardial Injury. <i>American Journal of Cardiology</i> , 2021, 151, 100-104. | 0.7 | 3 |
| 50 | Beta-Blockers for Primary Therapy of Heart Failure With Preserved Ejection Fraction: An Idea Whose Time Has Gone?. <i>Journal of Cardiac Failure</i> , 2020, 26, 283-284. | 0.7 | 2 |
| 51 | P-wave axis is associated with all-cause mortality in diabetes: The ACCORD trial. <i>Journal of Electrocardiology</i> , 2020, 60, 184-187. | 0.4 | 2 |
| 52 | Clinical Outcomes in Different Types of Aortic Stenosis as Assessed by Doppler Echocardiography. <i>Journal of Heart Valve Disease</i> , 2016, 25, 672-678. | 0.5 | 2 |
| 53 | Paint by Numbers. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 7-8. | 1.3 | 1 |
| 54 | Anticoagulation for coexisting bioprosthetic aortic valve thrombosis and anticoagulant-related bleeding: a double edge sword. <i>Echocardiography</i> , 2020, 37, 1687-1690. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Measured Versus Estimated Resting Metabolic Rate in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021, 14, e007962. | 1.6 | 1 |
| 56 | Interatrial Stent to Treat Stiff Left Atrium Syndrome. <i>Cardiovascular Revascularization Medicine</i> , 2022, 40, 337-340. | 0.3 | 1 |
| 57 | Cannabis Use Is Associated with Prevalent Angina in Individuals with Diabetes. <i>Cannabis and Cannabinoid Research</i> , 0, , . | 1.5 | 1 |
| 58 | Falls, Subclinical Cardiovascular Disease, and a Nonagenarian's Sage Advice. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1774-1776. | 1.3 | 0 |
| 59 | Age-Related Divergence of Risk-Benefit Relationship of Spironolactone Treatment for Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2019, 7, 1029-1031. | 1.9 | 0 |
| 60 | Diagnosis of Persistent Left Superior Vena Cava: Lessons Learned from a Recurrent Stroke Case. <i>Case</i> , 2020, 4, 320-323. | 0.1 | 0 |
| 61 | A Biomarker Approach to Understanding Heart Failure with Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1296-1298. | 1.2 | 0 |
| 62 | Abstract P122: P-wave Axis is Associated With All-Cause Mortality in Diabetes: The ACCORD Trial. <i>Circulation</i> , 2020, 141, . | 1.6 | 0 |
| 63 | Abstract 15034: Exposure to Secondhand Smoke is Associated With Increased Left Ventricular Mass. <i>Circulation</i> , 2020, 142, . | 1.6 | 0 |
| 64 | MO094: Intensive Blood Pressure Lowering and Myocardial Fibrosis Biomarkers in Individuals With and Without CKD: Results From the Systolic Blood Pressure Intervention Trial (Sprint). <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.4 | 0 |