

Servet Akar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10495360/publications.pdf>

Version: 2024-02-01

75
papers

2,744
citations

270111

25
h-index

232693

48
g-index

75
all docs

75
docs citations

75
times ranked

3244
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to: â€˜Bowman's capsule rupture on renal biopsy improves the outcome prediction of ANCA-associated glomerulonephritis classificationsâ€™ by L'Imperio et al. Annals of the Rheumatic Diseases, 2022, 81, e96-e96.	0.5	0
2	Subclinical alterations in retinal layers and microvascular structures with OCTA in ANCA-associated vasculitides. Ocular Immunology and Inflammation, 2022, , 1-6.	1.0	0
3	Tuberculin skin test before biologic and targeted therapies: does the same rule apply for all?. Rheumatology International, 2022, 42, 1797-1806.	1.5	0
4	Does Nasal Secretion Decrease in Sjögren Syndrome and Does This Affect Nasal Function?. Laryngoscope, 2021, 131, 370-373.	1.1	6
5	Cervical proprioception accuracy is impaired in patients with axial spondyloarthritis. Musculoskeletal Science and Practice, 2021, 51, 102304.	0.6	3
6	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. American Journal of Human Genetics, 2021, 108, 84-99.	2.6	26
7	In the era of disease-modifying antirheumatic drugs, how close are we to treating rheumatoid arthritis without the use of glucocorticoids?. Rheumatology International, 2021, 41, 1915-1924.	1.5	1
8	GO-BEYOND: a real-world study of persistence of golimumab in patients with axial spondyloarthritis and rheumatoid arthritis in Turkey. Immunotherapy, 2021, 13, 841-850.	1.0	6
9	Uveitis-related Factors in Patients With Spondyloarthritis: Treasure Real-Life Results. American Journal of Ophthalmology, 2021, 228, 58-64.	1.7	10
10	Preferences of inflammatory arthritis patients for biological disease-modifying antirheumatic drugs in the first 100 days of the COVID-19 pandemic. Turkish Journal of Medical Sciences, 2021, 51, 1615-1623.	0.4	6
11	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. Clinical and Experimental Rheumatology, 2021, 39, 532-536.	0.4	0
12	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. Clinical and Experimental Rheumatology, 2021, 39, 532-536.	0.4	8
13	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. Archives of Rheumatology, 2020, 35, 189-195.	0.3	1
14	Splenic infarction is not rare in granulomatosis with polyangiitis. Clinical Rheumatology, 2020, 39, 1929-1934.	1.0	5
15	Histopathological subgrouping versus renal risk score for the prediction of end-stage renal disease in ANCA-associated vasculitis. Annals of the Rheumatic Diseases, 2020, 79, 675-676.	0.5	17
16	Retinal and choroidal vascular structures are affected in axial spondyloarthritis: an optical coherence tomography study. International Ophthalmology, 2020, 40, 1977-1986.	0.6	2
17	Evaluation of subclinical myocardial dysfunction using speckle tracking echocardiography in patients with radiographic and non-radiographic axial spondyloarthritis. European Journal of Rheumatology, 2020, 7, 9-15.	1.3	5
18	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. Turkish Journal of Medical Sciences, 2019, 49, 472-477.	0.4	23

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. PLoS Genetics, 2019, 15, e1008038.	1.5	41
20	Evaluation of serum fibroblast growth factor-23 in patients with axial spondyloarthritis and its association with sclerostin, inflammation, and spinal damage. Rheumatology International, 2019, 39, 835-840.	1.5	3
21	Exon 2: Is it the good police in familial mediterranean fever?. European Journal of Rheumatology, 2019, 6, 33-36.	1.3	10
22	The role of smoking in the development and progression of structural damage in axial SpA patients: A systematic review and meta-analysis. European Journal of Rheumatology, 2019, 6, 184-192.	1.3	5
23	Cytomegalovirus Disease in a Patient With Granulomatosis With Polyangiitis Who Also Has Splenic Necrosis. Archives of Rheumatology, 2019, 34, 447-450.	0.3	3
24	Prevalence of inflammatory back pain among health professionals in Cyprus. Gazzetta Medica Italiana Archivio Per Le Scienze Mediche, 2019, 178, .	0.0	0
25	What are the main barriers to achieve minimal disease activity in psoriatic arthritis in real life?. Clinical and Experimental Rheumatology, 2019, 37, 808-812.	0.4	3
26	Comparison of early versus late onset familial Mediterranean fever. International Journal of Rheumatic Diseases, 2018, 21, 880-884.	0.9	25
27	Nationwide Experience With Off-label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. Arthritis Care and Research, 2018, 70, 1090-1094.	1.5	48
28	Evaluation of periostin and factors associated with new bone formation in ankylosing spondylitis: Periostin may be associated with the Wnt pathway. International Journal of Rheumatic Diseases, 2018, 21, 502-509.	0.9	14
29	Methodology of a new inflammatory arthritis registry: TReasure. Turkish Journal of Medical Sciences, 2018, 48, 856-861.	0.4	7
30	Clinical Factors Associated with the Diagnosis of Granulomatosis with Polyangiitis. Otolaryngology - Head and Neck Surgery, 2017, 156, 484-488.	1.1	5
31	Telephone interview strategy can be used for screening inflammatory back pain in the community. International Journal of Rheumatic Diseases, 2017, 20, 33-38.	0.9	1
32	Limited reliability of radiographic assessment of spinal progression in ankylosing spondylitis. Rheumatology, 2017, 56, 2162-2169.	0.9	9
33	Oxidative stress and related factors in patients with ankylosing spondylitis. European Journal of Rheumatology, 2016, 3, 20-24.	1.3	27
34	Comment on: different disease subtypes with distinct clinical expression in familial Mediterranean fever: results of a cluster analysis: reply. Rheumatology, 2016, 55, 1147.2-1148.	0.9	0
35	Performance characteristics of the simplified version of ankylosing spondylitis disease activity score (SASDAS). Clinical Rheumatology, 2016, 35, 1753-1758.	1.0	11
36	Different disease subtypes with distinct clinical expression in familial Mediterranean fever: results of a cluster analysis. Rheumatology, 2016, 55, 343-346.	0.9	8

#	ARTICLE	IF	CITATIONS
37	Identification of Susceptibility Loci in <i>IL6</i>, <i>RPS9</i>/<i>LILRB3</i>, and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	2.9	79
38	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	1.0	19
39	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	1.0	7
40	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	1.7	62
41	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	1.0	22
42	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014, 53, 741-745.	0.9	96
43	Endothelial function in patients with familial Mediterranean fever-related amyloidosis and association with cardiovascular events. <i>Rheumatology</i> , 2014, 53, 2002-2008.	0.9	21
44	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	0.6	21
45	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	1.6	63
46	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	1.0	4
47	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	1.5	11
48	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	2.6	143
49	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904.	0.9	53
50	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	1.5	24
51	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	1.0	35
52	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	0.4	568
53	Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 191.	0.8	77
54	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	1.5	4

#	ARTICLE	IF	CITATIONS
55	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	1.6	60
56	The effect of non-steroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 207-211.	0.9	3
57	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
58	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	0.9	97
59	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	1.5	5
60	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	1.5	27
61	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	1.5	6
62	Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008, 27, 695-700.	1.0	71
63	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	1.0	36
64	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	1.0	62
65	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.2	50
66	Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed-Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. <i>Echocardiography</i> , 2007, 25, 070619173248003-???	0.3	24
67	Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007, 26, 136-136.	1.0	0
68	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	1.0	65
69	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	1.0	58
70	Epidemiology of Rheumatoid Arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006, 25, 560-561.	1.0	9
71	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	1.1	25
72	A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 280-284.	1.5	195

#	ARTICLE	IF	CITATIONS
73	The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 612-618.	1.5	73
74	The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002, 10, 786-789.	1.4	27
75	Acute phase response and evolution of familial Mediterranean fever. <i>Lancet</i> , The, 1999, 353, 1415.	6.3	160