
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/105032/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Comparison of two derivatization-based methods for solid-phase microextraction–gas<br>chromatography–mass spectrometric determination of bisphenol A, bisphenol S and biphenol<br>migrated from food cans. Analytical and Bioanalytical Chemistry, 2010, 397, 115-125.     | 1.9 | 195       |
| 2  | Dispersive liquid–liquid microextraction in food analysis. A critical review. Analytical and<br>Bioanalytical Chemistry, 2014, 406, 2067-2099.   | 1.9 | 179       |
| 3  | Determination of phenols in wines by liquid chromatography with photodiode array and fluorescence detection. Journal of Chromatography A, 2000, 871, 85-93.  | 1.8 | 128       |
| 4  | Determination of 16 polycyclic aromatic hydrocarbons in milk and related products using solid-phase<br>microextraction coupled to gas chromatography–mass spectrometry. Analytica Chimica Acta, 2007,<br>596, 285-290.   | 2.6 | 123       |
| 5  | Stir bar sorptive extraction coupled to gas chromatography–mass spectrometry for the<br>determination of bisphenols in canned beverages and filling liquids of canned vegetables. Journal of<br>Chromatography A, 2012, 1247, 146-153.                                     | 1.8 | 120       |
| 6  | Liquid chromatography with ultraviolet absorbance detection for the analysis of tetracycline residues in honey. Journal of Chromatography A, 2004, 1022, 125-129.  | 1.8 | 115       |
| 7  | Determination of volatile nitrosamines in meat products by microwave-assisted extraction and<br>dispersive liquid–liquid microextraction coupled to gas chromatography–mass spectrometry. Journal<br>of Chromatography A, 2011, 1218, 1815-1821.                           | 1.8 | 101       |
| 8  | Determination of alkylphenols and phthalate esters in vegetables and migration studies from their<br>packages by means of stir bar sorptive extraction coupled to gas chromatography–mass spectrometry.<br>Journal of Chromatography A, 2012, 1241, 21-27.                 | 1.8 | 96        |
| 9  | Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization. Analytica Chimica Acta, 2000, 412, 121-130.   | 2.6 | 92        |
| 10 | Recent achievements in solidified floating organic drop microextraction. TrAC - Trends in Analytical Chemistry, 2015, 68, 48-77.   | 5.8 | 88        |
| 11 | Reversed-phase liquid chromatography on an amide stationary phase for the determination of the B<br>group vitamins in baby foods. Journal of Chromatography A, 2003, 1007, 77-84.  | 1.8 | 87        |
| 12 | Solid-phase microextraction on-fiber derivatization for the analysis of some polyphenols in wine and<br>grapes using gas chromatography–mass spectrometry. Journal of Chromatography A, 2009, 1216,<br>1279-1284.  | 1.8 | 87        |
| 13 | Liquid Chromatographic Analysis of Riboflavin Vitamers in Foods Using Fluorescence Detection.<br>Journal of Agricultural and Food Chemistry, 2004, 52, 1789-1794.  | 2.4 | 81        |
| 14 | Directly suspended droplet microextraction with in injection-port derivatization coupled to gas<br>chromatography–mass spectrometry for the analysis of polyphenols in herbal infusions, fruits and<br>functional foods. Journal of Chromatography A, 2011, 1218, 639-646. | 1.8 | 79        |
| 15 | Ten years of dispersive liquid–liquid microextraction and derived techniques. Applied Spectroscopy<br>Reviews, 2017, 52, 267-415.  | 3.4 | 78        |
| 16 | Placental lead and outcome of pregnancy. Toxicology, 2003, 185, 59-66.   | 2.0 | 77        |
| 17 | Untargeted headspace gas chromatography – Ion mobility spectrometry analysis for detection of adulterated honey. Talanta, 2019, 205, 120123.   | 2.9 | 75        |
| 18 | Liquid Chromatography with Diode Array Detection and Tandem Mass Spectrometry for the<br>Determination of Neonicotinoid Insecticides in Honey Samples Using Dispersive Liquid–Liquid<br>Microextraction. Journal of Agricultural and Food Chemistry, 2013, 61, 4799-4805.  | 2.4 | 72        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Method development and validation for strobilurin fungicides in baby foods by solid-phase<br>microextraction gas chromatography–mass spectrometry. Journal of Chromatography A, 2009, 1216,<br>140-146.  | 1.8 | 68        |
| 20 | Determination of phthalate esters in cleaning and personal care products by dispersive liquid–liquid<br>microextraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography<br>A, 2015, 1376, 18-25.   | 1.8 | 68        |
| 21 | Determination of synthetic phenolic antioxidants in edible oils using microvial insert large volume injection gas-chromatography. Food Chemistry, 2016, 200, 249-254.  | 4.2 | 68        |
| 22 | Liquid–liquid microextraction methods based on ultrasound-assisted emulsification and single-drop<br>coupled to gas chromatography–mass spectrometry for determining strobilurin and oxazole<br>fungicides in juices and fruits. Journal of Chromatography A, 2010, 1217, 6569-6577.         | 1.8 | 63        |
| 23 | Dispersive liquid–liquid microextraction for the determination of vitamins D and K in foods by liquid chromatography with diode-array and atmospheric pressure chemical ionization-mass spectrometry detection. Talanta, 2013, 115, 806-813.   | 2.9 | 63        |
| 24 | Pressurized liquid extraction and dispersive liquid–liquid microextraction for determination of tocopherols and tocotrienols in plant foods by liquid chromatography with fluorescence and atmospheric pressure chemical ionization-mass spectrometry detection. Talanta, 2014, 119, 98-104. | 2.9 | 62        |
| 25 | Determination of spirocyclic tetronic/tetramic acid derivatives and neonicotinoid insecticides in<br>fruits and vegetables by liquid chromatography and mass spectrometry after dispersive liquid–liquid<br>microextraction. Food Chemistry, 2016, 202, 389-395.                             | 4.2 | 60        |
| 26 | Use of headspace solid-phase microextraction coupled to liquid chromatography for the analysis of polycyclic aromatic hydrocarbons in tea infusions. Journal of Chromatography A, 2007, 1164, 10-17.   | 1.8 | 59        |
| 27 | Evaluation of dispersive liquid–liquid microextraction for the simultaneous determination of chlorophenols and haloanisoles in wines and cork stoppers using gas chromatography–mass spectrometry. Journal of Chromatography A, 2010, 1217, 7323-7330.                                       | 1.8 | 58        |
| 28 | Dispersive liquid–liquid microextraction for the determination of flavonoid aglycone compounds in<br>honey using liquid chromatography with diode array detection and time-of-flight mass spectrometry.<br>Talanta, 2015, 131, 185-191.  | 2.9 | 57        |
| 29 | Liquid chromatography on an amide stationary phase with post-column derivatization and fluorimetric detection for the determination of streptomycin and dihydrostreptomycin in foods. Talanta, 2007, 72, 808-812.  | 2.9 | 56        |
| 30 | Speciation of vitamin B12 analogues by liquid chromatography with flame atomic absorption spectrometric detection. Analytica Chimica Acta, 1996, 318, 319-325.   | 2.6 | 55        |
| 31 | Direct Determination of Lead, Cadmium, Zinc, and Copper in Honey by Electrothermal Atomic<br>Absorption Spectrometry using Hydrogen Peroxide as a Matrix Modifier. Journal of Agricultural and<br>Food Chemistry, 1997, 45, 3952-3956.   | 2.4 | 55        |
| 32 | Liquid chromatographic determination of phenol, thymol and carvacrol in honey using fluorimetric detection. Talanta, 2006, 69, 1063-1067.  | 2.9 | 54        |
| 33 | Stir bar sorptive extraction with EG-Silicone coating for bisphenols determination in personal care products by GC–MS. Journal of Pharmaceutical and Biomedical Analysis, 2013, 78-79, 255-260.  | 1.4 | 53        |
| 34 | Stir bar sorptive extraction coupled to liquid chromatography for the analysis of strobilurin fungicides in fruit samples. Journal of Chromatography A, 2010, 1217, 4529-4534.   | 1.8 | 51        |
| 35 | Purge-and-trap preconcentration system coupled to capillary gas chromatography with atomic<br>emission detection for 2,4,6-trichloroanisole determination in cork stoppers and wines. Journal of<br>Chromatography A, 2004, 1061, 85-91.   | 1.8 | 49        |
| 36 | Comparison of stir bar sorptive extraction and membrane-assisted solvent extraction for the ultra-performance liquid chromatographic determination of oxazole fungicide residues in wines and juices. Journal of Chromatography A, 2008, 1194, 178-183.                                      | 1.8 | 48        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Determination of thiol-containing drugs by chemiluminescence—flow injection analysis. Journal of<br>Pharmaceutical and Biomedical Analysis, 1993, 11, 15-20.   | 1.4 | 45        |
| 38 | Purge-and-trap capillary gas chromatography with atomic emission detection for volatile<br>halogenated organic compounds determination in waters and beverages. Journal of Chromatography<br>A, 2004, 1035, 1-8.   | 1.8 | 44        |
| 39 | A comparison of solid-phase microextraction and stir bar sorptive extraction coupled to liquid chromatography for the rapid analysis of resveratrol isomers in wines, musts and fruit juices.<br>Analytica Chimica Acta, 2008, 611, 119-125.                                       | 2.6 | 44        |
| 40 | Speciation of arsenic using capillary gas chromatography with atomic emission detection. Talanta, 2008, 77, 793-799.   | 2.9 | 44        |
| 41 | Comparison of enzymatic extraction procedures for use with directly coupled high performance<br>liquid chromatography-inductively coupled plasma mass spectrometry for the speciation of arsenic in<br>baby foods. Analytica Chimica Acta, 2001, 441, 29-36.                       | 2.6 | 43        |
| 42 | Magnetic solid phase extraction with CoFe2O4/oleic acid nanoparticles coupled to gas<br>chromatography-mass spectrometry for the determination of alkylphenols in baby foods. Food<br>Chemistry, 2017, 221, 76-81.   | 4.2 | 43        |
| 43 | Slurry-electrothermal atomic absorption spectrometric determination of aluminium and chromium in vegetables using hydrogen peroxide as a matrix modifier. Talanta, 1995, 42, 527-533.  | 2.9 | 42        |
| 44 | Stir bar sorptive extraction with gas chromatography–mass spectrometry for the determination of resveratrol, piceatannol and oxyresveratrol isomers in wines. Journal of Chromatography A, 2013, 1315, 21-27.  | 1.8 | 41        |
| 45 | Stir bar sorptive extraction polar coatings for the determination of chlorophenols and chloroanisoles in wines using gas chromatography and mass spectrometry. Talanta, 2014, 118, 30-36.  | 2.9 | 41        |
| 46 | Magnetic carbon nanotube composite for the preconcentration of parabens from water and urine samples using dispersive solid phase extraction. Journal of Chromatography A, 2018, 1564, 102-109.  | 1.8 | 41        |
| 47 | Flow injection–fluorimetric method for the determination of ranitidine in pharmaceutical preparations using o-phthalaldehyde. Analyst, The, 1996, 121, 1043-1046.  | 1.7 | 40        |
| 48 | Electrothermal atomic absorption spectrometric determination of molybdenum, aluminium, chromium and manganese in milk. Analytica Chimica Acta, 1997, 356, 267-276.   | 2.6 | 40        |
| 49 | Rapid determination of lead and cadmium in biological fluids by electrothermal atomic absorption spectrometry using Zeeman correction. Analytica Chimica Acta, 1999, 390, 207-215.   | 2.6 | 40        |
| 50 | Solid-phase microextraction followed by gas chromatography for the speciation of organotin compounds in honey and wine samples: A comparison of atomic emission and mass spectrometry detectors. Journal of Food Composition and Analysis, 2012, 25, 66-73.                        | 1.9 | 40        |
| 51 | Dispersive liquid–liquid microextraction for the determination of macrocyclic lactones in milk by liquid chromatography with diode array detection and atmospheric pressure chemical ionization ion-trap tandem mass spectrometry. Journal of Chromatography A, 2013, 1282, 20-26. | 1.8 | 40        |
| 52 | Classification and terminology in dispersive liquid–liquid microextraction. Microchemical Journal,<br>2016, 127, 184-186.  | 2.3 | 40        |
| 53 | Slurry atomization for the determination of arsenic in baby foods using electrothermal atomic absorption spectrometry and deuterium background correction. Journal of Analytical Atomic Spectrometry, 1999, 14, 1215-1219.   | 1.6 | 39        |
| 54 | Determination of selenium species in infant formulas and dietetic supplements using liquid<br>chromatography–hydride generation atomic fluorescence spectrometry. Analytica Chimica Acta, 2005,<br>535, 49-56.   | 2.6 | 39        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Fast determination of calcium, magnesium and zinc in honey using continuous flow flame atomic absorption spectrometry. Talanta, 1999, 49, 597-602.   | 2.9 | 38        |
| 56 | Quantification of β-carotene, retinol, retinyl acetate and retinyl palmitate in enriched fruit juices<br>using dispersive liquid–liquid microextraction coupled to liquid chromatography with fluorescence<br>detection and atmospheric pressure chemical ionization-mass spectrometry. Journal of<br>Chromatography A, 2013, 1275, 1-8. | 1.8 | 36        |
| 57 | Simultaneous liquid chromatographic analysis of 5-(hydroxymethyl)-2-furaldehyde and methyl anthranilate in honey. Food Chemistry, 1992, 44, 67-72.   | 4.2 | 35        |
| 58 | Direct determination of copper and zinc in cow milk, human milk and infant formula samples using electrothermal atomization atomic absorption spectrometry. Talanta, 1998, 46, 615-622.  | 2.9 | 35        |
| 59 | Ultrasound-assisted emulsification microextraction coupled with gas chromatography–mass<br>spectrometry using the Taguchi design method for bisphenol migration studies from thermal printer<br>paper, toys and baby utensils. Analytical and Bioanalytical Chemistry, 2012, 404, 671-678.   | 1.9 | 35        |
| 60 | Dispersive liquid–liquid microextraction for the determination of new generation pesticides in soils by liquid chromatography and tandem mass spectrometry. Journal of Chromatography A, 2015, 1394, 1-8.  | 1.8 | 35        |
| 61 | A headspace solid-phase microextraction procedure coupled with gas chromatography–mass<br>spectrometry for the analysis of volatile polycyclic aromatic hydrocarbons in milk samples.<br>Analytical and Bioanalytical Chemistry, 2008, 391, 753-758.   | 1.9 | 33        |
| 62 | Evaluation of the contamination of spirits by polycyclic aromatic hydrocarbons using<br>ultrasound-assisted emulsification microextraction coupled to gas chromatography–mass<br>spectrometry. Food Chemistry, 2016, 190, 324-330.   | 4.2 | 33        |
| 63 | Radioimmunoassay of alpha rat atrial natriuretic peptide. Neuropeptides, 1986, 7, 159-173.   | 0.9 | 32        |
| 64 | Determination of volatile halogenated organic compounds in soils by purge-and-trap capillary gas chromatography with atomic emission detection. Talanta, 2004, 64, 584-589.  | 2.9 | 32        |
| 65 | Selenium Determination in Biological Fluids Using Zeeman Background Correction Electrothermal<br>Atomic Absorption Spectrometry. Analytical Biochemistry, 2000, 280, 195-200.  | 1.1 | 31        |
| 66 | Dispersive liquid—liquid microextraction for the determination of three cytokinin compounds in<br>fruits and vegetables by liquid chromatography with time-of-flight mass spectrometry. Talanta, 2013,<br>116, 376-381.  | 2.9 | 31        |
| 67 | Flow-injection flame atomic absorption spectrometry for slurry atomization. Determination of calcium, magensium, iron, zinc and manganese in vegetables. Analytica Chimica Acta, 1993, 283, 393-400.   | 2.6 | 30        |
| 68 | Determination of Copper, Cobalt, Nickel, and Manganese in Baby Food Slurries Using Electrothermal<br>Atomic Absorption Spectrometry. Journal of Agricultural and Food Chemistry, 2000, 48, 5789-5794.  | 2.4 | 30        |
| 69 | Determination of pesticides in waters by capillary gas chromatography with atomic emission detection. Journal of Chromatography A, 2002, 978, 249-256.   | 1.8 | 30        |
| 70 | Glyoxal and methylglyoxal as urinary markers of diabetes. Determination using a dispersive<br>liquid–liquid microextraction procedure combined with gas chromatography–mass spectrometry.<br>Journal of Chromatography A, 2017, 1509, 43-49.   | 1.8 | 30        |
| 71 | Speciation of organotin compounds in waters and marine sediments using purge-and-trap capillary gas chromatography with atomic emission detection. Analytica Chimica Acta, 2004, 525, 273-280.   | 2.6 | 29        |
| 72 | Slurry–electrothermal atomic absorption spectrometric methods for the determination of copper,<br>lead, zinc, iron and chromium in sweets and chewing gum after partial dry ashing. Analyst, The, 1994,<br>119, 1119-1123.   | 1.7 | 28        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Determination of vanadium, molybdenum and chromium in soils, sediments and sludges by electrothermal atomic absorption spectrometry with slurry sample introduction. Journal of Analytical Atomic Spectrometry, 2002, 17, 1429-1433.  | 1.6 | 28        |
| 74 | Determination of chloramphenicol residues in animal feeds by liquid chromatography with photo-diode array detection. Analytica Chimica Acta, 2006, 558, 11-15.  | 2.6 | 28        |
| 75 | Ion-pair high-performance liquid chromatography with diode array detection coupled to dual<br>electrospray atmospheric pressure chemical ionization time-of-flight mass spectrometry for the<br>determination of nucleotides in baby foods. Journal of Chromatography A, 2010, 1217, 5197-5203. | 1.8 | 28        |
| 76 | Capillary liquid chromatography combined with pressurized liquid extraction and dispersive<br>liquid–liquid microextraction for the determination of vitamin E in cosmetic products. Journal of<br>Pharmaceutical and Biomedical Analysis, 2014, 94, 173-179.                                   | 1.4 | 28        |
| 77 | Liquid-phase microextraction: update May 2016 to December 2018. Applied Spectroscopy Reviews, 2020, 55, 307-326.  | 3.4 | 28        |
| 78 | Slurry procedures for the determination of cadmium and lead in cereal-based products using<br>electrothermal atomic absorption spectrometry. Fresenius' Journal of Analytical Chemistry, 1994, 349,<br>306-310.   | 1.5 | 27        |
| 79 | lon-exchange preconcentration and determination of vanadium in milk samples by electrothermal atomic absorption spectrometry. Talanta, 2009, 78, 1458-1463.   | 2.9 | 27        |
| 80 | Determination of nitrophenols in environmental samples using stir bar sorptive extraction coupled to thermal desorption gas chromatography-mass spectrometry. Talanta, 2018, 189, 543-549.  | 2.9 | 27        |
| 81 | Bioaccumulation of Polycyclic Aromatic Hydrocarbons for Forensic Assessment Using Cas<br>Chromatography–Mass Spectrometry. Chemical Research in Toxicology, 2019, 32, 1680-1688.  | 1.7 | 27        |
| 82 | Determination of sulphonamides in foods by liquid chromatography with postcolumn fluorescence derivatization. Journal of Chromatography A, 1996, 726, 125-131.  | 1.8 | 26        |
| 83 | Determination of molybdenum, chromium and aluminium in human urine by electrothermal atomic absorption spectrometry using fast-programme methodology. Talanta, 1999, 48, 905-912.   | 2.9 | 26        |
| 84 | Determination of mercury in baby food and seafood samples using electrothermal atomic absorption spectrometry and slurry atomization. Journal of Analytical Atomic Spectrometry, 2001, 16, 633-637.   | 1.6 | 26        |
| 85 | Evaluation of solid-phase microextraction conditions for the determination of polycyclic aromatic hydrocarbons in aquatic species using gas chromatography. Analytical and Bioanalytical Chemistry, 2008, 391, 1419-1424.   | 1.9 | 26        |
| 86 | Dispersive liquid–liquid microextraction coupled to liquid chromatography for thiamine<br>determination in foods. Analytical and Bioanalytical Chemistry, 2012, 403, 1059-1066.   | 1.9 | 26        |
| 87 | Food and beverage applications of liquid-phase microextraction. TrAC - Trends in Analytical Chemistry, 2018, 109, 116-123.  | 5.8 | 26        |
| 88 | Slurry atomization of vegetables for the electrothermal atomic absorption spectrometric analysis of lead and cadmium. Food Chemistry, 1994, 50, 317-321.  | 4.2 | 25        |
| 89 | Environmental Exposures to Lead and Cadmium Measured in Human Placenta. Archives of<br>Environmental Health, 2002, 57, 598-602.   | 0.4 | 25        |
| 90 | Capillary gas chromatography with atomic emission detection for determining chlorophenols in water and soil samples. Analytica Chimica Acta, 2005, 552, 182-189.  | 2.6 | 25        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Analysis of Nitrofuran Residues in Animal Feed Using Liquid Chromatography and Photodiode-Array<br>Detection. Chromatographia, 2006, 65, 85-89.   | 0.7 | 25        |
| 92  | Determination of Selenium in Seafoods Using Electrothermal Atomic Absorption Spectrometry with Slurry Sample Introduction. Journal of Agricultural and Food Chemistry, 1996, 44, 836-841.   | 2.4 | 24        |
| 93  | Headspace sorptive extraction for the detection of combustion accelerants in fire debris. Forensic Science International, 2014, 238, 26-32.   | 1.3 | 24        |
| 94  | A study of the influence on diabetes of free and conjugated bisphenol A concentrations in urine:<br>Development of a simple microextraction procedure using gas chromatography–mass spectrometry.<br>Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 458-465. | 1.4 | 24        |
| 95  | Calibration in flame atomic absorption spectrometry using a single standard and a gradient technique. Journal of Analytical Atomic Spectrometry, 1994, 9, 553-561.  | 1.6 | 23        |
| 96  | Use of post-column fluorescence derivatization to develop a liquid chromatographic assay for ranitidine and its metabolites in biological fluids. Biomedical Applications, 1997, 693, 443-449.  | 1.7 | 23        |
| 97  | Determination of Cadmium, Aluminium, and Copper in Beer and Products Used in Its Manufacture by Electrothermal Atomic Absorption Spectrometry. Journal of AOAC INTERNATIONAL, 2002, 85, 736-743.  | 0.7 | 23        |
| 98  | Improved sensitivity gas chromatography–mass spectrometry determination of parabens in waters<br>using ionic liquids. Talanta, 2016, 146, 568-574.  | 2.9 | 23        |
| 99  | Determination of arsenic in biological fluids by electrothermal atomic absorption spectrometry.<br>Analyst, The, 2000, 125, 313-316.  | 1.7 | 22        |
| 100 | Anion Exchange Liquid Chromatography for the Determination of Nucleotides in Baby and/or<br>Functional Foods. Journal of Agricultural and Food Chemistry, 2009, 57, 7245-7249.  | 2.4 | 22        |
| 101 | In situ ionic liquid dispersive liquid–liquid microextraction and direct microvial insert thermal desorption for gas chromatographic determination of bisphenol compounds. Analytical and Bioanalytical Chemistry, 2016, 408, 243-249.                                      | 1.9 | 22        |
| 102 | Determination of vanadium in petroleum products by a catalytic method. Analyst, The, 1985, 110, 1343-1345.  | 1.7 | 21        |
| 103 | Rapid determination of calcium, magnesium, iron and zinc in flours using flow injection flame atomic absorption spectrometry for slurry atomization. Food Chemistry, 1993, 46, 307-311.   | 4.2 | 21        |
| 104 | Use of submicroliter-volume samples for extending the dynamic range of flow-injection flame atomic absorption spectrometry. Analytica Chimica Acta, 1995, 308, 85-95.   | 2.6 | 21        |
| 105 | Identification of vitamin B12 analogues by liquid chromatography with electrothermal atomic absorption detection. Chromatographia, 1996, 42, 566-570.   | 0.7 | 21        |
| 106 | Determination of clenbuterol in pharmaceutical preparations by reaction with o-phthalaldehyde using a flow-injection fluorimetric procedure. Talanta, 2000, 53, 47-53.  | 2.9 | 21        |
| 107 | Use of oleic-acid functionalized nanoparticles for the magnetic solid-phase microextraction of<br>alkylphenols in fruit juices using liquid chromatography-tandem mass spectrometry. Talanta, 2016, 151,<br>217-223.  | 2.9 | 21        |
| 108 | Combination of solvent extractants for dispersive liquid-liquid microextraction of fungicides from water and fruit samples by liquid chromatography with tandem mass spectrometry. Food Chemistry, 2017, 233, 69-76.  | 4.2 | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | FIA titrations of sulphide, cysteine and thiol-containing drugs with chemiluminescent detection.<br>Fresenius' Journal of Analytical Chemistry, 1993, 345, 723-726.  | 1.5 | 20        |
| 110 | Speciation of arsenic in baby foods and the raw fish ingredients using liquid chromatography-hydride generation-atomic absorption spectrometry. Chromatographia, 2003, 57, 611-616.  | 0.7 | 20        |
| 111 | Liquid chromatography–electrothermal atomic absorption spectrometry for the separation and preconcentration of molybdenum in milk and infant formulas. Analytica Chimica Acta, 2007, 597, 187-194.                                       | 2.6 | 20        |
| 112 | Multi-walled carbon nanotubes as solid-phase extraction adsorbents for the speciation of cobalamins in seafoods by liquid chromatography. Analytical and Bioanalytical Chemistry, 2011, 401, 1393-1399.                                  | 1.9 | 20        |
| 113 | Development of a new methodology for the determination of N-nitrosamines impurities in ranitidine pharmaceuticals using microextraction and gas chromatography-mass spectrometry. Talanta, 2021, 223, 121659.                            | 2.9 | 20        |
| 114 | Slurry procedure for the determination of titanium in plant materials using electrothermal atomic absorption spectrometry. Journal of Analytical Atomic Spectrometry, 1992, 7, 529-532.  | 1.6 | 19        |
| 115 | Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds. Biomedical Applications, 2001, 757, 301-308.  | 1.7 | 19        |
| 116 | Determination of Thiamine and Its Esters in Beers and Raw Materials Used for Their Manufacture by<br>Liquid Chromatography with Postcolumn Derivatization. Journal of Agricultural and Food Chemistry,<br>2003, 51, 3222-3227.           | 2.4 | 19        |
| 117 | Liquid chromatography–hydride generation–atomic fluorescence spectrometry hybridation for<br>antimony speciation in environmental samples. Talanta, 2006, 68, 1401-1405.   | 2.9 | 19        |
| 118 | Solid-phase microextraction for the gas chromatography mass spectrometric determination of oxazole fungicides in malt beverages. Analytical and Bioanalytical Chemistry, 2008, 391, 1425-1431.   | 1.9 | 19        |
| 119 | Use of headspace sorptive extraction coupled to gas chromatography–mass spectrometry for the<br>analysis of volatile polycyclic aromatic hydrocarbons in herbal infusions. Journal of<br>Chromatography A, 2014, 1356, 38-44.            | 1.8 | 19        |
| 120 | Headspace Gas Chromatography Coupled to Mass Spectrometry and Ion Mobility Spectrometry:<br>Classification of Virgin Olive Oils as a Study Case. Foods, 2020, 9, 1288.   | 1.9 | 19        |
| 121 | Targeted and untargeted gas chromatography-mass spectrometry analysis of honey samples for determination of migrants from plastic packages. Food Chemistry, 2021, 334, 127547.   | 4.2 | 19        |
| 122 | Linear flow gradients for automatic titrations. Analytica Chimica Acta, 1995, 308, 67-76.  | 2.6 | 18        |
| 123 | Capillary Gas Chromatography with Atomic Emission Detection for Pesticide Analysis in Soil Samples.<br>Journal of Agricultural and Food Chemistry, 2003, 51, 3704-3708.  | 2.4 | 18        |
| 124 | Ion chromatography-hydride generation-atomic fluorescence spectrometry speciation of tellurium.<br>Applied Organometallic Chemistry, 2005, 19, 930-934.  | 1.7 | 17        |
| 125 | Fast determination of phosphorus in honey, milk and infant formulas by electrothermal atomic absorption spectrometry using a slurry sampling procedure. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2007, 62, 48-55.               | 1.5 | 17        |
| 126 | Determination of Phenolic Acids and Hydrolyzable Tannins in Pomegranate Fruit and Beverages by<br>Liquid Chromatography with Diode Array Detection and Time-of-Flight Mass Spectrometry. Food<br>Analytical Methods, 2015, 8, 1315-1325. | 1.3 | 17        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Determination of synthetic phosphodiesterase-5 inhibitors by LC-MS2 in waters and human urine submitted to dispersive liquid-liquid microextraction. Talanta, 2017, 174, 638-644.  | 2.9 | 17        |
| 128 | Flow injection dilution system for the analysis of highly concentrated samples using flame atomic absorption spectrometry. Journal of Analytical Atomic Spectrometry, 1994, 9, 1167-1172.  | 1.6 | 16        |
| 129 | An evaluation of cis- and trans-retinol contents in juices using dispersive liquid–liquid<br>microextraction coupled to liquid chromatography with fluorimetric detection. Talanta, 2013, 103,<br>166-171.   | 2.9 | 16        |
| 130 | Magnetic solidâ€phase extraction or dispersive liquid–liquid microextraction for pyrethroid determination in environmental samples. Journal of Separation Science, 2018, 41, 2565-2575.  | 1.3 | 16        |
| 131 | Determination of amphenicol antibiotics and their glucuronide metabolites in urine samples using<br>liquid chromatography with quadrupole time-of-flight mass spectrometry. Journal of<br>Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1146, 122122. | 1.2 | 16        |
| 132 | Dispersive Solid-Phase Extraction using Magnetic Carbon Nanotube Composite for the Determination of Emergent Mycotoxins in Urine Samples. Toxins, 2020, 12, 51.  | 1.5 | 16        |
| 133 | Liquid chromatographic analysis of sulfornamides in foods. Chromatographia, 1995, 40, 382-386.   | 0.7 | 15        |
| 134 | Placental Cadmium and Lipid Peroxidation in Smoking Women Related to Newborn Anthropometric Measurements. Archives of Environmental Contamination and Toxicology, 2003, 45, 278-282.   | 2.1 | 15        |
| 135 | Determination of Cyanotoxins and Phycotoxins in Seawater and Algae-Based Food Supplements Using<br>Ionic Liquids and Liquid Chromatography with Time-Of-Flight Mass Spectrometry. Toxins, 2019, 11, 610.   | 1.5 | 15        |
| 136 | Catalytic titration of N-penicillamine, N-acetylcysteine, cysteine and 2-mercaptopropionylglycine.<br>Analyst, The, 1990, 115, 757-760.  | 1.7 | 14        |
| 137 | Determination of ethoxyquin in paprika by high-performance liquid chromatography. Food Chemistry, 1991, 42, 241-251.   | 4.2 | 14        |
| 138 | Rapid determination of lead and cadmium in sewage sludge samples using electrothermal atomic<br>absorption spectrometry with slurry sample introduction. Fresenius' Journal of Analytical Chemistry,<br>2000, 367, 727-732.  | 1.5 | 14        |
| 139 | Flow-Injection Fluorimetric Determination of Thiamine in Pharmaceutical Preparations. Mikrochimica Acta, 2000, 134, 83-87.   | 2.5 | 14        |
| 140 | Rapid Determination of Mercury in Food Colorants Using Electrothermal Atomic Absorption<br>Spectrometry with Slurry Sample Introduction. Journal of Agricultural and Food Chemistry, 2002, 50,<br>949-954.   | 2.4 | 14        |
| 141 | Gas chromatography with atomic emission detection for dimethylselenide and dimethyldiselenide<br>determination in waters and plant materials using a purge-and-trap preconcentration system. Journal<br>of Chromatography A, 2005, 1095, 138-144.  | 1.8 | 14        |
| 142 | Preconcentration and determination of boron in milk, infant formula, and honey samples by solid<br>phase extraction-electrothermal atomic absorption spectrometry. Spectrochimica Acta, Part B: Atomic<br>Spectroscopy, 2009, 64, 179-183.   | 1.5 | 14        |
| 143 | Dual stir bar sorptive extraction coupled to thermal desorption-gas chromatography-mass spectrometry for the determination of endocrine disruptors in human tissues. Talanta, 2020, 207, 120331.   | 2.9 | 14        |
| 144 | Kinetic determination of iodide, based on the chlorpromazine—bromate reaction. Talanta, 1987, 34,<br>351-354.  | 2.9 | 13        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Flow injection analysis and batch procedures for the routine determination of N-penicillamine.<br>Microchemical Journal, 1990, 41, 2-9.   | 2.3 | 13        |
| 146 | Peristaltic pumps-Fourier transforms: a coupling of interest in continuous flow flame atomic<br>absorption spectrometry. Spectrochimica Acta, Part B: Atomic Spectroscopy, 1996, 51, 1761-1768.   | 1.5 | 13        |
| 147 | Rapid determination of lead, cadmium and thallium in cements using electrothermal atomic<br>absorption spectrometry with slurry sample introduction. Fresenius' Journal of Analytical Chemistry,<br>1997, 357, 642-646.                                       | 1.5 | 13        |
| 148 | Slurry atomisation for the determination of arsenic, cadmium and lead in food colourants using electrothermal atomic absorption spectrometry. Journal of Analytical Atomic Spectrometry, 2001, 16, 1202-1205.   | 1.6 | 13        |
| 149 | Automation of the standard additions method in flame atomic absorption spectrometry. Talanta, 2002, 56, 787-796.  | 2.9 | 13        |
| 150 | Glyoxal and methylglyoxal determination in urine by surfactant-assisted dispersive liquid–liquid<br>microextraction and LC. Bioanalysis, 2017, 9, 369-379.  | 0.6 | 13        |
| 151 | Extending the dynamic range of flame atomic absorption spectrometry: a comparison of procedures for the determination of several elements in milk and mineral waters using on-line dilution.<br>Fresenius' Journal of Analytical Chemistry, 1996, 355, 57-64. | 1.5 | 12        |
| 152 | Liquid chromatography-hydride generation-atomic absorption spectrometry for the speciation of tin in seafoods. Journal of Environmental Monitoring, 2004, 6, 262-266.   | 2.1 | 12        |
| 153 | Reliable analysis of chlorophenoxy herbicides in soil and water by magnetic solid phase extraction and liquid chromatography. Environmental Chemistry Letters, 2018, 16, 1077-1082.   | 8.3 | 12        |
| 154 | Determination of Vitamin B6 Compounds in Foods Using Liquid Chromatography with Post-Column<br>Derivatization Fluorescence Detection. Chromatographia, 2004, 59, 381-386.   | 0.7 | 12        |
| 155 | Authentication of recycled plastic content in water bottles using volatile fingerprint and chemometrics. Chemosphere, 2022, 297, 134156.  | 4.2 | 12        |
| 156 | Analysis of copper in biscuits and bread using a fast-program slurry electrothermal atomic absorption procedure. Journal of Agricultural and Food Chemistry, 1993, 41, 2024-2027.   | 2.4 | 11        |
| 157 | Flow-injection fluorimetric analysis of sulfamethoxazole in pharmaceutical preparations and biological fluids. Talanta, 1994, 41, 2159-2164.  | 2.9 | 11        |
| 158 | Occurrence of Organochlorine Pesticides in Human Tissues Assessed Using a Microextraction<br>Procedure and Gas Chromatography–Mass Spectrometry. Journal of Analytical Toxicology, 2021, 45,<br>84-92.  | 1.7 | 11        |
| 159 | Fast Determination of Lead and Copper in Dairy Products by Graphite Furnace Atomic Absorption Spectrometry. Journal of AOAC INTERNATIONAL, 1999, 82, 368-373.   | 0.7 | 10        |
| 160 | Solid-Phase Microextraction Coupled to Gas Chromatography-Mass Spectrometry for the Analysis of Famoxadone in Wines, Fruits, and Vegetables. Spectroscopy Letters, 2009, 42, 320-326.   | 0.5 | 10        |
| 161 | Headspace sorptive extraction for the analysis of organotin compounds using thermal desorption and gas chromatography with mass spectrometry. Journal of Chromatography A, 2013, 1279, 1-6.   | 1.8 | 10        |
| 162 | Gas chromatography-mass spectrometry using microvial insert thermal desorption for the determination of BTEX in edible oils. RSC Advances, 2016, 6, 20886-20891.  | 1.7 | 10        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Gas chromatography with mass spectrometry for the determination of phthalates preconcentrated by microextraction based on an ionic liquid. Journal of Separation Science, 2017, 40, 1310-1317.  | 1.3 | 10        |
| 164 | Microwave Assisted Cloud Point Extraction for the Determination of Vitamin K Homologues in<br>Vegetables by Liquid Chromatography with Tandem Mass Spectrometry. Journal of Agricultural and<br>Food Chemistry, 2019, 67, 6658-6664.                          | 2.4 | 10        |
| 165 | Quality authentication of virgin olive oils using orthogonal techniques and chemometrics based on individual and high-level data fusion information. Talanta, 2020, 219, 121260.  | 2.9 | 10        |
| 166 | Cellulose-ferrite nanocomposite for monitoring enniatins and beauvericins in paprika by liquid chromatography and high-resolution mass spectrometry. Talanta, 2021, 226, 122144.  | 2.9 | 10        |
| 167 | Non-targeted analysis by DLLME-GC-MS for the monitoring of pollutants in the Mar Menor lagoon.<br>Chemosphere, 2022, 286, 131588.   | 4.2 | 10        |
| 168 | Automatic calibration in continuous flow analysis. Analytica Chimica Acta, 1996, 327, 83-93.  | 2.6 | 9         |
| 169 | Determination of phenylpropanolamine and methoxamine using flow-injection with fluorimetric detection. Talanta, 1998, 47, 455-462.  | 2.9 | 9         |
| 170 | Peristaltic pumps and Fourier transforms in flame atomic absorption spectrometry: use of standard<br>additions method and on-line dilution procedures. Journal of Analytical Atomic Spectrometry, 2001,<br>16, 1185-1189.                                     | 1.6 | 9         |
| 171 | Stability of Arsenobetaine Levels in Manufactured Baby Foods. Journal of Food Protection, 2003, 66, 2321-2324.  | 0.8 | 9         |
| 172 | Gas chromatography with mass spectrometry for the quantification of ethylene glycol ethers in different household cleaning products. Journal of Separation Science, 2016, 39, 2292-2299.  | 1.3 | 9         |
| 173 | Head-space gas chromatography coupled to mass spectrometry for the assessment of the contamination of mayonnaise by yeasts. Food Chemistry, 2019, 289, 461-467.   | 4.2 | 9         |
| 174 | Toward Nitrite-Free Curing: Evaluation of a New Approach to Distinguish Real Uncured Meat from<br>Cured Meat Made with Nitrite. Foods, 2021, 10, 313.   | 1.9 | 9         |
| 175 | Hydrophilic interaction liquid chromatography coupled to quadrupole-time-of-flight mass spectrometry for determination of nuclear and cytoplasmatic contents of nucleotides, nucleosides and their nucleobases in food yeasts. Talanta Open, 2021, 4, 100064. | 1.7 | 9         |
| 176 | Kinetic determination of traces of manganese in different materials by its catalytic effect on the methylene green-periodate reaction. Talanta, 1986, 33, 135-139.  | 2.9 | 8         |
| 177 | Catalytic method for the determination of ruthenium in the presence of other noble metals. Analyst,<br>The, 1987, 112, 1019-1022.   | 1.7 | 8         |
| 178 | Liquid chromatographic determination of fat-soluble vitamins in paprika and paprika oleoresin. Food<br>Chemistry, 1992, 45, 349-355.  | 4.2 | 7         |
| 179 | Direct determination of tocopherols in paprika and paprika oleoresin by liquid chromatography.<br>Mikrochimica Acta, 1992, 106, 293-302.  | 2.5 | 7         |
| 180 | Determination of Aluminium and Chromium in Slurried Baby Food Samples by Electrothermal Atomic Absorption Spectrometry. Journal of AOAC INTERNATIONAL, 2001, 84, 1187-1193.   | 0.7 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Monitoring Lipophilic Toxins in Seawater Using Dispersive Liquid—Liquid Microextraction and Liquid<br>Chromatography with Triple Quadrupole Mass Spectrometry. Toxins, 2021, 13, 57.  | 1.5 | 7         |
| 182 | Catalytic titration of iodide, bromide and thiocyanate by use of the silver catalysed phloxin-persulphate reaction. Talanta, 1985, 32, 218-220.   | 2.9 | 6         |
| 183 | Kinetic determination of traces of cysteine by its inhibitory effect on the silver-catalysed phloxin-persulphate reaction. Talanta, 1985, 32, 221-223.  | 2.9 | 6         |
| 184 | Determination of methyl anthranilate and methyl N-methylanthranilate in beverages by liquid chromatography with fluorescence detection. Chromatographia, 1993, 35, 681-684.   | 0.7 | 6         |
| 185 | Determination of aluminium in chewing gum samples using electrothermal atomic-absorption spectrometry and slurry sample introduction. Fresenius' Journal of Analytical Chemistry, 1995, 351, 695-696.                                       | 1.5 | 6         |
| 186 | Ultrasound-assisted emulsification microextraction of organolead and organomanganese compounds from seawater, and their determination by GC-MS. Mikrochimica Acta, 2014, 181, 97-104.   | 2.5 | 6         |
| 187 | Ion mobility spectrometry and mass spectrometry coupled to gas chromatography for analysis of microbial contaminated cosmetic creams. Analytica Chimica Acta, 2020, 1128, 52-61.  | 2.6 | 6         |
| 188 | A rapid dispersive liquid–liquid microextraction of antimicrobial onion organosulfur compounds in<br>animal feed coupled to gas chromatography-mass spectrometry. Analytical Methods, 2020, 12,<br>2668-2673.                               | 1.3 | 6         |
| 189 | Ultrasound Assisted Extraction Approach to Test the Effect of Elastic Rubber Nettings on the<br>N-Nitrosamines Content of Ham Meat Samples. Foods, 2021, 10, 2564.  | 1.9 | 6         |
| 190 | A comparison of cationic polymerization and esterification for end-point detection in the catalytic thermometric titration of organic bases. Talanta, 1984, 31, 611-614.  | 2.9 | 5         |
| 191 | Determination of p-hydroxyphenylglycine by reaction with o-phthalaldehyde using a flow-injection fluorimetric procedure. Journal of Pharmaceutical and Biomedical Analysis, 1997, 16, 453-457.  | 1.4 | 5         |
| 192 | Calibration in flame atomic absorption spectrometry using time-dependent concentration profiles.<br>Spectrochimica Acta, Part B: Atomic Spectroscopy, 2000, 55, 849-854.  | 1.5 | 5         |
| 193 | A manifold for the automatic dilution of concentrated solutions in flame atomic absorption spectrometry. Analytical and Bioanalytical Chemistry, 2002, 372, 587-592.  | 1.9 | 5         |
| 194 | Ultrasound assisted extraction and dispersive liquid–liquid microextraction with liquid<br>chromatography-tandem mass spectrometry for determination of alkylphenol levels in cleaning<br>products. Analytical Methods, 2015, 7, 6718-6725. | 1.3 | 5         |
| 195 | Triple Quadrupole Mass Spectrometry with Liquid Chromatography and Dispersive Liquid-Liquid<br>Microextraction for the Determination of Monoterpenes in Alcoholic Drinks. Food Analytical<br>Methods, 2017, 10, 3615-3622.                  | 1.3 | 5         |
| 196 | Portable Raman Spectrometer as a Screening Tool for Characterization of Iberian Dry-Cured Ham.<br>Foods, 2021, 10, 1177.  | 1.9 | 5         |
| 197 | Ion mobility spectrometry as an emerging tool for characterization of the volatile profile and identification of microbial growth in pomegranate juice. Microchemical Journal, 2022, 174, 107099.   | 2.3 | 5         |
| 198 | Determination of cadmium, aluminium, and copper in beer and products used in its manufacture by electrothermal atomic absorption spectrometry. Journal of AOAC INTERNATIONAL, 2002, 85, 736-43.   | 0.7 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Determination of Melamine and Derivatives in Foods by Liquid Chromatography Coupled to<br>Atmospheric Pressure Chemical Ionization Mass Spectrometry and Diode Array Detection. Analytical<br>Letters, 2012, 45, 2508-2518.  | 1.0 | 4         |
| 200 | Gas Chromatography–Mass Spectrometry Analysis of Polyphenols in Foods. , 2014, , 103-157.  |     | 4         |
| 201 | Liquid–liquid microextraction of glyphosate, glufosinate and aminomethylphosphonic acid for the analysis of agricultural samples by liquid chromatography. Analytical Methods, 2020, 12, 2039-2045.  | 1.3 | 4         |
| 202 | Localisation and plasma release of atrial natriuretic peptide immunoreactivity (ANP-IR) in the rat.<br>Regulatory Peptides, 1984, 9, 328.  | 1.9 | 2         |
| 203 | Determination of Paraquat in Waters by Enzymatic Inhibition Using Flow-Injection Analysis.<br>International Journal of Environmental Analytical Chemistry, 1998, 72, 267-274.  | 1.8 | 2         |
| 204 | Determination of benfothiamine in nutraceuticals using dispersive liquid–liquid microextraction coupled to liquid chromatography. Analytical Methods, 2012, 4, 2759.   | 1.3 | 2         |
| 205 | Assessment of strobilurin fungicides' content in soya-based drinks by liquid micro-extraction and<br>liquid chromatography with tandem mass spectrometry. Food Additives and Contaminants - Part A<br>Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1-9. | 1.1 | 2         |
| 206 | Gas Chromatography: Mass Spectrometry Analysis of Polyphenols in Foods. , 2019, , 285-316.   |     | 2         |
| 207 | Free and glycosylated aroma compounds in grape monitored by solidâ€liquid extraction and dispersive<br>liquidâ€liquid microextraction combined with gas chromatographyâ€mass spectrometry. Journal of<br>Separation Science, 0, , .  | 1.3 | 2         |
| 208 | Determination of Nitrite by Reverse Flow Injection Analysis. International Journal of Environmental<br>Analytical Chemistry, 1988, 32, 279-289.  | 1.8 | 1         |
| 209 | Nucleobases, Nucleosides and Nucleotides Determination in Yeasts Isolated from Extreme   | 0.7 | 1         |