

Meenakshi Jain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10507677/publications.pdf>

Version: 2024-02-01

18
papers

1,566
citations

567281

15
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

2239
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and Biological Evaluation of 8-Quinolinamines and Their Amino Acid Conjugates as Broad-Spectrum Anti-infectives. <i>ACS Omega</i> , 2018, 3, 3060-3075.	3.5	9
2	Amino acid, dipeptide and pseudodipeptide conjugates of ring-substituted 8-aminoquinolines: Synthesis and evaluation of anti-infective, $\hat{1}^2$ -haematin inhibition and cytotoxic activities. <i>European Journal of Medicinal Chemistry</i> , 2012, 52, 230-241.	5.5	15
3	Extended side chain analogues of 8-aminoquinolines: Synthesis and evaluation of antiprotozoal, antimicrobial, $\hat{1}^2$ -hematin inhibition, and cytotoxic activities. <i>MedChemComm</i> , 2011, 2, 300.	3.4	17
4	Synthesis, antiprotozoal, antimicrobial, $\hat{1}^2$ -hematin inhibition, cytotoxicity and methemoglobin (MetHb) formation activities of bis(8-aminoquinolines). <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 197-210.	3.0	53
5	Evidence of the formation of direct covalent adducts of primaquine, 2-tert-butylprimaquine (NP-96) and monohydroxy metabolite of NP-96 with glutathione and N-acetylcysteine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1-7.	2.3	8
6	Quinolines and structurally related heterocycles as antimalarials. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 3245-3264.	5.5	608
7	Development and validation of a sensitive and selective UHPLC-MS/MS method for quantitation of an investigational anti-malarial compound, 2-tert-butylprimaquine (NP-96) in rat plasma, and its application in a preclinical pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 410-415.	2.8	5
8	Antimalarials from nature. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 3229-3256.	3.0	331
9	2- tert -Butyl-8-Quinolinamines Exhibit Potent Blood Schizontocidal Antimalarial Activity via Inhibition of Heme Crystallization. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2842-2847.	3.2	26
10	Recent advances in antimalarial drug development. <i>Medicinal Research Reviews</i> , 2007, 27, 65-107.	10.5	91
11	Synthesis, antimalarial, antileishmanial, antimicrobial, cytotoxicity, and methemoglobin (MetHB) formation activities of new 8-quinolinamines. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 915-930.	3.0	35
12	Synthesis, antimalarial, antileishmanial, and antimicrobial activities of some 8-quinolinamine analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 4458-4466.	3.0	88
13	Discovery of a Bulky 2-tert-Butyl Group Containing Primaquine Analogue That Exhibits Potent Blood-Schizontocidal Antimalarial Activities and Complete Elimination of Methemoglobin Toxicity. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 285-287.	6.4	58
14	8-Quinolinamines conjugated with amino acids are exhibiting potent blood-schizontocidal antimalarial activities. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 239-247.	3.0	39
15	Synthesis and blood-schizontocidal antimalarial activities of 2-substituted/2,5-disubstituted-8-quinolinamines and some of their amino acid conjugates. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 1003-1010.	3.0	23
16	Ring-substituted quinolines as potential anti-tuberculosis agents. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 2501-2508.	3.0	99
17	8-Quinolinamines and Their pro prodrug conjugates as potent blood-Schizontocidal antimalarial agents. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 4557-4568.	3.0	34
18	Antimalarial activities of ring-substituted bioimidazoles. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 1701-1704.	2.2	27