

Florencia Pereyra

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10508572/florencia-pereyra-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	10,750 citations	51 h-index	74 g-index
74 ext. papers	12,223 ext. citations	11.6 avg, IF	4.94 L-index

#	Paper	IF	Citations
74	The major genetic determinants of HIV-1 control affect HLA class I peptide presentation. <i>Science</i> , 2010 , 330, 1551-7	33.3	884
73	Sequence and structural convergence of broad and potent HIV antibodies that mimic CD4 binding. <i>Science</i> , 2011 , 333, 1633-7	33.3	874
72	Broad diversity of neutralizing antibodies isolated from memory B cells in HIV-infected individuals. <i>Nature</i> , 2009 , 458, 636-40	50.4	695
71	Innate partnership of HLA-B and KIR3DL1 subtypes against HIV-1. <i>Nature Genetics</i> , 2007 , 39, 733-40	36.3	579
70	Genetic and immunologic heterogeneity among persons who control HIV infection in the absence of therapy. <i>Journal of Infectious Diseases</i> , 2008 , 197, 563-71	7	425
69	Upregulation of CTLA-4 by HIV-specific CD4+ T cells correlates with disease progression and defines a reversible immune dysfunction. <i>Nature Immunology</i> , 2007 , 8, 1246-54	19.1	411
68	Transcriptional analysis of HIV-specific CD8+ T cells shows that PD-1 inhibits T cell function by upregulating BATF. <i>Nature Medicine</i> , 2010 , 16, 1147-51	50.5	344
67	Polyreactivity increases the apparent affinity of anti-HIV antibodies by heteroligation. <i>Nature</i> , 2010 , 467, 591-5	50.4	332
66	HIV-1 persistence in CD4+ T cells with stem cell-like properties. <i>Nature Medicine</i> , 2014 , 20, 139-42	50.5	301
65	Influence of HLA-C expression level on HIV control. <i>Science</i> , 2013 , 340, 87-91	33.3	277
64	Whole genome deep sequencing of HIV-1 reveals the impact of early minor variants upon immune recognition during acute infection. <i>PLoS Pathogens</i> , 2012 , 8, e1002529	7.6	270
63	Differential microRNA regulation of HLA-C expression and its association with HIV control. <i>Nature</i> , 2011 , 472, 495-8	50.4	261
62	Perforin expression directly ex vivo by HIV-specific CD8 T-cells is a correlate of HIV elite control. <i>PLoS Pathogens</i> , 2010 , 6, e1000917	7.6	246
61	HLA-B57/B*5801 human immunodeficiency virus type 1 elite controllers select for rare gag variants associated with reduced viral replication capacity and strong cytotoxic T-lymphocyte [corrected] recognition. <i>Journal of Virology</i> , 2009 , 83, 2743-55	6.6	225
60	Effects of thymic selection of the T-cell repertoire on HLA class I-associated control of HIV infection. <i>Nature</i> , 2010 , 465, 350-4	50.4	218
59	IL-10 is up-regulated in multiple cell types during viremic HIV infection and reversibly inhibits virus-specific T cells. <i>Blood</i> , 2009 , 114, 346-56	2.2	205
58	Long-term antiretroviral treatment initiated at primary HIV-1 infection affects the size, composition, and decay kinetics of the reservoir of HIV-1-infected CD4 T cells. <i>Journal of Virology</i> , 2014 , 88, 10056-65	6.6	185

57	TCR clonotypes modulate the protective effect of HLA class I molecules in HIV-1 infection. <i>Nature Immunology</i> , 2012 , 13, 691-700	19.1	180
56	A method for identification of HIV gp140 binding memory B cells in human blood. <i>Journal of Immunological Methods</i> , 2009 , 343, 65-7	2.5	171
55	Persistent low-level viremia in HIV-1 elite controllers and relationship to immunologic parameters. <i>Journal of Infectious Diseases</i> , 2009 , 200, 984-90	7	161
54	Coordinate linkage of HIV evolution reveals regions of immunological vulnerability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 11530-5	11.5	153
53	HIV-1-specific interleukin-21+ CD4+ T cell responses contribute to durable viral control through the modulation of HIV-specific CD8+ T cell function. <i>Journal of Virology</i> , 2011 , 85, 733-41	6.6	151
52	Increased coronary atherosclerosis and immune activation in HIV-1 elite controllers. <i>Aids</i> , 2012 , 26, 2409-12	3.2	144
51	CD4+ T cells from elite controllers resist HIV-1 infection by selective upregulation of p21. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1549-60	15.9	136
50	Increased HIV-specific CD8+ T-cell cytotoxic potential in HIV elite controllers is associated with T-bet expression. <i>Blood</i> , 2011 , 117, 3799-808	2.2	131
49	CCL3L1 and CCR5 influence cell-mediated immunity and affect HIV-AIDS pathogenesis via viral entry-independent mechanisms. <i>Nature Immunology</i> , 2007 , 8, 1324-36	19.1	130
48	Control of human immunodeficiency virus type 1 is associated with HLA-B*13 and targeting of multiple gag-specific CD8+ T-cell epitopes. <i>Journal of Virology</i> , 2007 , 81, 3667-72	6.6	130
47	A high-throughput single-cell analysis of human CD8+ T cell functions reveals discordance for cytokine secretion and cytotoxicity. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4322-31	15.9	124
46	Responsiveness of HIV-specific CD4 T cells to PD-1 blockade. <i>Blood</i> , 2011 , 118, 965-74	2.2	119
45	Impaired replication capacity of acute/early viruses in persons who become HIV controllers. <i>Journal of Virology</i> , 2010 , 84, 7581-91	6.6	107
44	Genetic characterization of human immunodeficiency virus type 1 in elite controllers: lack of gross genetic defects or common amino acid changes. <i>Journal of Virology</i> , 2008 , 82, 8422-30	6.6	107
43	CTL responses of high functional avidity and broad variant cross-reactivity are associated with HIV control. <i>PLoS ONE</i> , 2012 , 7, e29717	3.7	103
42	HLA-associated alterations in replication capacity of chimeric NL4-3 viruses carrying gag-protease from elite controllers of human immunodeficiency virus type 1. <i>Journal of Virology</i> , 2009 , 83, 140-9	6.6	103
41	High-functional-avidity cytotoxic T lymphocyte responses to HLA-B-restricted Gag-derived epitopes associated with relative HIV control. <i>Journal of Virology</i> , 2011 , 85, 9334-45	6.6	99
40	Continuous viral escape and selection by autologous neutralizing antibodies in drug-naive human immunodeficiency virus controllers. <i>Journal of Virology</i> , 2009 , 83, 662-72	6.6	89

39	Association study of common genetic variants and HIV-1 acquisition in 6,300 infected cases and 7,200 controls. <i>PLoS Pathogens</i> , 2013 , 9, e1003515	7.6	86
38	IgG subclass profiles in infected HIV type 1 controllers and chronic progressors and in uninfected recipients of Env vaccines. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 445-58	1.6	85
37	A viral CTL escape mutation leading to immunoglobulin-like transcript 4-mediated functional inhibition of myelomonocytic cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2813-24	16.6	80
36	Differential neutralization of human immunodeficiency virus (HIV) replication in autologous CD4 T cells by HIV-specific cytotoxic T lymphocytes. <i>Journal of Virology</i> , 2009 , 83, 3138-49	6.6	78
35	HIV-specific CD4 T cell responses to different viral proteins have discordant associations with viral load and clinical outcome. <i>Journal of Virology</i> , 2012 , 86, 277-83	6.6	78
34	Attenuation of multiple Nef functions in HIV-1 elite controllers. <i>Retrovirology</i> , 2013 , 10, 1	3.6	76
33	Elite controllers with low to absent effector CD8+ T cell responses maintain highly functional, broadly directed central memory responses. <i>Journal of Virology</i> , 2012 , 86, 6959-69	6.6	74
32	Genetic interplay between HLA-C and MIR148A in HIV control and Crohn disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 20705-10	11.5	74
31	Mutually exclusive T-cell receptor induction and differential susceptibility to human immunodeficiency virus type 1 mutational escape associated with a two-amino-acid difference between HLA class I subtypes. <i>Journal of Virology</i> , 2007 , 81, 1619-31	6.6	71
30	Telomerase activity of HIV-1-specific CD8+ T cells: constitutive up-regulation in controllers and selective increase by blockade of PD ligand 1 in progressors. <i>Blood</i> , 2008 , 112, 3679-87	2.2	67
29	Leukocyte immunoglobulin-like receptors maintain unique antigen-presenting properties of circulating myeloid dendritic cells in HIV-1-infected elite controllers. <i>Journal of Virology</i> , 2010 , 84, 9463-71	6.6	62
28	HLA-associated viral mutations are common in human immunodeficiency virus type 1 elite controllers. <i>Journal of Virology</i> , 2009 , 83, 3407-12	6.6	62
27	HIV control is mediated in part by CD8+ T-cell targeting of specific epitopes. <i>Journal of Virology</i> , 2014 , 88, 12937-48	6.6	61
26	Transcriptional profiling of CD4 T cells identifies distinct subgroups of HIV-1 elite controllers. <i>Journal of Virology</i> , 2011 , 85, 3015-9	6.6	55
25	Reduced replication capacity of NL4-3 recombinant viruses encoding reverse transcriptase-integrase sequences from HIV-1 elite controllers. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 56, 100-8	3.1	52
24	High-dimensional immunomonitoring models of HIV-1-specific CD8 T-cell responses accurately identify subjects achieving spontaneous viral control. <i>Blood</i> , 2013 , 121, 801-11	2.2	51
23	Fine-mapping classical HLA variation associated with durable host control of HIV-1 infection in African Americans. <i>Human Molecular Genetics</i> , 2012 , 21, 4334-47	5.6	51
22	LILRB2 interaction with HLA class I correlates with control of HIV-1 infection. <i>PLoS Genetics</i> , 2014 , 10, e1004196	6	49

21	Soluble HLA-G inhibits myeloid dendritic cell function in HIV-1 infection by interacting with leukocyte immunoglobulin-like receptor B2. <i>Journal of Virology</i> , 2010 , 84, 10784-91	6.6	41
20	Differential levels of soluble inflammatory markers by human immunodeficiency virus controller status and demographics. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofu117	1	40
19	Inhibitory TCR coreceptor PD-1 is a sensitive indicator of low-level replication of SIV and HIV-1. <i>Journal of Immunology</i> , 2010 , 184, 476-87	5.3	40
18	Inhibition of HIV-1 integration in ex vivo-infected CD4 T cells from elite controllers. <i>Journal of Virology</i> , 2011 , 85, 9646-50	6.6	39
17	A cell-intrinsic inhibitor of HIV-1 reverse transcription in CD4(+) T cells from elite controllers. <i>Cell Host and Microbe</i> , 2014 , 15, 717-728	23.4	35
16	Impaired Nef function is associated with early control of HIV-1 viremia. <i>Journal of Virology</i> , 2014 , 88, 10200-13	6.6	31
15	The Breadth of Expandable Memory CD8+ T Cells Inversely Correlates with Residual Viral Loads in HIV Elite Controllers. <i>Journal of Virology</i> , 2015 , 89, 10735-47	6.6	27
14	Ligand-independent exhaustion of killer immunoglobulin-like receptor-positive CD8+ T cells in human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2008 , 82, 9668-77	6.6	27
13	CD4 T-cell regeneration in HIV-1 elite controllers. <i>Aids</i> , 2012 , 26, 701-6	3.5	26
12	Virus-driven Inflammation Is Associated With the Development of bNAbs in Spontaneous Controllers of HIV. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1098-1104	11.6	25
11	Viremic control and viral coreceptor usage in two HIV-1-infected persons homozygous for CCR5 B2. <i>Aids</i> , 2015 , 29, 867-76	3.5	23
10	Blunted response to combination antiretroviral therapy in HIV elite controllers: an international HIV controller collaboration. <i>PLoS ONE</i> , 2014 , 9, e85516	3.7	23
9	Functional characterization of HLA-G+ regulatory T cells in HIV-1 infection. <i>PLoS Pathogens</i> , 2013 , 9, e1003140	10.31	21
8	Susceptibility to CD8 T-cell-mediated killing influences the reservoir of latently HIV-1-infected CD4 T cells. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, 1-9	3.1	19
7	Anti-APOBEC3G activity of HIV-1 Vif protein is attenuated in elite controllers. <i>Journal of Virology</i> , 2015 , 89, 4992-5001	6.6	18
6	Temporal effect of HLA-B*57 on viral control during primary HIV-1 infection. <i>Retrovirology</i> , 2013 , 10, 139	3.6	9
5	Intersubtype differences in the effect of a rare p24 gag mutation on HIV-1 replicative fitness. <i>Journal of Virology</i> , 2012 , 86, 13423-33	6.6	9
4	Systemic inhibition of myeloid dendritic cells by circulating HLA class I molecules in HIV-1 infection. <i>Retrovirology</i> , 2012 , 9, 11	3.6	7

- 3 Shelterin dysfunction and p16(INK4a)-mediated growth inhibition in HIV-1-specific CD8 T cells. *Journal of Virology*, **2012**, 86, 5533-40 6.6 5
- 2 Regulatory T cell frequencies do not correlate with breadth or magnitude of HIV-1-specific T cell responses. *AIDS Research and Human Retroviruses*, **2012**, 28, 749-51 1.6 3
- 1 Immune Responses Associated to Viral Control **2012**, 273-291