

Henri Maraite

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10510166/publications.pdf>

Version: 2024-02-01

14
papers

506
citations

623734

14
h-index

996975

15
g-index

15
all docs

15
docs citations

15
times ranked

512
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of Fluorescent and Nonfluorescent Peptide Siderophores Produced by <i>Pseudomonas syringae</i> Strains and Their Potential Use in Strain Identification. <i>Applied and Environmental Microbiology</i> , 2001, 67, 1718-1727.	3.1	59
2	The plant pathogen <i>Pseudomonas fuscovaginae</i> contains two conserved quorum sensing systems involved in virulence and negatively regulated by RsaL and the novel regulator RsaM. <i>Environmental Microbiology</i> , 2011, 13, 145-162.	3.8	58
3	Phylogenetic analysis of <i>Polymyxa</i> species based on nuclear 5.8S and internal transcribed spacers ribosomal DNA sequences. <i>Mycological Research</i> , 2002, 106, 138-147.	2.5	55
4	High-Performance Liquid Chromatography Analyses of Pyoverdin Siderophores Differentiate among Phytopathogenic Fluorescent <i>Pseudomonas</i> Species. <i>Applied and Environmental Microbiology</i> , 2003, 69, 1143-1153.	3.1	44
5	Title is missing!. <i>European Journal of Plant Pathology</i> , 1998, 104, 195-205.	1.7	40
6	Ophiostomatoid fungi (Ascomycota) associated with <i>Pinus tabuliformis</i> infested by <i>Dendroctonus valens</i> (Coleoptera) in northern China and an assessment of their pathogenicity on mature trees. <i>Antonie Van Leeuwenhoek</i> , 2009, 96, 275-293.	1.7	38
7	Genetic analyses of <i>Pseudomonas syringae</i> isolates from Belgian fruit orchards reveal genetic variability and isolate-host relationships within the pathovar <i>syringae</i> , and help identify both races of the pathovar <i>morsprunorum</i> . <i>European Journal of Plant Pathology</i> , 2009, 124, 199-218.	1.7	37
8	A Threshold-Based Weather Model for Predicting Stripe Rust Infection in Winter Wheat. <i>Plant Disease</i> , 2017, 101, 693-703.	1.4	35
9	Modulation of plant plasma membrane H ⁺ -ATPase by phytotoxic lipodepsipeptides produced by the plant pathogen <i>Pseudomonas fuscovaginae</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1998, 1372, 216-226.	2.6	31
10	Host Range of Tropical and Sub-tropical Isolates of <i>Polymyxa graminis</i> . <i>European Journal of Plant Pathology</i> , 2000, 106, 379-389.	1.7	28
11	Economics of a decision support system for managing the main fungal diseases of winter wheat in the Grand-Duchy of Luxembourg. <i>Field Crops Research</i> , 2015, 172, 32-41.	5.1	23
12	<i>Leptographium sinoprocerum</i> sp. nov., an undescribed species associated with <i>Pinus tabuliformis</i> - <i>Dendroctonus valens</i> in northern China. <i>Mycologia</i> , 2008, 100, 275-290.	1.9	16
13	<i>Leptographium sinoprocerum</i> sp. nov., an undescribed species associated with <i>Pinus tabuliformis</i> - <i>Dendroctonus valens</i> in northern China. <i>Mycologia</i> , 2008, 100, 275-290.	1.9	15
14	Draft Genome Sequence of <i>Pseudomonas fuscovaginae</i> , a Broad-Host-Range Pathogen of Plants. <i>Journal of Bacteriology</i> , 2012, 194, 2765-2766.	2.2	14