

# Esperanza Del Pozo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10510729/publications.pdf>

Version: 2024-02-01

23  
papers

852  
citations

687363

13  
h-index

642732

23  
g-index

23  
all docs

23  
docs citations

23  
times ranked

859  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and risk factors associated with fatal adverse drug reactions among patients admitted at a Spanish teaching hospital. <i>European Journal of Internal Medicine</i> , 2019, 70, e14-e16.	2.2	2
2	Potential drug-drug interactions in deceased inpatients. <i>Internal and Emergency Medicine</i> , 2019, 14, 325-328.	2.0	2
3	Effects of Ketamine on Postoperative Pain After Remifentanyl-Based Anesthesia for Major and Minor Surgery in Adults: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2018, 9, 921.	3.5	19
4	Acute Confusional Syndrome Induced by Moxifloxacin in an Elderly Man. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2647-2648.	2.6	1
5	Sigma-1 receptors do not regulate calcium influx through voltage-dependent calcium channels in mouse brain synaptosomes. <i>European Journal of Pharmacology</i> , 2012, 677, 102-106.	3.5	7
6	Changes in morphine-induced activation of cerebral Na <sup>+</sup> ,K <sup>+</sup> -ATPase during morphine tolerance: Biochemical and behavioral consequences. <i>Biochemical Pharmacology</i> , 2012, 83, 1572-1581.	4.4	8
7	Antagonism by haloperidol and its metabolites of mechanical hypersensitivity induced by intraplantar capsaicin in mice: role of sigma-1 receptors. <i>Psychopharmacology</i> , 2009, 205, 21-33.	3.1	57
8	Sigma-1 receptors are essential for capsaicin-induced mechanical hypersensitivity: Studies with selective sigma-1 ligands and sigma-1 knockout mice. <i>Pain</i> , 2009, 143, 252-261.	4.2	139
9	Tetrodotoxin inhibits the development and expression of neuropathic pain induced by paclitaxel in mice. <i>Pain</i> , 2008, 137, 520-531.	4.2	110
10	Irreversible blockade of sigma-1 receptors by haloperidol and its metabolites in guinea pig brain and SH-SY5Y human neuroblastoma cells. <i>Journal of Neurochemistry</i> , 2007, 102, 812-825.	3.9	59
11	The antinociceptive effect of morphine is reversed by okadaic acid in morphine-naive but not in morphine-tolerant mice. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 21-26.	2.9	3
12	Differences in the allosteric modulation by phenytoin of the binding properties of the $\sigma_1$ ligands [3H](+)-pentazocine and [3H]NE-100. <i>Synapse</i> , 2006, 59, 152-161.	1.2	19
13	Phenytoin differentially modulates the affinity of agonist and antagonist ligands for $\sigma_1$ receptors of guinea pig brain. <i>Synapse</i> , 2005, 55, 192-195.	1.2	68
14	Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and GABAB but not $\mu$ -opioid receptors in the tail flick test in mice. <i>Pain</i> , 2005, 114, 212-220.	4.2	9
15	Effects of serine/threonine protein phosphatase inhibitors on morphine-induced antinociception in the tail flick test in mice. <i>European Journal of Pharmacology</i> , 2003, 465, 53-60.	3.5	19
16	Role of Na <sup>+</sup> ,K <sup>+</sup> -ATPase in Morphine-Induced Antinociception. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 306, 1122-1128.	2.5	28
17	Effects of K <sup>+</sup> channel blockers and openers on antinociception induced by agonists of 5-HT <sub>1A</sub> receptors. <i>European Journal of Pharmacology</i> , 1996, 295, 181-188.	3.5	37
18	Subgroups among $\mu$ -opioid receptor agonists distinguished by ATP-sensitive K <sup>+</sup> channel-acting drugs. <i>British Journal of Pharmacology</i> , 1995, 114, 1296-1302.	5.4	76

#	ARTICLE	IF	CITATIONS
19	ATP-dependent K <sup>+</sup> channel blockers antagonize morphine- but not U-504,88H-induced antinociception. European Journal of Pharmacology, 1993, 230, 203-207.	3.5	41
20	Gliquidone, an ATP-dependent K <sup>+</sup> channel antagonist, antagonizes morphine-induced hypermotility. European Journal of Pharmacology, 1993, 239, 253-255.	3.5	8
21	Effects of Potassium Channel Openers on Pentylentetrazole-induced Seizures in Mice. Basic and Clinical Pharmacology and Toxicology, 1990, 67, 182-184.	0.0	10
22	An ATP-dependent potassium channel blocker antagonizes morphine analgesia. European Journal of Pharmacology, 1990, 186, 377-378.	3.5	125
23	Comparison of the Effects of Calcium and the Calcium Channel Stimulant Bay k 8644 on Neomycin-induced Neuromuscular Blockade. Basic and Clinical Pharmacology and Toxicology, 1989, 65, 398-401.	0.0	5