

Larry J Seidman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10510807/larry-j-seidman-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170 papers	22,132 citations	73 h-index	148 g-index
174 ext. papers	24,823 ext. citations	4.8 avg, IF	6.47 L-index

#	Paper	IF	Citations
170	The MATRICS Consensus Cognitive Battery, part 1: test selection, reliability, and validity. <i>American Journal of Psychiatry</i> , 2008 , 165, 203-13	11.9	1502
169	Hyperactivity and hyperconnectivity of the default network in schizophrenia and in first-degree relatives of persons with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1279-84	11.5	1067
168	Prediction of psychosis in youth at high clinical risk: a multisite longitudinal study in North America. <i>Archives of General Psychiatry</i> , 2008 , 65, 28-37		1004
167	The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , 2013 , 70, 107-20	4.5	965
166	Neurocognition in first-episode schizophrenia: a meta-analytic review. <i>Neuropsychology</i> , 2009 , 23, 315-36	3.8	794
165	Normal sexual dimorphism of the adult human brain assessed by in vivo magnetic resonance imaging. <i>Cerebral Cortex</i> , 2001 , 11, 490-7	5.1	758
164	Anterior cingulate cortex dysfunction in attention-deficit/hyperactivity disorder revealed by fMRI and the Counting Stroop. <i>Biological Psychiatry</i> , 1999 , 45, 1542-52	7.9	673
163	Meta-analysis of structural imaging findings in attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2007 , 61, 1361-9	7.9	605
162	Impact of executive function deficits and attention-deficit/hyperactivity disorder (ADHD) on academic outcomes in children. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 757-66	6.5	562
161	Functional neuroimaging of attention-deficit/hyperactivity disorder: a review and suggested future directions. <i>Biological Psychiatry</i> , 2005 , 57, 1273-84	7.9	514
160	Attention-deficit/hyperactivity disorder in adults: an overview. <i>Biological Psychiatry</i> , 2000 , 48, 9-20	7.9	502
159	Structural brain imaging of attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2005 , 57, 1263-73	7.9	498
158	The MATRICS Consensus Cognitive Battery, part 2: co-norming and standardization. <i>American Journal of Psychiatry</i> , 2008 , 165, 214-20	11.9	474
157	Premorbid IQ in schizophrenia: a meta-analytic review. <i>American Journal of Psychiatry</i> , 2008 , 165, 579-87	11.9	412
156	At clinical high risk for psychosis: outcome for nonconverters. <i>American Journal of Psychiatry</i> , 2011 , 168, 800-5	11.9	359
155	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 310-319	23.3	354
154	Neuropsychology of the prodrome to psychosis in the NAPLS consortium: relationship to family history and conversion to psychosis. <i>Archives of General Psychiatry</i> , 2010 , 67, 578-88		338

153	Cortical thinning of the attention and executive function networks in adults with attention-deficit/hyperactivity disorder. <i>Cerebral Cortex</i> , 2007 , 17, 1364-75	5.1	334
152	An Individualized Risk Calculator for Research in Prodromal Psychosis. <i>American Journal of Psychiatry</i> , 2016 , 173, 980-988	11.9	332
151	Validity of the prodromal risk syndrome for first psychosis: findings from the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2009 , 35, 894-908	1.3	327
150	Neuropsychological functioning in people with ADHD across the lifespan. <i>Clinical Psychology Review</i> , 2006 , 26, 466-85	10.8	323
149	Toward defining a neuropsychology of attention deficit-hyperactivity disorder: performance of children and adolescents from a large clinically referred sample. <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 150-160	6.5	284
148	Schizophrenia and brain dysfunction: An integration of recent neurodiagnostic findings.. <i>Psychological Bulletin</i> , 1983 , 94, 195-238	19.1	272
147	Dorsolateral prefrontal and anterior cingulate cortex volumetric abnormalities in adults with attention-deficit/hyperactivity disorder identified by magnetic resonance imaging. <i>Biological Psychiatry</i> , 2006 , 60, 1071-80	7.9	255
146	Comparative effect of atypical and conventional antipsychotic drugs on neurocognition in first-episode psychosis: a randomized, double-blind trial of olanzapine versus low doses of haloperidol. <i>American Journal of Psychiatry</i> , 2004 , 161, 985-95	11.9	253
145	Intellectual performance and school failure in children with attention deficit hyperactivity disorder and in their siblings. <i>Journal of Abnormal Psychology</i> , 1993 , 102, 616-623	7	248
144	Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: A diagnostic efficiency analysis.. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 286-304	7	245
143	Neuropsychological function in adults with attention-deficit hyperactivity disorder. <i>Biological Psychiatry</i> , 1998 , 44, 260-8	7.9	224
142	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015 , 72, 882-91	14.5	199
141	Neurocognition in the psychosis risk syndrome: a quantitative and qualitative review. <i>Current Pharmaceutical Design</i> , 2012 , 18, 399-415	3.3	181
140	Attention and executive systems abnormalities in adults with childhood ADHD: A DT-MRI study of connections. <i>Cerebral Cortex</i> , 2008 , 18, 1210-20	5.1	180
139	The MCCB impairment profile for schizophrenia outpatients: results from the MATRICS psychometric and standardization study. <i>Schizophrenia Research</i> , 2011 , 126, 124-31	3.6	172
138	Attention-deficit/hyperactivity disorder endophenotypes. <i>Biological Psychiatry</i> , 2005 , 57, 1324-35	7.9	170
137	Functional neuroanatomy of working memory in adults with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2005 , 57, 439-47	7.9	169
136	Are endophenotypes based on measures of executive functions useful for molecular genetic studies of ADHD?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005 , 46, 774-803	7.9	166

135	Impact of psychometrically defined deficits of executive functioning in adults with attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 2006 , 163, 1730-8	11.9	164
134	Association of Neurocognition With Transition to Psychosis: Baseline Functioning in the Second Phase of the North American Prodrome Longitudinal Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1239-1248	14.5	158
133	Diagnostic efficiency of neuropsychological test scores for discriminating boys with and without attention deficit-hyperactivity disorder. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 477-488	6.5	157
132	Functional magnetic resonance imaging of methylphenidate and placebo in attention-deficit/hyperactivity disorder during the multi-source interference task. <i>Archives of General Psychiatry</i> , 2008 , 65, 102-14		152
131	Towards a psychosis risk blood diagnostic for persons experiencing high-risk symptoms: preliminary results from the NAPLS project. <i>Schizophrenia Bulletin</i> , 2015 , 41, 419-28	1.3	148
130	Learning disabilities and executive dysfunction in boys with attention-deficit/hyperactivity disorder.. <i>Neuropsychology</i> , 2001 , 15, 544-556	3.8	148
129	The paradox of normal neuropsychological function in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 743-752	7	143
128	North American Prodrome Longitudinal Study (NAPLS 2): The Prodromal Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 328-35	1.8	139
127	A randomized clinical trial of MK-0777 for the treatment of cognitive impairments in people with schizophrenia. <i>Biological Psychiatry</i> , 2011 , 69, 442-9	7.9	132
126	Evaluation of functionally meaningful measures for clinical trials of cognition enhancement in schizophrenia. <i>American Journal of Psychiatry</i> , 2011 , 168, 400-7	11.9	132
125	Towards conceptualizing a neural systems-based anatomy of attention-deficit/hyperactivity disorder. <i>Developmental Neuroscience</i> , 2009 , 31, 36-49	2.2	126
124	Factor structure of the Wisconsin Card Sorting Test: Dimensions of deficit in schizophrenia.. <i>Neuropsychology</i> , 1998 , 12, 289-302	3.8	125
123	Impact of gender and age on executive functioning: do girls and boys with and without attention deficit hyperactivity disorder differ neuropsychologically in preteen and teenage years?. <i>Developmental Neuropsychology</i> , 2005 , 27, 79-105	1.8	120
122	A review and new report of medial temporal lobe dysfunction as a vulnerability indicator for schizophrenia: a magnetic resonance imaging morphometric family study of the parahippocampal gyrus. <i>Schizophrenia Bulletin</i> , 2003 , 29, 803-30	1.3	118
121	The relationship of neurocognition and negative symptoms to social and role functioning over time in individuals at clinical high risk in the first phase of the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1452-61	1.3	117
120	Gray matter alterations in adults with attention-deficit/hyperactivity disorder identified by voxel based morphometry. <i>Biological Psychiatry</i> , 2011 , 69, 857-66	7.9	116
119	Altered brain activation in dorsolateral prefrontal cortex in adolescents and young adults at genetic risk for schizophrenia: an fMRI study of working memory. <i>Schizophrenia Research</i> , 2006 , 85, 58-72	3.6	116
118	Functional MRI in attention-deficit hyperactivity disorder: evidence for hypofrontality. <i>Brain and Development</i> , 2005 , 27, 544-50	2.2	114

117	Effects of family history and comorbidity on the neuropsychological performance of children with ADHD: preliminary findings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1015-24	7.2	110
116	Neurocognition in youth and young adults under age 30 at familial risk for schizophrenia: a quantitative and qualitative review. <i>Cognitive Neuropsychiatry</i> , 2013 , 18, 44-82	2	109
115	Neuropsychological functioning in youth with bipolar disorder. <i>Biological Psychiatry</i> , 2005 , 58, 540-8	7.9	108
114	Sex differences in the functional neuroanatomy of working memory in adults with ADHD. <i>American Journal of Psychiatry</i> , 2010 , 167, 86-94	11.9	107
113	Long-term neurocognitive effects of olanzapine or low-dose haloperidol in first-episode psychosis. <i>Biological Psychiatry</i> , 2006 , 59, 97-105	7.9	105
112	Effect of the neuroprotective peptide davunetide (AL-108) on cognition and functional capacity in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 136, 25-31	3.6	96
111	Effect of psychostimulants on brain structure and function in ADHD: a qualitative literature review of magnetic resonance imaging-based neuroimaging studies. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 902-17	4.6	93
110	Early and broadly defined psychosis risk mental states. <i>Schizophrenia Research</i> , 2011 , 126, 1-10	3.6	91
109	Neuropsychological profiles in individuals at clinical high risk for psychosis: relationship to psychosis and intelligence. <i>Schizophrenia Research</i> , 2010 , 123, 188-98	3.6	90
108	Discordance between psychometric testing and questionnaire-based definitions of executive function deficits in individuals with ADHD. <i>Journal of Attention Disorders</i> , 2008 , 12, 92-102	3.7	90
107	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 317-327	1.3	83
106	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018 , 9, 3836	17.4	83
105	Neuropsychological functioning in nonreferred siblings of children with attention deficit/hyperactivity disorder. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 252-265	7	80
104	Prodromal psychosis detection in a counseling center population in China: an epidemiological and clinical study. <i>Schizophrenia Research</i> , 2014 , 152, 391-9	3.6	78
103	Neural substrates of impaired sensorimotor timing in adult attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2010 , 68, 359-67	7.9	78
102	Heterogeneity of schizophrenia: a study of individual neuropsychological profiles. <i>Schizophrenia Research</i> , 2004 , 71, 307-21	3.6	75
101	Gray matter alterations in schizophrenia high-risk youth and early-onset schizophrenia: a review of structural MRI findings. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013 , 22, 689-714	3.3	74
100	Whither the attenuated psychosis syndrome?. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1130-4	1.3	74

99	Perinatal Risks and Childhood Premorbid Indicators of Later Psychosis: Next Steps for Early Psychosocial Interventions. <i>Schizophrenia Bulletin</i> , 2015 , 41, 801-16	1.3	73
98	Brain function and structure in adults with attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 323-47	3.1	73
97	White matter tract abnormalities between rostral middle frontal gyrus, inferior frontal gyrus and striatum in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 145, 1-10	3.6	72
96	Neuropsychological function in adults with attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 261-82	3.1	71
95	Comorbid diagnoses for youth at clinical high risk of psychosis. <i>Schizophrenia Research</i> , 2017 , 190, 90-95	3.6	65
94	Adjustment for whole brain and cranial size in volumetric brain studies: a review of common adjustment factors and statistical methods. <i>Harvard Review of Psychiatry</i> , 2006 , 14, 141-51	4.1	61
93	The Cognitive Assessment Interview (CAI): development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010 , 121, 24-31	3.6	60
92	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1066-75	1.3	59
91	Performance of children with ADHD on the Rey-Osterrieth complex figure: a pilot neuropsychological study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1995 , 36, 1459-73	7.9	59
90	Self-disturbances as a possible premorbid indicator of schizophrenia risk: a neurodevelopmental perspective. <i>Schizophrenia Research</i> , 2014 , 152, 73-80	3.6	57
89	Premorbid cognitive deficits in young relatives of schizophrenia patients. <i>Frontiers in Human Neuroscience</i> , 2010 , 3, 62	3.3	48
88	Reducing the duration of untreated psychosis and its impact in the U.S.: the STEP-ED study. <i>BMC Psychiatry</i> , 2014 , 14, 335	4.2	47
87	New Targets for Prevention of Schizophrenia: Is It Time for Interventions in the Premorbid Phase?. <i>Schizophrenia Bulletin</i> , 2015 , 41, 795-800	1.3	45
86	Evolving Notions of Schizophrenia as a Developmental Neurocognitive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 881-892	3.1	45
85	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. <i>American Journal of Psychiatry</i> , 2020 , 177, 155-163	11.9	45
84	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. <i>Psychological Medicine</i> , 2019 , 49, 1670-1677	6.9	44
83	Anxiety in youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 480-487	3.3	43
82	Anterior cingulate volumetric alterations in treatment-naïve adults with ADHD: a pilot study. <i>Journal of Attention Disorders</i> , 2010 , 13, 407-13	3.7	43

81	Regional prefrontal cortex gray matter volumes in youth at familial risk for schizophrenia from the Harvard Adolescent High Risk Study. <i>Schizophrenia Research</i> , 2010 , 123, 15-21	3.6	43
80	Effect of dopamine transporter gene (SLC6A3) variation on dorsal anterior cingulate function in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 365-375	3.5	43
79	Neuropsychological functioning in girls with attention-deficit/hyperactivity disorder with and without learning disabilities. <i>Neuropsychology</i> , 2006 , 20, 166-77	3.8	43
78	Heritability of Neuropsychological Measures in Schizophrenia and Nonpsychiatric Populations: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 788-800	1.3	42
77	A preliminary study of dopamine D4 receptor genotype and structural brain alterations in adults with ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1436-41	3.5	40
76	Multivariate genomewide linkage scan of neurocognitive traits and ADHD symptoms: suggestive linkage to 3q13. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1399-411	3.5	39
75	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018 , 44, 254-263	1.3	38
74	Tractography Analysis of 5 White Matter Bundles and Their Clinical and Cognitive Correlates in Early-Course Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016 , 42, 762-71	1.3	38
73	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7. <i>JAMA Psychiatry</i> , 2018 , 75, 844-852	14.5	37
72	Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program. <i>American Journal of Psychiatry</i> , 2018 , 175, 906-908	11.9	37
71	Progress and Future Directions in Research on the Psychosis Prodrome: A Review for Clinicians. <i>Harvard Review of Psychiatry</i> , 2016 , 24, 87-103	4.1	36
70	Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia. <i>Psychological Assessment</i> , 2011 , 23, 245-61	5.3	35
69	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019 , 49, 1990-1998	6.9	35
68	Current status specifiers for patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 69-75	3.6	34
67	Early Childhood IQ Trajectories in Individuals Later Developing Schizophrenia and Affective Psychoses in the New England Family Studies. <i>Schizophrenia Bulletin</i> , 2015 , 41, 817-23	1.3	32
66	Group and site differences on the California Verbal Learning Test in persons with schizophrenia and their first-degree relatives: findings from the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2011 , 128, 102-10	3.6	32
65	Gating Deficit Heritability and Correlation With Increased Clinical Severity in Schizophrenia Patients With Positive Family History. <i>American Journal of Psychiatry</i> , 2016 , 173, 385-91	11.9	31
64	Toward Defining the Neural Substrates of ADHD: A Controlled Structural MRI Study in Medication-Naïve Adults. <i>Journal of Attention Disorders</i> , 2015 , 19, 944-53	3.7	31

63	Change in neuropsychological functioning over one year in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2013 , 146, 87-94	3.6	31
62	Covariance modeling of MRI brain volumes in memory circuitry in schizophrenia: Sex differences are critical. <i>NeuroImage</i> , 2011 , 56, 1865-74	7.9	31
61	Psychotropic medication use in youth at high risk for psychosis: comparison of baseline data from two research cohorts 1998-2005 and 2008-2011. <i>Schizophrenia Research</i> , 2013 , 148, 99-104	3.6	30
60	Auditory working memory impairments in individuals at familial high risk for schizophrenia. <i>Neuropsychology</i> , 2012 , 26, 288-303	3.8	28
59	Frequency and pattern of childhood symptom onset reported by first episode schizophrenia and clinical high risk youth. <i>Schizophrenia Research</i> , 2014 , 158, 45-51	3.6	22
58	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015 , 9, 467-75	3.3	22
57	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion Among Clinically High Risk Youth Developing Psychotic Disorders. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 13-22	4.9	22
56	Medial temporal lobe default mode functioning and hippocampal structure as vulnerability indicators for schizophrenia: a MRI study of non-psychotic adolescent first-degree relatives. <i>Schizophrenia Research</i> , 2014 , 159, 426-34	3.6	21
55	Working memory network alterations and associated symptoms in adults with ADHD and Bipolar Disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 476-83	5.2	21
54	Neural correlates of cognitive deficits across developmental phases of schizophrenia. <i>Neurobiology of Disease</i> , 2019 , 131, 104353	7.5	21
53	Can self-reported behavioral scales assess executive function deficits? A controlled study of adults with ADHD. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 240-6	1.8	20
52	Prevention and recovery in early psychosis (PREP(□)): building a public-academic partnership program in Massachusetts, United States. <i>Asian Journal of Psychiatry</i> , 2013 , 6, 171-7	6.7	19
51	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020 , 177, 164-171	11.9	19
50	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016 , 172, 106-13	3.6	18
49	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. <i>Schizophrenia Research</i> , 2019 , 204, 311-319	3.6	17
48	Detecting reliable cognitive change in individual patients with the MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2014 , 159, 182-7	3.6	17
47	Early auditory processing evoked potentials (N100) show a continuum of blunting from clinical high risk to psychosis in a pediatric sample. <i>Schizophrenia Research</i> , 2015 , 169, 340-345	3.6	15
46	Altered Cellular White Matter But Not Extracellular Free Water on Diffusion MRI in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2019 , 176, 820-828	11.9	14

45	Subclinical delusional thinking predicts lateral temporal cortex responses during social reflection. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 273-82	4	14
44	Working memory in schizotypal personality disorder: fMRI activation and deactivation differences. <i>Schizophrenia Research</i> , 2013 , 151, 113-23	3.6	14
43	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. <i>Schizophrenia Research</i> , 2018 , 195, 306-317	3.6	14
42	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020 , 226, 30-37	3.6	14
41	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , 2020 ,	3.6	14
40	Further understanding of the comorbidity between Attention-Deficit/Hyperactivity Disorder and bipolar disorder in adults: an MRI study of cortical thickness. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 1-11	2.9	13
39	Medial prefrontal cortical activation during working memory differentiates schizophrenia and bipolar psychotic patients: a pilot FMRI study. <i>Schizophrenia Research</i> , 2011 , 129, 208-10	3.6	13
38	Hyperactivity of caudate, parahippocampal, and prefrontal regions during working memory in never-medicated persons at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016 , 173, 1-12	3.6	12
37	The impact of premorbid adjustment, neurocognition, and depression on social and role functioning in patients in an early psychosis treatment program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 444-52	2.6	12
36	Neurobiology of Attention-Deficit/Hyperactivity Disorder in Preschoolers. <i>Infants and Young Children</i> , 2006 , 19, 94-108	1	12
35	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020 , 216, 184-191	3.6	12
34	California Verbal Learning Test-II performance in schizophrenia as a function of ascertainment strategy: comparing the first and second phases of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015 , 163, 32-7	3.6	11
33	Utility of an abbreviated questionnaire to identify individuals with ADHD at risk for functional impairments. <i>Journal of Psychiatric Research</i> , 2008 , 42, 304-10	5.2	11
32	Impact of "psychosis risk" identification: Examining predictors of how youth view themselves. <i>Schizophrenia Research</i> , 2019 , 208, 300-307	3.6	11
31	Neural responses during social reflection in relatives of schizophrenia patients: relationship to subclinical delusions. <i>Schizophrenia Research</i> , 2014 , 157, 292-8	3.6	10
30	Verbal and visual-spatial memory impairment in youth at familial risk for schizophrenia or affective psychosis: a pilot study. <i>Schizophrenia Research</i> , 2013 , 144, 122-8	3.6	10
29	Evaluating the impact of cannabis use on thalamic connectivity in youth at clinical high risk of psychosis. <i>BMC Psychiatry</i> , 2015 , 15, 276	4.2	10
28	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020 , 26, 102108	5.3	9

27	Auditory Vigilance and Working Memory in Youth at Familial Risk for Schizophrenia or Affective Psychosis in the Harvard Adolescent Family High Risk Study. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 1026-1037	3.1	8
26	Cingulum bundle abnormalities and risk for schizophrenia. <i>Schizophrenia Research</i> , 2020 , 215, 385-391	3.6	8
25	Metacognition strengthens the association between neurocognition and attenuated psychosis syndrome: Preliminary evidence from a pilot study among treatment-seeking versus healthy adolescents. <i>Schizophrenia Research</i> , 2019 , 210, 207-214	3.6	7
24	Working with Asian American youth at clinical high risk for psychosis: a case illustration. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 484-9	1.8	7
23	Altered resting-state functional connectivity in young children at familial high risk for psychotic illness: A preliminary study. <i>Schizophrenia Research</i> , 2020 , 216, 496-503	3.6	7
22	A comparison of neurocognition and functioning in first episode psychosis populations: do research samples reflect the real world?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 291-301	4.5	6
21	Abnormal relationships between local and global brain measures in subjects at clinical high risk for psychosis: a pilot study. <i>Brain Imaging and Behavior</i> , 2018 , 12, 974-988	4.1	5
20	Neurocognitive and clinical dysfunction in adult Chinese, nonpsychotic relatives of patients with schizophrenia: Findings from the Changsha study and evidence for schizotaxia. <i>Asian Journal of Psychiatry</i> , 2012 , 5, 83-92	6.7	5
19	Development of a Boston Treatment Program for Youth at Clinical High Risk for Psychosis: Center for Early Detection, Assessment, and Response to Risk (CEDAR). <i>Harvard Review of Psychiatry</i> , 2018 , 26, 274-286	4.1	5
18	Longitudinal determinants of client treatment satisfaction in an intensive first-episode psychosis treatment programme. <i>Microbial Biotechnology</i> , 2017 , 11, 354-362	3.3	4
17	Advancing study of cognitive impairments for antipsychotic-naïve psychosis comparing high-income versus low- and middle-income countries with a focus on urban China: Systematic review of cognition and study methodology. <i>Schizophrenia Research</i> , 2020 , 220, 1-15	3.6	4
16	Family-Directed Cognitive Adaptation Pilot: Teaching Cognitive Adaptation to Families of Individuals with Schizophrenia. <i>American Journal of Psychiatric Rehabilitation</i> , 2016 , 19, 62-74		4
15	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 562-574	1.3	4
14	Neuropsychologically informed strategic psychotherapy in teenagers and adults with ADHD. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2014 , 23, 843-52	3.3	3
13	Adapting cognitive remediation to a group home: A brief report. <i>Asian Journal of Psychiatry</i> , 2017 , 25, 184-187	6.7	3
12	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 72-77	3.6	2
11	Neuropsychological and Structural Neuroimaging Endophenotypes in Schizophrenia 2016 , 1-35		1
10	Neuropsychology of ADHD and other disorders of childhood285-299		1

9	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. <i>Psychiatric Research and Clinical Practice</i> , 2021 , 3, 163-171	2.7	1
8	Abnormal Function in Dentate Nuclei Precedes the Onset of Psychosis: A Resting-State fMRI Study in High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1421-1430	1.3	1
7	Hyperactivation of Posterior Default Mode Network During Self-Referential Processing in Children at Familial High-Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 613142	5	1
6	The characteristics of cognitive neuroscience tests in a schizophrenia cognition clinical trial: Psychometric properties and correlations with standard measures. <i>Schizophrenia Research: Cognition</i> , 2020 , 19, 100161	2.8	0
5	Family history of psychosis in youth at clinical high risk: A replication study.. <i>Psychiatry Research</i> , 2022 , 311, 114480	9.9	0
4	13. The Extents of Extracellular and Brain Tissue Related Abnormalities in Subjects at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, S11-S12	1.3	
3	Neuropsychological Assessment and Neurophysiological Evaluation 2015 , 597-616		
2	The neuropsychology of psychiatric disorders 283-284		
1	Intervention Strategies for Attenuated Psychosis Syndromes: A Review of Current Practice, Evidence, and Future Directions 2019 , 41-63		