

Bente Jespersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1051151/publications.pdf>

Version: 2024-02-01

137
papers

2,563
citations

201575

27
h-index

265120

42
g-index

140
all docs

140
docs citations

140
times ranked

3747
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized Controlled Trial on Safety of Steroid Avoidance in Immunologically Low-Risk Kidney Transplant Recipients. <i>Kidney International Reports</i> , 2022, 7, 259-269.	0.4	8
2	Proteinuria is accompanied by intratubular complement activation and apical membrane deposition of C3dg and C5b-9 in kidney transplant recipients. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F150-F163.	1.3	9
3	Integrative omics reveals subtle molecular perturbations following ischemic conditioning in a porcine kidney transplant model. <i>Clinical Proteomics</i> , 2022, 19, 6.	1.1	1
4	Pretransplant endotrophin predicts delayed graft function after kidney transplantation. <i>Scientific Reports</i> , 2022, 12, 4079.	1.6	10
5	Corticomedullary shunting after ischaemia and reperfusion in the porcine kidney?. <i>BMC Nephrology</i> , 2022, 23, 146.	0.8	2
6	A comparison of four established GFR formulas to estimate measured GFR and changes in GFR in adult kidney transplant recipients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 296-303.	0.6	2
7	Reversibility of oxalate nephropathy in a kidney transplant recipient with prior gastric bypass surgery. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1478-1480.	1.4	1
8	Mesenchymal stromal cell treatment of donor kidneys during ex vivo normothermic machine perfusion: A porcine renal autotransplantation study. <i>American Journal of Transplantation</i> , 2021, 21, 2348-2359.	2.6	26
9	Effects of enhanced versus reduced vasodilating treatment on brachial and central blood pressure in patients with chronic kidney disease: a randomized controlled trial. <i>Journal of Hypertension</i> , 2021, 39, 2232-2240.	0.3	3
10	Elevated plasma free thiols are associated with early and one-year graft function in renal transplant recipients. <i>PLoS ONE</i> , 2021, 16, e0255930.	1.1	4
11	Dynamics of circulating dendritic cells and cytokines after kidney transplantation—No effect of remote ischaemic conditioning. <i>Clinical and Experimental Immunology</i> , 2021, 206, 226-236.	1.1	2
12	Intratympanic expression of CD38 in patients with post-transplant lymphoproliferative disorder. <i>Acta Oncologica</i> , 2021, 60, 1637-1642.	0.8	2
13	Improved Normothermic Machine Perfusion After Short Oxygenated Hypothermic Machine Perfusion of Ischemically Injured Porcine Kidneys. <i>Transplantation Direct</i> , 2021, 7, e653.	0.8	5
14	Ex Vivo Administration of Mesenchymal Stromal Cells in Kidney Grafts Against Ischemia-reperfusion Injury—Effective Delivery Without Kidney Function Improvement Posttransplant. <i>Transplantation</i> , 2021, 105, 517-528.	0.5	12
15	Editorial: Therapeutic Drug Monitoring in Solid Organ Transplantation. <i>Frontiers in Pharmacology</i> , 2021, 12, 815117.	1.6	4
16	Goal-Directed Fluid Therapy Does Not Improve Early Glomerular Filtration Rate in a Porcine Renal Transplantation Model. <i>Anesthesia and Analgesia</i> , 2020, 130, 599-609.	1.1	8
17	Hyperpolarised ¹³ C-MRI metabolic and functional imaging: an emerging renal MR diagnostic modality. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 23-32.	1.1	9
18	Metformin use and early lactate levels in critically ill patients according to chronic and acute renal impairment. <i>Critical Care</i> , 2020, 24, 585.	2.5	6

#	ARTICLE	IF	CITATIONS
19	Subclinical effects of remote ischaemic conditioning in human kidney transplants revealed by quantitative proteomics. <i>Clinical Proteomics</i> , 2020, 17, 39.	1.1	7
20	Reparative effect of mesenchymal stromal cells on endothelial cells after hypoxic and inflammatory injury. <i>Stem Cell Research and Therapy</i> , 2020, 11, 352.	2.4	16
21	Treating Ischemically Damaged Porcine Kidneys with Human Bone Marrow- and Adipose Tissue-Derived Mesenchymal Stromal Cells During Ex Vivo Normothermic Machine Perfusion. <i>Stem Cells and Development</i> , 2020, 29, 1320-1330.	1.1	27
22	High-sensitivity Troponin T in hemodialysis patients: a randomized placebo-controlled sub-study investigating angiotensin-II-blockade, variation over time and associations with clinical outcome. <i>BMC Nephrology</i> , 2020, 21, 452.	0.8	2
23	Reparative effect of mesenchymal stromal cells on endothelial cells after ischemic and inflammatory injury. <i>Cytotherapy</i> , 2020, 22, S171-S172.	0.3	1
24	Organ-specific metabolic profiles of the liver and kidney during brain death and afterwards during normothermic machine perfusion of the kidney. <i>American Journal of Transplantation</i> , 2020, 20, 2425-2436.	2.6	12
25	Prognostic impact of elevated lactate levels on mortality in critically ill patients with and without preadmission metformin treatment: a Danish registry-based cohort study. <i>Annals of Intensive Care</i> , 2020, 10, 36.	2.2	10
26	Mesenchymal Stromal Cells Are Retained in the Porcine Renal Cortex Independently of Their Metabolic State After Renal Intra-Arterial Infusion. <i>Stem Cells and Development</i> , 2019, 28, 1224-1235.	1.1	22
27	Infusing Mesenchymal Stromal Cells into Porcine Kidneys during Normothermic Machine Perfusion: Intact MSCs Can Be Traced and Localised to Glomeruli. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3607.	1.8	48
28	Early Immunological Effects of Ischemia-Reperfusion Injury: No Modulation by Ischemic Preconditioning in a Randomised Crossover Trial in Healthy Humans. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2877.	1.8	4
29	SP756A biomarker of collagen type VI formation is associated to allograft outcome in kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
30	FP310ROUTINE CONTRAST CORONARY AND VASCULAR CT ANGIOGRAPHY DOES NOT ACCELERATE RENAL FUNCTION DECLINE IN CKD5. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
31	P-NGAL Day 1 predicts early but not one year graft function following deceased donor kidney transplantation "The CONTEXT study. <i>PLoS ONE</i> , 2019, 14, e0212676.	1.1	14
32	Effects of Normothermic Machine Perfusion Conditions on Mesenchymal Stromal Cells. <i>Frontiers in Immunology</i> , 2019, 10, 765.	2.2	32
33	Effects of additional vasodilatory or nonvasodilatory treatment on renal function, vascular resistance and oxygenation in chronic kidney disease. <i>Journal of Hypertension</i> , 2019, 37, 116-124.	0.3	9
34	Remote ischaemic conditioning and early changes in plasma creatinine as markers of one year kidney graft function" A follow-up of the CONTEXT study. <i>PLoS ONE</i> , 2019, 14, e0226882.	1.1	12
35	A Pilot Study of Postoperative Animal Welfare as a Guidance Tool in the Development of a Kidney Autotransplantation Model With Extended Warm Ischemia. <i>Transplantation Direct</i> , 2019, 5, e495.	0.8	8
36	Organ-specific responses during brain death: increased aerobic metabolism in the liver and anaerobic metabolism with decreased perfusion in the kidneys. <i>Scientific Reports</i> , 2018, 8, 4405.	1.6	22

#	ARTICLE	IF	CITATIONS
37	SP702P-NGAL PREDICTS EARLY, BUT NOT ONE-YEAR GRAFT FUNCTION AFTER DECEASED DONOR KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i583-i583.	0.4	0
38	A triangulated evaluation of a youth clinic for patients with kidney disease. <i>Journal of Renal Care</i> , 2018, 44, 210-218.	0.6	5
39	Identification of differential gene expression patterns in human arteries from patients with chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F1117-F1128.	1.3	7
40	Long-term effects of angiotensin II blockade with irbesartan on inflammatory markers in hemodialysis patients: A randomized double blind placebo controlled trial (SAFIR study). <i>Hemodialysis International</i> , 2017, 21, 47-62.	0.4	5
41	Mesenchymal Stromal Cells as Anti-Inflammatory and Regenerative Mediators for Donor Kidneys During Normothermic Machine Perfusion. <i>Stem Cells and Development</i> , 2017, 26, 1162-1170.	1.1	39
42	Urine liver fatty acid binding protein and chronic kidney disease progression. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 549-554.	0.6	12
43	Quality of life development during initial hemodialysis therapy and association with loss of residual renal function. <i>Hemodialysis International</i> , 2017, 21, 409-421.	0.4	14
44	Risk and prognosis of bacteremia and fungemia among first-time kidney transplant recipients: a population-based cohort study. <i>Infectious Diseases</i> , 2017, 49, 286-295.	1.4	5
45	Unilateral nephrectomy diminishes ischemic acute kidney injury through enhanced perfusion and reduced pro-inflammatory and pro-fibrotic responses. <i>PLoS ONE</i> , 2017, 12, e0190009.	1.1	19
46	Detection of <i>Pneumocystis jirovecii</i> in oral wash from immunosuppressed patients as a diagnostic tool. <i>PLoS ONE</i> , 2017, 12, e0174012.	1.1	13
47	The unsuitability of implantable Doppler probes for the early detection of renal vascular complications – a porcine model for prevention of renal transplant loss. <i>PLoS ONE</i> , 2017, 12, e0178301.	1.1	8
48	Brain swelling during dialysis: A randomized trial comparing low-flux hemodialysis with pre-dilution hemodiafiltration. <i>Clinical Nephrology</i> , 2017, 87, 221-230.	0.4	2
49	MP574RESPONSE OF FIBROBLAST GROWTH FACTOR 23 TO A PHOSPHATE-RICH MEAL. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i531-i532.	0.4	0
50	Post-transplant lymphoproliferative disorder following kidney transplantation: a population-based cohort study. <i>Transplant International</i> , 2016, 29, 483-493.	0.8	20
51	A new method of modelling early plasma creatinine changes predicts 1-year graft function after kidney transplantation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 319-323.	0.6	5
52	Risk and Prognosis of Bacteremia and Fungemia among Peritoneal Dialysis Patients: A Population-Based Cohort Study. <i>Peritoneal Dialysis International</i> , 2016, 36, 647-654.	1.1	10
53	Infective endocarditis in patients receiving chronic hemodialysis: A 21-year observational cohort study in Denmark. <i>American Heart Journal</i> , 2016, 182, 36-43.	1.2	23
54	Risk and outcome of pyelonephritis among renal transplant recipients. <i>BMC Infectious Diseases</i> , 2016, 16, 264.	1.3	27

#	ARTICLE	IF	CITATIONS
55	SO013REMOTE ISCHAEMIC CONDITIONING ON RECIPIENTS OF DECEASED RENAL TRANSPLANTS DOES NOT IMPROVE EARLY GRAFT FUNCTION. A MULTICENTRE, RANDOMISED, CONTROLLED CLINICAL TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i6-i6.	0.4	0
56	Changes in the renin-angiotensin-aldosterone system in response to dietary salt intake in normal and hypertensive pregnancy. A randomized trial. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 881-890.e4.	2.3	11
57	Adding Medicine During Machine Perfusion. <i>Transplantation</i> , 2016, 100, 2524-2525.	0.5	1
58	Testing Danegaptide Effects on Kidney Function after Ischemia/Reperfusion Injury in a New Porcine Two Week Model. <i>PLoS ONE</i> , 2016, 11, e0164109.	1.1	11
59	Response of fibroblast growth factor 21 to meal intake and insulin infusion in patients on maintenance haemodialysis. <i>Clinical Endocrinology</i> , 2015, 83, 187-195.	1.2	8
60	HLA Associations and Risk of Posttransplant Lymphoproliferative Disorder in a Danish Population-Based Cohort. <i>Transplantation Direct</i> , 2015, 1, e25.	0.8	4
61	Risk and Prognosis of Bloodstream Infections among Patients on Chronic Hemodialysis: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0124547.	1.1	55
62	Short and Long-Term Effects of the Angiotensin II Receptor Blocker Irbesartan on Intradialytic Central Hemodynamics: A Randomized Double-Blind Placebo-Controlled One-Year Intervention Trial (the SAFIR) <i>Tj ETQq0 0 DrgBT /Overlock 10</i>		
63	No Effect of Remote Ischemic Conditioning Strategies on Recovery from Renal Ischemia-Reperfusion Injury and Protective Molecular Mediators. <i>PLoS ONE</i> , 2015, 10, e0146109.	1.1	13
64	Risk and prognosis of <i>Staphylococcus aureus</i> bacteremia among individuals with and without end-stage renal disease: a Danish, population-based cohort study. <i>BMC Infectious Diseases</i> , 2015, 15, 6.	1.3	48
65	Influenza virus vaccination and kidney graft rejection: causality or coincidence. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 325-328.	1.4	16
66	Molecular Mechanisms of Renal Ischemic Conditioning Strategies. <i>European Surgical Research</i> , 2015, 55, 151-183.	0.6	23
67	The Authors Reply. <i>Kidney International</i> , 2015, 88, 193-194.	2.6	0
68	Expression of hypoxia-inducible factor-1 α and hepatocyte growth factor in development of fibrosis in the transplanted kidney. <i>Transplant International</i> , 2015, 28, 180-190.	0.8	14
69	Occurrence and prognostic relevance of CD30 expression in post-transplant lymphoproliferative disorders. <i>Leukemia and Lymphoma</i> , 2015, 56, 1677-1685.	0.6	32
70	Remote ischaemic conditioning on recipients of deceased renal transplants, effect on immediate and extended kidney graft function: a multicentre, randomised controlled trial protocol (CONTEXT). <i>BMJ Open</i> , 2015, 5, e007941.	0.8	18
71	Evaluation of Renal Blood Flow and Oxygenation in CKD Using Magnetic Resonance Imaging. <i>American Journal of Kidney Diseases</i> , 2015, 66, 402-411.	2.1	63
72	High-Protein Diets and Renal Health. , 2015, 25, 1-5.		38

#	ARTICLE	IF	CITATIONS
73	Renal function three years after early conversion from a calcineurin inhibitor to everolimus: results from a randomized trial in kidney transplantation. <i>Transplant International</i> , 2015, 28, 42-51.	0.8	37
74	Three-year risk of cardiovascular disease among intensive care patients with acute kidney injury: a population-based cohort study. <i>Critical Care</i> , 2014, 18, 492.	2.5	67
75	Reproducibility of MRI renal artery blood flow and BOLD measurements in patients with chronic kidney disease and healthy controls. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1091-1098.	1.9	44
76	Angiotensin Blockade and Progressive Loss of Kidney Function in Hemodialysis Patients: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2014, 64, 892-901.	2.1	29
77	Impaired postprandial response of the insulin-like growth factor system in maintenance haemodialysis. <i>Clinical Endocrinology</i> , 2014, 80, 757-765.	1.2	5
78	<i>Pneumocystis jirovecii</i> pneumonia in patients with end-stage renal disease: a comparison with the general population. <i>Scandinavian Journal of Infectious Diseases</i> , 2014, 46, 704-711.	1.5	8
79	Risk and Prognosis of Cancer in Patients with Nephrotic Syndrome. <i>American Journal of Medicine</i> , 2014, 127, 871-877.e1.	0.6	18
80	No significant effect of angiotensin II receptor blockade on intermediate cardiovascular end points in hemodialysis patients. <i>Kidney International</i> , 2014, 86, 625-637.	2.6	41
81	Kidney disease and risk of venous thromboembolism: a nationwide population-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1449-1454.	1.9	72
82	An in-progress, open-label, multi-centre study (SAILOR) evaluating whether a steroid-free immunosuppressive protocol, based on ATG induction and a low tacrolimus dose, reduces the incidence of new onset diabetes after transplantation. <i>Transplantation Research</i> , 2014, 3, 12.	1.5	8
83	No effect of remote ischaemic conditioning on inflammation in a porcine kidney transplantation model. <i>Transplant Immunology</i> , 2014, 31, 98-104.	0.6	10
84	Tumor Microenvironmental Features and Outcome in Post-Transplant Lymphoproliferative Disorder. <i>Blood</i> , 2014, 124, 1617-1617.	0.6	1
85	±-Melanocyte Stimulating Hormone Treatment in Pigs Does Not Improve Early Graft Function in Kidney Transplants from Brain Dead Donors. <i>PLoS ONE</i> , 2014, 9, e94609.	1.1	2
86	ARA290, a non-erythropoietic EPO derivative, attenuates renal ischemia/reperfusion injury. <i>Journal of Translational Medicine</i> , 2013, 11, 9.	1.8	35
87	Risk of human papillomavirus-related cancers among kidney transplant recipients and patients receiving chronic dialysis - an observational cohort study. <i>BMC Nephrology</i> , 2013, 14, 137.	0.8	21
88	Effect of hyperinsulinemia during hemodialysis on the insulin-like growth factor system and inflammatory biomarkers: a randomized open-label crossover study. <i>BMC Nephrology</i> , 2013, 14, 80.	0.8	37
89	Reliability of endogenous markers for estimation of residual renal function in haemodialysis patients. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 224-232.	0.5	4
90	Five-year risk of end-stage renal disease among intensive care patients surviving dialysis-requiring acute kidney injury: a nationwide cohort study. <i>Critical Care</i> , 2013, 17, R145.	2.5	70

#	ARTICLE	IF	CITATIONS
91	Cell injury after ischemia and reperfusion in the porcine kidney evaluated by radiolabelled microspheres, sestamibi, and lactadherin. <i>EJNMMI Research</i> , 2013, 3, 62.	1.1	3
92	The effects of calcineurin inhibitors on prostanoid synthesis: a randomized cross-over study in healthy humans. <i>Transplant International</i> , 2013, 26, 131-137.	0.8	5
93	Remission of nephrotic syndrome diminishes urinary plasmin content and abolishes activation of ENaC. <i>Pediatric Nephrology</i> , 2013, 28, 1227-1234.	0.9	42
94	Central nervous system infections among individuals with and without end-stage renal disease. <i>Journal of Infection</i> , 2013, 67, 19-26.	1.7	4
95	Genetics of steroid-resistant nephrotic syndrome: a review of mutation spectrum and suggested approach for genetic testing. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 844-856.	0.7	32
96	High plasma aldosterone is associated with a risk of reversible decreased eGFR in childhood idiopathic nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 944-952.	0.4	5
97	Endogenous Markers for Estimation of Renal Function in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2013, 33, 195-204.	1.1	7
98	Determinants of bone mineral density in patients on haemodialysis or peritoneal dialysis – a cross-sectional, longitudinal study. <i>Biochemia Medica</i> , 2013, 23, 342-350.	1.2	10
99	Measurement Adherence in the Blood Pressure Self-Measurement Room. <i>Telemedicine Journal and E-Health</i> , 2013, 19, 826-833.	1.6	24
100	Aortic pulse wave velocity results depend on which carotid artery is used for the measurements. <i>Journal of Hypertension</i> , 2013, 31, 117-122.	0.3	12
101	Fast Detection of Renal Ischemia in Transplanted Kidneys With Delayed Graft Function – An Experimental Study. <i>Transplantation</i> , 2013, 95, 275-279.	0.5	12
102	Renal and cardiovascular effects of irbesartan in dialysis patients – a randomized controlled trial protocol (SAFIR study). <i>Danish Medical Journal</i> , 2013, 60, A4602.	0.5	9
103	Urinary Plasmin Activates Collecting Duct ENaC Current in Preeclampsia. <i>Hypertension</i> , 2012, 60, 1346-1351.	1.3	59
104	AlphaLISA versus ELISA-based detection of interleukin 18 in healthy subjects and patients with end-stage renal disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 583-592.	0.6	9
105	Risk and Prognosis of Hospitalization for Pneumonia Among Individuals With and Without Functioning Renal Transplants in Denmark: A Population-Based Study. <i>Clinical Infectious Diseases</i> , 2012, 55, 679-686.	2.9	16
106	Should all adult patients with diarrhoea-associated HUS receive plasma exchange?. <i>Lancet, The</i> , 2012, 379, 515-516.	6.3	5
107	One-year mortality among Danish intensive care patients with acute kidney injury: a cohort study. <i>Critical Care</i> , 2012, 16, R124.	2.5	74
108	NGAL excretion is higher from the healthy side than from the injured side in unilateral acute kidney injury. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 510-512.	0.6	5

#	ARTICLE	IF	CITATIONS
109	Effect of remote ischemic conditioning on dendritic cell number in blood after renal transplantation â€” flow cytometry in a porcine model. <i>Transplant Immunology</i> , 2012, 26, 146-150.	0.6	11
110	Plasma and urine proteomic profiles in childhood idiopathic nephrotic syndrome. <i>Proteomics - Clinical Applications</i> , 2012, 6, 382-393.	0.8	20
111	Identification of Risk Factors for Vascular Thrombosis May Reduce Early Renal Graft Loss: A Review of Recent Literature. <i>Journal of Transplantation</i> , 2012, 2012, 1-9.	0.3	76
112	Improved Renal Function After Early Conversion From a Calcineurin Inhibitor to Everolimus: a Randomized Trial in Kidney Transplantation. <i>American Journal of Transplantation</i> , 2012, 12, 2744-2753.	2.6	86
113	Early outcome in renal transplantation from large donors to small and size-matched recipients â€” A porcine experimental model. <i>Pediatric Transplantation</i> , 2012, 16, 599-606.	0.5	1
114	Improved GFR and renal plasma perfusion following remote ischaemic conditioning in a porcine kidney transplantation model. <i>Transplant International</i> , 2012, 25, 1002-1012.	0.8	34
115	Comparison of Gd-TPA and Gd-BOPTA for studying renal perfusion and filtration. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 595-607.	1.9	17
116	Preserving residual renal function in dialysis patients: an update on evidence to assist clinical decision making. <i>CKJ: Clinical Kidney Journal</i> , 2011, 4, 225-230.	1.4	12
117	Reliability of ⁵¹ Cr-EDTA plasma and urinary clearance as a measure of residual renal function in dialysis patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 663-669.	0.6	6
118	Advantages and Controversies in the Era of Intrarenal Volumetry. <i>American Journal of Nephrology</i> , 2011, 33, 40-45.	1.4	5
119	Management of diuretic treatment: A challenge in the obese patient. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 220-222.	1.4	4
120	Early age at debut is a predictor of steroid-dependent and frequent relapsing nephrotic syndrome. <i>Pediatric Nephrology</i> , 2010, 25, 1299-1304.	0.9	55
121	Posttransplant Lymphoproliferative Disorders (PTLD) After Renal Transplantation: Focus on HLA Antigens. <i>Blood</i> , 2010, 116, 5074-5074.	0.6	1
122	Diagnosis of the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. <i>Southern Medical Journal</i> , 2009, 102, 380-384.	0.3	6
123	Differential effects of immunosuppressive drugs on COX-2 activity in vitro and in kidney transplant patients in vivo. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1644-1655.	0.4	16
124	Early high-dose immunosuppression in Henoch-Schönlein nephrotic syndrome may improve outcome. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 409-415.	1.4	24
125	Plasmin in Nephrotic Urine Activates the Epithelial Sodium Channel. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 299-310.	3.0	236
126	Avoiding steroids in pediatric renal transplantation: Long-term experience from a single centre. <i>Pediatric Transplantation</i> , 2007, 11, 730-735.	0.5	17

#	ARTICLE	IF	CITATIONS
127	Steroid-free immunosuppression after renal transplantationâ€”long-term experience from a single centre. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1966-1973.	0.4	15
128	Inhibition of cGMP-specific phosphodiesterase type 5 reduces sodium excretion and arterial blood pressure in patients with NaCl retention and ascites. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F1044-F1052.	1.3	28
129	Sensitive Automated ELISA for Measurement of Vitamin D-Binding Protein (Gc) in Human Urine. <i>Clinical Chemistry</i> , 2005, 51, 1016-1018.	1.5	6
130	Recurrent hydronephrosis causing acute uraemia in a renal transplant donor without the presence of stones or stricture. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1017-1018.	0.4	2
131	Nitric oxide synthase inhibition does not improve renal function in cirrhotic patients with ascites. <i>American Journal of Gastroenterology</i> , 2003, 98, 180-186.	0.2	22
132	Acute Cardiovascular Effect of 1,25-Dihydroxycholecalciferol in Essential Hypertension. <i>American Journal of Hypertension</i> , 1998, 11, 659-666.	1.0	24
133	Effects of PTH(1-34) on Blood Pressure, Renal Function, and Hormones in Essential Hypertension The Altered Pattern of Reactivity May Counteract Raised Blood Pressure. <i>American Journal of Hypertension</i> , 1997, 10, 1356-1367.	1.0	29
134	Atrial Natriuretic Peptide and Parathyroid Hormone (1â€”84) in Relation to Noradrenaline Induced Changes in Blood Pressure in Uraemic and Healthy Subjects. <i>Scandinavian Journal of Urology and Nephrology</i> , 1992, 26, 269-274.	1.4	4
135	Differentiation Between Renovascular and Essential Hypertension by Means of Changes in Single Kidney ^{99m} Tc-DTPA Clearance Induced by Angiotensin-Converting Enzyme Inhibition. <i>American Journal of Hypertension</i> , 1989, 2, 323-334.	1.0	15
136	Urinary Prostaglandin E2 and F2± Excretion in Nephrotic Syndrome during Basal Conditions, after Water Loading, and after Remission of the Syndrome. <i>Acta Medica Scandinavica</i> , 1988, 224, 69-77.	0.0	0
137	Contamination of intravenous infusion systemsâ€”the effect of changing administration sets. <i>Journal of Hospital Infection</i> , 1986, 8, 217-223.	1.4	16