## Qiongman Kong

## List of Publications by Citations

Source: https://exaly.com/author-pdf/10516186/qiongman-kong-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21 1,507 17 21 g-index

21 1,699 7 4.01 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
21	Oxidative damage to RNA: mechanisms, consequences, and diseases. <i>Cellular and Molecular Life Sciences</i> , <b>2010</b> , 67, 1817-29	10.3	207
20	Messenger RNA oxidation occurs early in disease pathogenesis and promotes motor neuron degeneration in ALS. <i>PLoS ONE</i> , <b>2008</b> , 3, e2849	3.7	143
19	An RGD sequence in the P2Y(2) receptor interacts with alpha(V)beta(3) integrins and is required for G(o)-mediated signal transduction. <i>Journal of Cell Biology</i> , <b>2001</b> , 153, 491-501	7.3	137
18	P2X7 receptors stimulate AKT phosphorylation in astrocytes. <i>British Journal of Pharmacology</i> , <b>2004</b> , 141, 1106-17	8.6	103
17	Functional P2Y2 nucleotide receptors mediate uridine 5atriphosphate-induced intimal hyperplasia in collared rabbit carotid arteries. <i>Circulation</i> , <b>2002</b> , 106, 2720-6	16.7	100
16	Small-molecule activator of glutamate transporter EAAT2 translation provides neuroprotection. <i>Journal of Clinical Investigation</i> , <b>2014</b> , 124, 1255-67	15.9	94
15	The P2Y2 nucleotide receptor mediates UTP-induced vascular cell adhesion molecule-1 expression in coronary artery endothelial cells. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 24960-5	5.4	89
14	P2Y nucleotide receptor interaction with alpha integrin mediates astrocyte migration. <i>Journal of Neurochemistry</i> , <b>2005</b> , 95, 630-40	6	82
13	Restored glial glutamate transporter EAAT2 function as a potential therapeutic approach for Alzheimera disease. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 319-32	16.6	80
12	Glutamate transporter EAAT2: a new target for the treatment of neurodegenerative diseases. <i>Future Medicinal Chemistry</i> , <b>2012</b> , 4, 1689-700	4.1	75
11	Identification of translational activators of glial glutamate transporter EAAT2 through cell-based high-throughput screening: an approach to prevent excitotoxicity. <i>Journal of Biomolecular Screening</i> , <b>2010</b> , 15, 653-62		74
10	Increased glial glutamate transporter EAAT2 expression reduces epileptogenic processes following pilocarpine-induced status epilepticus. <i>Neurobiology of Disease</i> , <b>2012</b> , 47, 145-54	7.5	67
9	Increased expression of cholesterol 24S-hydroxylase results in disruption of glial glutamate transporter EAAT2 association with lipid rafts: a potential role in Alzheimeræ disease. <i>Journal of Neurochemistry</i> , <b>2010</b> , 113, 978-89	6	54
8	Interleukin-1beta enhances nucleotide-induced and alpha-secretase-dependent amyloid precursor protein processing in rat primary cortical neurons via up-regulation of the P2Y(2) receptor. <i>Journal of Neurochemistry</i> , <b>2009</b> , 109, 1300-10	6	50
7	P2X(7) nucleotide receptors mediate caspase-8/9/3-dependent apoptosis in rat primary cortical neurons. <i>Purinergic Signalling</i> , <b>2005</b> , 1, 337-47	3.8	49
6	Structure-activity relationship study of pyridazine derivatives as glutamate transporter EAAT2 activators. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2011</b> , 21, 5774-7	2.9	37
5	RNA oxidation: a contributing factor or an epiphenomenon in the process of neurodegeneration. <i>Free Radical Research</i> , <b>2008</b> , 42, 773-7	4	22

## LIST OF PUBLICATIONS

4	The importance of preclinical trial timing - a potential reason for the disconnect between mouse studies and human clinical trials in ALS. <i>CNS Neuroscience and Therapeutics</i> , <b>2012</b> , 18, 791-3	6.8	15
3	P2 receptors in atherosclerosis and postangioplasty restenosis. <i>Purinergic Signalling</i> , <b>2007</b> , 3, 153-62	3.8	11
2	P2 receptors in atherosclerosis and postangioplasty restenosis. <i>Purinergic Signalling</i> , <b>2006</b> , 2, 471-80	3.8	11
1	The presence of rRNA sequences in polyadenylated RNA and its potential functions. <i>Biotechnology Journal</i> , <b>2008</b> , 3, 1041-6	5.6	7