

# Koji Kasanuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10518975/publications.pdf>

Version: 2024-02-01

41  
papers

1,026  
citations

430874

18  
h-index

434195

31  
g-index

42  
all docs

42  
docs citations

42  
times ranked

1574  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitochondrial genomic variation in dementia with Lewy bodies: association with disease risk and neuropathological measures. <i>Acta Neuropathologica Communications</i> , 2022, 10, .	5.2	0
2	Lewy Body Disease is a Contributor to Logopenic Progressive Aphasia Phenotype. <i>Annals of Neurology</i> , 2021, 89, 520-533.	5.3	21
3	Evaluation of Associations of Alzheimer's Disease Risk Variants that Are Highly Expressed in Microglia with Neuropathological Outcome Measures. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 659-666.	2.6	6
4	Cerebrovascular pathology presenting as corticobasal syndrome: An autopsy case series of cerebrovascular CBS, Parkinsonism and Related Disorders, 2019, 68, 79-84.	2.2	14
5	The Cingulate Island Sign on FDG-PET vs. IMP-SPECT to Assess Mild Cognitive Impairment in Alzheimer's Disease vs. Dementia with Lewy Bodies. <i>Journal of Neuroimaging</i> , 2019, 29, 712-720.	2.0	18
6	Association of <i>MAPT</i> H1 subhaplotypes with neuropathology of lewy body disease. <i>Movement Disorders</i> , 2019, 34, 1325-1332.	3.9	15
7	Mixed Alzheimer's and Lewy-related Pathology Can Cause Corticobasal Syndrome with Visual Hallucinations. <i>Internal Medicine</i> , 2019, 58, 1813-1813.	0.7	0
8	Daytime sleepiness in dementia with Lewy bodies is associated with neuronal depletion of the nucleus basalis of Meynert. <i>Parkinsonism and Related Disorders</i> , 2018, 50, 99-103.	2.2	22
9	Relationships between lewy and tau pathologies in 375 consecutive non-Alzheimer's olfactory bulbs. <i>Movement Disorders</i> , 2018, 33, 333-334.	3.9	1
10	<i>CSF1R</i> -related leukoencephalopathy. <i>Neurology</i> , 2018, 91, 1092-1104.	1.1	126
11	Diffuse Lewy body disease manifesting as corticobasal syndrome. <i>Neurology</i> , 2018, 91, e268-e279.	1.1	37
12	Î-synuclein astrogliopathy: A possible specific feature in Î-synucleinopathy. <i>Neuropathology</i> , 2017, 37, 379-381.	1.2	5
13	Cognitive impairment in progressive supranuclear palsy is associated with tau burden. <i>Movement Disorders</i> , 2017, 32, 1772-1779.	3.9	46
14	Regional analysis and genetic association of nigrostriatal degeneration in Lewy body disease. <i>Movement Disorders</i> , 2017, 32, 1584-1593.	3.9	15
15	Parkinson's disease susceptibility variants and severity of Lewy body pathology. <i>Parkinsonism and Related Disorders</i> , 2017, 44, 79-84.	2.2	17
16	Reduced orexin immunoreactivity in Perry syndrome and multiple system atrophy. <i>Parkinsonism and Related Disorders</i> , 2017, 42, 85-89.	2.2	9
17	Perry Syndrome: A Distinctive Type of TDP-43 Proteinopathy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2017, 76, 676-682.	1.7	50
18	123I-FP-CIT SPECT findings and its clinical relevance in prodromal dementia with Lewy bodies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 358-365.	6.4	24

#	ARTICLE	IF	CITATIONS
19	CT, MRI, SPECT, and PET in DLB. , 2017, , 131-139.		1
20	Development of Biomarkers Based on DNA Methylation in the NCAPH2/LMF2 Promoter Region for Diagnosis of Alzheimer's Disease and Amnesic Mild Cognitive Impairment. PLoS ONE, 2016, 11, e0146449.	2.5	29
21	Usefulness of DNA Methylation Levels in COASY and SPINT1 Gene Promoter Regions as Biomarkers in Diagnosis of Alzheimer's Disease and Amnesic Mild Cognitive Impairment. PLoS ONE, 2016, 11, e0168816.	2.5	26
22	Serum insulin-like growth factor and amyloid beta protein in Alzheimer's disease: relationship with cognitive function. Psychogeriatrics, 2016, 16, 247-254.	1.2	17
23	Prediction of later clinical course by a specific glucose metabolic pattern in non-demented patients with probable REM sleep behavior disorder admitted to a memory clinic: A case study. Psychiatry Research - Neuroimaging, 2016, 248, 151-158.	1.8	12
24	Characteristics of mild cognitive impairment tending to convert into Alzheimer's disease or dementia with Lewy bodies: A follow-up study in a memory clinic. Journal of the Neurological Sciences, 2016, 369, 102-108.	0.6	16
25	Early differential diagnosis between Alzheimer's disease and dementia with Lewy bodies: Comparison between 18F-FDG PET and 123I-IMP SPECT. Psychiatry Research - Neuroimaging, 2016, 249, 105-112.	1.8	14
26	Cognitive dysfunction in patients with very mild Alzheimer's disease and amnesic mild cognitive impairment showing hemispheric asymmetries of hypometabolism on <sup>18</sup> F-FDG PET. International Journal of Geriatric Psychiatry, 2016, 31, 41-48.	2.7	15
27	Genetic Association Between KIBRA Polymorphism and Alzheimer's Disease with in a Japanese Population. NeuroMolecular Medicine, 2015, 17, 170-177.	3.4	9
28	Impaired heart rate variability in patients with dementia with Lewy bodies: Efficacy of electrocardiogram as a supporting diagnostic marker. Parkinsonism and Related Disorders, 2015, 21, 749-754.	2.2	27
29	Visuoperceptual Assessments for Differentiating Dementia with Lewy Bodies and Alzheimer's Disease: Illusory Contours and Other Neuropsychological Examinations. Archives of Clinical Neuropsychology, 2015, 30, 256-263.	0.5	19
30	Clinical profiles of dementia with Lewy bodies with and without Alzheimer's disease-like hypometabolism. International Journal of Geriatric Psychiatry, 2015, 30, 316-323.	2.7	14
31	Primary visual cortical metabolism and rapid eye movement sleep behavior disorder in dementia with Lewy bodies. Psychiatry and Clinical Neurosciences, 2014, 68, 137-144.	1.8	8
32	Three presenile patients in which neuropsychological and neuroimaging examinations suggest possible progression to dementia with Lewy bodies. Psychogeriatrics, 2014, 14, 72-80.	1.2	3
33	Neuropathological investigation of hypocretin expression in brains of dementia with Lewy bodies. Neuroscience Letters, 2014, 569, 68-73.	2.1	25
34	Dementia with Lewy bodies: early diagnostic challenges. Psychogeriatrics, 2013, 13, 128-138.	1.2	79
35	A follow up study of non-demented patients with primary visual cortical hypometabolism: Prodromal dementia with Lewy bodies. Journal of the Neurological Sciences, 2013, 334, 48-54.	0.6	48
36	Levodopa treatment and mood fluctuation in dementia with Lewy bodies: a case report. Psychogeriatrics, 2013, 13, 250-253.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Neuropathological investigation of the hypometabolic regions on positron emission tomography with [18F] fluorodeoxyglucose in patients with dementia with Lewy bodies. <i>Journal of the Neurological Sciences</i> , 2012, 314, 111-119.	0.6	30
38	Glucose hypometabolism in primary visual cortex is commonly associated with clinical features of dementia with Lewy bodies regardless of cognitive conditions. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 1138-1146.	2.7	27
39	Retrospective Survey of Prodromal Symptoms in Dementia with Lewy Bodies: Comparison with Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 273-281.	1.5	67
40	Diffuse occipital hypometabolism on [18F]-FDG PET scans in patients with idiopathic REM sleep behavior disorder: Prodromal dementia with Lewy bodies?. <i>Psychogeriatrics</i> , 2010, 10, 144-152.	1.2	48
41	Distribution of cerebral amyloid deposition and its relevance to clinical phenotype in Lewy body dementia. <i>Neuroscience Letters</i> , 2010, 486, 19-23.	2.1	60