

Jeffrey P Chanton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10520312/publications.pdf>

Version: 2024-02-01

180
papers

11,226
citations

19657

61
h-index

37204

96
g-index

184
all docs

184
docs citations

184
times ranked

9434
citing authors

#	ARTICLE	IF	CITATIONS
1	Greenhouse carbon balance of wetlands: methane emission versus carbon sequestration. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 53, 521.	1.6	55
2	Latitude, Elevation, and Mean Annual Temperature Predict Peat Organic Matter Chemistry at a Global Scale. <i>Global Biogeochemical Cycles</i> , 2022, 36, .	4.9	11
3	Quantifying the inhibitory impact of soluble phenolics on anaerobic carbon mineralization in a thawing permafrost peatland. <i>PLoS ONE</i> , 2022, 17, e0252743.	2.5	1
4	Permafrost thaw driven changes in hydrology and vegetation cover increase trace gas emissions and climate forcing in Stordalen Mire from 1970 to 2014. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2022, 380, 20210022.	3.4	8
5	Methane production controls in a young thermokarst lake formed by abrupt permafrost thaw. <i>Global Change Biology</i> , 2022, 28, 3206-3221.	9.5	7
6	Compositional stability of peat in ecosystem-scale warming mesocosms. <i>PLoS ONE</i> , 2022, 17, e0263994.	2.5	5
7	Improved global wetland carbon isotopic signatures support post-2006 microbial methane emission increase. <i>Communications Earth & Environment</i> , 2022, 3, .	6.8	11
8	Microbial Communities Under Distinct Thermal and Geochemical Regimes in Axial and Off-Axis Sediments of Guaymas Basin. <i>Frontiers in Microbiology</i> , 2021, 12, 633649.	3.5	28
9	Mapping spatial and temporal variation of seafloor organic matter $\delta^{14}C$ and $\delta^{13}C$ in the Northern Gulf of Mexico following the Deepwater Horizon Oil Spill. <i>Marine Pollution Bulletin</i> , 2021, 164, 112076.	5.0	2
10	Soil metabolome response to whole-ecosystem warming at the Spruce and Peatland Responses under Changing Environments experiment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	54
11	Resuspension, Redistribution, and Deposition of Oil-Residues to Offshore Depocenters After the Deepwater Horizon Oil Spill. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	6
12	Molecular Markers of Biogenic and Oil-Derived Hydrocarbons in Deep-Sea Sediments Following the Deepwater Horizon Spill. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	4
13	Radiocarbon Analyses Quantify Peat Carbon Losses With Increasing Temperature in a Whole Ecosystem Warming Experiment. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2021JG006511.	3.0	7
14	Minnesota peat viromes reveal terrestrial and aquatic niche partitioning for local and global viral populations. <i>Microbiome</i> , 2021, 9, 233.	11.1	53
15	Cutover Peat Limits Methane Production Causing Low Emission at a Restored Peatland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, .	3.0	4
16	Characterization of the Sedimentation Associated with the Deepwater Horizon Blowout: Depositional Pulse, Initial Response, and Stabilization. , 2020, , 235-252.		2
17	Mapping Isotopic and Dissolved Organic Matter Baselines in Waters and Sediments of the Gulf of Mexico. , 2020, , 160-181.		2
18	Long-Term Preservation of Oil Spill Events in Sediments: The Case for the Deepwater Horizon Oil Spill in the Northern Gulf of Mexico. , 2020, , 285-300.		2

#	ARTICLE	IF	CITATIONS
19	Controls on Soil Organic Matter Degradation and Subsequent Greenhouse Gas Emissions Across a Permafrost Thaw Gradient in Northern Sweden. <i>Frontiers in Earth Science</i> , 2020, 8, .	1.8	29
20	Rapid Net Carbon Loss From a Whole-Ecosystem Warmed Peatland. <i>AGU Advances</i> , 2020, 1, e2020AV000163.	5.4	69
21	Assessing the Potential for Mobilization of Old Soil Carbon After Permafrost Thaw: A Synthesis of ¹⁴ C Measurements From the Northern Permafrost Region. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006672.	4.9	36
22	INFLUENCES OF UPPER FLORIDAN AQUIFER WATERS ON RADIOCARBON IN THE OTOLITHS OF GRAY SNAPPER (<i>Lutjanus griseus</i>) IN THE GULF OF MEXICO. <i>Radiocarbon</i> , 2020, 62, 1127-1146.	1.8	1
23	The science behind marine-oil snow and MOSSFA: Past, present, and future. <i>Progress in Oceanography</i> , 2020, 187, 102398.	3.2	33
24	Life history of northern Gulf of Mexico Warsaw grouper <i>Hyporthodus nigritus</i> inferred from otolith radiocarbon analysis. <i>PLoS ONE</i> , 2020, 15, e0228254.	2.5	14
25	The southern Gulf of Mexico: A baseline radiocarbon isoscape of surface sediments and isotopic excursions at depth. <i>PLoS ONE</i> , 2020, 15, e0231678.	2.5	7
26	The Sedimentary Record of MOSSFA Events in the Gulf of Mexico: A Comparison of the Deepwater Horizon (2010) and Ixtoc 1 (1979) Oil Spills. , 2020, , 221-234.		3
27	Stable isotopic determination of methane oxidation: When smaller scales are better. <i>Waste Management</i> , 2019, 97, 82-87.	7.4	6
28	Characteristics and Evolution of sill-driven off-axis hydrothermalism in Guaymas Basin – the Ringvent site. <i>Scientific Reports</i> , 2019, 9, 13847.	3.3	33
29	Microbial Community Analyses Inform Geochemical Reaction Network Models for Predicting Pathways of Greenhouse Gas Production. <i>Frontiers in Earth Science</i> , 2019, 7, .	1.8	9
30	Does dissolved organic matter or solid peat fuel anaerobic respiration in peatlands?. <i>Geoderma</i> , 2019, 349, 79-87.	5.1	21
31	Impact of Warming on Greenhouse Gas Production and Microbial Diversity in Anoxic Peat From a Sphagnum-Dominated Bog (Grand Rapids, Minnesota, United States). <i>Frontiers in Microbiology</i> , 2019, 10, 870.	3.5	43
32	Petrocarbon evolution: Ramped pyrolysis/oxidation and isotopic studies of contaminated oil sediments from the Deepwater Horizon oil spill in the Gulf of Mexico. <i>PLoS ONE</i> , 2019, 14, e0212433.	2.5	8
33	The Effect of Bacterial Sulfate Reduction Inhibition on the Production and Stable Isotopic Composition of Methane in Hypersaline Environments. <i>Aquatic Geochemistry</i> , 2019, 25, 237-251.	1.3	4
34	Sources of carbon to suspended particulate organic matter in the northern Gulf of Mexico. <i>Elementa</i> , 2019, 7, .	3.2	7
35	Vertical Stratification of Peat Pore Water Dissolved Organic Matter Composition in a Peat Bog in Northern Minnesota. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 479-494.	3.0	41
36	Methanogens Are Major Contributors to Nitrogen Fixation in Soils of the Florida Everglades. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	3.1	51

#	ARTICLE	IF	CITATIONS
37	Tropical peatland carbon storage linked to global latitudinal trends in peat recalcitrance. <i>Nature Communications</i> , 2018, 9, 3640.	12.8	135
38	Tracing the incorporation of carbon into benthic foraminiferal calcite following the Deepwater Horizon event. <i>Environmental Pollution</i> , 2018, 237, 424-429.	7.5	20
39	Using Stable and Radiocarbon Analyses as a Forensic Tool to Find Evidence of Oil in the Particulates of the Water Column and on the Seafloor Following the 2010 Gulf of Mexico Oil Spill. , 2018, , 639-650.		1
40	Controls on the Variation of Methylmercury Concentration in Seagrass Bed Consumer Organisms of the Big Bend, Florida, USA. <i>Estuaries and Coasts</i> , 2018, 41, 1486-1495.	2.2	5
41	Methanotrophy across a natural permafrost thaw environment. <i>ISME Journal</i> , 2018, 12, 2544-2558.	9.8	102
42	Genome-centric view of carbon processing in thawing permafrost. <i>Nature</i> , 2018, 560, 49-54.	27.8	337
43	Host-linked soil viral ecology along a permafrost thaw gradient. <i>Nature Microbiology</i> , 2018, 3, 870-880.	13.3	372
44	Linear decline in red snapper (<i>Lutjanus campechanus</i>) otolith $\delta^{14}C$ extends the utility of the bomb radiocarbon chronometer for fish age validation in the Northern Gulf of Mexico. <i>ICES Journal of Marine Science</i> , 2018, 75, 1664-1671.	2.5	18
45	Scales of seafloor sediment resuspension in the northern Gulf of Mexico. <i>Elementa</i> , 2018, 6, .	3.2	43
46	Isotopic composition of sinking particles: Oil effects, recovery and baselines in the Gulf of Mexico, 2010-2015. <i>Elementa</i> , 2018, 6, .	3.2	18
47	Hydrocarbon composition and concentrations in the Gulf of Mexico sediments in the 3 years following the Macondo well blowout. <i>Environmental Pollution</i> , 2017, 229, 329-338.	7.5	23
48	Niche Differentiation and Prey Selectivity among Common Bottlenose Dolphins (<i>Tursiops truncatus</i>) Sighted in St. George Sound, Gulf of Mexico. <i>Frontiers in Marine Science</i> , 2017, 4, .	2.5	13
49	Methane dynamics in Santa Barbara Basin (USA) sediments as examined with a reaction-transport model. <i>Journal of Marine Research</i> , 2016, 74, 277-313.	0.3	7
50	Elemental composition and optical properties reveal changes in dissolved organic matter along a permafrost thaw chronosequence in a subarctic peatland. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 187, 123-140.	3.9	77
51	Methane emissions proportional to permafrost carbon thawed in Arctic lakes since the 1950s. <i>Nature Geoscience</i> , 2016, 9, 679-682.	12.9	150
52	Comparison of Field Measurements to Methane Emissions Models at a New Landfill. <i>Environmental Science & Technology</i> , 2016, 50, 9432-9441.	10.0	21
53	Modeling studies of dissolved organic matter cycling in Santa Barbara Basin (CA, USA) sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 195, 100-119.	3.9	32
54	Climatic drivers for multidecadal shifts in solute transport and methane production zones within a large peat basin. <i>Global Biogeochemical Cycles</i> , 2016, 30, 1578-1598.	4.9	20

#	ARTICLE	IF	CITATIONS
55	Hercules 265 rapid response: Immediate ecosystem impacts of a natural gas blowout incident. Deep-Sea Research Part II: Topical Studies in Oceanography, 2016, 129, 66-76.	1.4	5
56	The Gulf of Mexico ecosystem, six years after the Macondo oil well blowout. Deep-Sea Research Part II: Topical Studies in Oceanography, 2016, 129, 4-19.	1.4	99
57	Tracing the intrusion of fossil carbon into coastal Louisiana macrofauna using natural ¹⁴ C and ¹³ C abundances. Deep-Sea Research Part II: Topical Studies in Oceanography, 2016, 129, 89-95.	1.4	19
58	Sustained deposition of contaminants from the <i>Deepwater Horizon</i> spill. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E3332-40.	7.1	84
59	Winter precipitation and snow accumulation drive the methane sink or source strength of Arctic tussock tundra. Global Change Biology, 2016, 22, 2818-2833.	9.5	47
60	Alpha- and Gammaproteobacterial Methanotrophs Codominate the Active Methane-Oxidizing Communities in an Acidic Boreal Peat Bog. Applied and Environmental Microbiology, 2016, 82, 2363-2371.	3.1	78
61	Organic matter cycling across the sulfate-methane transition zone of the Santa Barbara Basin, California Borderland. Geochimica Et Cosmochimica Acta, 2016, 176, 259-278.	3.9	74
62	Carbon cycling in Santa Barbara Basin sediments: A modeling study. Journal of Marine Research, 2016, 74, 133-159.	0.3	13
63	An Unusual Inverted Saline Microbial Mat Community in an Interdune Sabkha in the Rub' al Khali (the Tj ETQq1 1 0,784314 rgBT /Over	2.5	21
64	Use of a Laser-Based Open Path Instrument to Provide Continuous Long-Term Measurements of Methane Emissions from Two Landfills. , 2016, , .		0
65	Methane and microbial dynamics in the Gulf of Mexico water column. Frontiers in Marine Science, 2015, 2, .	2.5	25
66	The relative importance of methanogenesis in the decomposition of organic matter in northern peatlands. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 280-293.	3.0	34
67	CO ₂ and CH ₄ isotope compositions and production pathways in a tropical peatland. Global Biogeochemical Cycles, 2015, 29, 1-18.	4.9	41
68	Utilization of <i>PARAFAC</i> Modeled Excitation-Emission Matrix (<i>EEM</i>) Fluorescence Spectroscopy to Identify Biogeochemical Processing of Dissolved Organic Matter in a Northern Peatland. Photochemistry and Photobiology, 2015, 91, 684-695.	2.5	32
69	Geochemical Mixing in Peatland Waters: The Role of Organic Acids. Wetlands, 2015, 35, 567-575.	1.5	5
70	Distribution, Activities, and Interactions of Methanogens and Sulfate-Reducing Prokaryotes in the Florida Everglades. Applied and Environmental Microbiology, 2015, 81, 7431-7442.	3.1	25
71	Rates and pathways of methanogenesis in hypersaline environments as determined by ¹³ C-labeling. Biogeochemistry, 2015, 126, 329-341.	3.5	14
72	Soil incubations reproduce field methane dynamics in a subarctic wetland. Biogeochemistry, 2015, 126, 241-249.	3.5	24

#	ARTICLE	IF	CITATIONS
73	Development of a mobile tracer correlation method for assessment of air emissions from landfills and other area sources. <i>Atmospheric Environment</i> , 2015, 102, 323-330.	4.1	31
74	A simple headspace equilibration method for measuring dissolved methane. <i>Limnology and Oceanography: Methods</i> , 2014, 12, 637-650.	2.0	93
75	Microbial Metabolic Potential for Carbon Degradation and Nutrient (Nitrogen and Phosphorus) Acquisition in an Ombrotrophic Peatland. <i>Applied and Environmental Microbiology</i> , 2014, 80, 3531-3540.	3.1	102
76	Microbial Community Stratification Linked to Utilization of Carbohydrates and Phosphorus Limitation in a Boreal Peatland at Marcell Experimental Forest, Minnesota, USA. <i>Applied and Environmental Microbiology</i> , 2014, 80, 3518-3530.	3.1	114
77	An evaluation of lipid extraction techniques for interpretation of carbon and nitrogen isotope values in bottlenose dolphin (<i>Tursiops truncatus</i>) skin tissue. <i>Marine Mammal Science</i> , 2014, 30, 85-103.	1.8	18
78	Organic matter transformation in the peat column at Marcell Experimental Forest: Humification and vertical stratification. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 661-675.	3.0	170
79	Methane dynamics regulated by microbial community response to permafrost thaw. <i>Nature</i> , 2014, 514, 478-481.	27.8	321
80	Assessing methods to estimate emissions of non-methane organic compounds from landfills. <i>Waste Management</i> , 2014, 34, 2260-2270.	7.4	10
81	Changes in peat chemistry associated with permafrost thaw increase greenhouse gas production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 5819-5824.	7.1	268
82	Gas hydrate dissolution rates quantified with laboratory and seafloor experiments. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 125, 492-503.	3.9	29
83	Effect of nutrient enrichment on $\delta^{13}\text{C}_{\text{CH}_4}$ and the methane production pathway in the Florida Everglades. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1267-1280.	3.0	17
84	Controls on methane released through ebullition in peatlands affected by permafrost degradation. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 418-431.	3.0	46
85	Partitioning pathways of CO ₂ production in peatlands with stable carbon isotopes. <i>Biogeochemistry</i> , 2013, 114, 327-340.	3.5	89
86	Investigating dissolved organic matter decomposition in northern peatlands using complimentary analytical techniques. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 112, 116-129.	3.9	104
87	Measurement of carbon storage in landfills from the biogenic carbon content of excavated waste samples. <i>Waste Management</i> , 2013, 33, 2001-2005.	7.4	34
88	Application of radon-222 to investigate groundwater discharge into small shallow lakes. <i>Journal of Hydrology</i> , 2013, 486, 112-122.	5.4	90
89	Redefining the isotopic boundaries of biogenic methane: Methane from endoevaporites. <i>Icarus</i> , 2013, 224, 268-275.	2.5	43
90	Surface production fuels deep heterotrophic respiration in northern peatlands. <i>Global Biogeochemical Cycles</i> , 2013, 27, 1163-1174.	4.9	33

#	ARTICLE	IF	CITATIONS
91	Variability in the carbon isotopic composition of foliage carbon pools (soluble carbohydrates, waxes) and respiration fluxes in southeastern U.S. pine forests. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	1
92	Substrate Limitation for Methanogenesis in Hypersaline Environments. <i>Astrobiology</i> , 2012, 12, 89-97.	3.0	47
93	Pressurized laboratory experiments show no stable carbon isotope fractionation of methane during gas hydrate dissolution and dissociation. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 32-36.	1.5	15
94	Comparison of dialysis and solid-phase extraction for isolation and concentration of dissolved organic matter prior to Fourier transform ion cyclotron resonance mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 447-457.	3.7	52
95	The rate of permafrost carbon release under aerobic and anaerobic conditions and its potential effects on climate. <i>Global Change Biology</i> , 2012, 18, 515-527.	9.5	141
96	Spatial distribution of bottlenose dolphins (<i>Tursiops truncatus</i>) inferred from stable isotopes and priority organic pollutants. <i>Science of the Total Environment</i> , 2012, 425, 223-230.	8.0	22
97	Influence of acidification on the optical properties and molecular composition of dissolved organic matter. <i>Analytica Chimica Acta</i> , 2011, 706, 261-267.	5.4	39
98	Uranium and barium cycling in a salt wedge subterranean estuary: The influence of tidal pumping. <i>Chemical Geology</i> , 2011, 287, 114-123.	3.3	64
99	Seasonal Greenhouse Gas Emissions (Methane, Carbon Dioxide, Nitrous Oxide) from Engineered Landfills: Daily, Intermediate, and Final California Cover Soils. <i>Journal of Environmental Quality</i> , 2011, 40, 1010-1020.	2.0	77
100	Fresh Water Inflow and Oyster Productivity in Apalachicola Bay, FL (USA). <i>Estuaries and Coasts</i> , 2011, 34, 993-1005.	2.2	19
101	Detection of cold seep derived authigenic carbonates with infrared spectroscopy. <i>Marine Chemistry</i> , 2011, 125, 8-18.	2.3	7
102	Methane Oxidation in Landfill Cover Soils. , 2010, , .		1
103	Fate of Effluent-Borne Contaminants beneath Septic Tank Drainfields Overlying a Karst Aquifer. <i>Journal of Environmental Quality</i> , 2010, 39, 1181-1195.	2.0	79
104	Developing a Design Approach to Reduce Methane Emissions from California Landfills. , 2010, , .		6
105	Effectiveness of a Florida Landfill Biocover for Reduction of CH ₄ and NMHC Emissions. <i>Environmental Science & Technology</i> , 2010, 44, 1197-1203.	10.0	46
106	Methane under-saturated fluids in deep-sea sediments: Implications for gas hydrate stability and rates of dissolution. <i>Earth and Planetary Science Letters</i> , 2010, 298, 275-285.	4.4	35
107	Characterization of dissolved organic matter in northern peatland soil porewaters by ultra high resolution mass spectrometry. <i>Organic Geochemistry</i> , 2010, 41, 791-799.	1.8	80
108	Spatial Structure and Activity of Sedimentary Microbial Communities Underlying a <i>Beggiatoa</i> spp. Mat in a Gulf of Mexico Hydrocarbon Seep. <i>PLoS ONE</i> , 2010, 5, e8738.	2.5	117

#	ARTICLE	IF	CITATIONS
109	Methane Oxidation in Landfill Cover Soils, is a 10% Default Value Reasonable?. <i>Journal of Environmental Quality</i> , 2009, 38, 654-663.	2.0	106
110	Does the $\delta^{13}\text{C}$ of foliage-respired CO_2 and biochemical pools reflect the $\delta^{13}\text{C}$ of recently assimilated carbon?. <i>Plant, Cell and Environment</i> , 2009, 32, 1310-1323.	5.7	12
111	Nitrogen Stable Isotopes of Macrophytes Assess Stormwater Nitrogen Inputs to an Urbanized Estuary. <i>Estuaries and Coasts</i> , 2008, 31, 360-370.	2.2	22
112	Uncoupling of acetate degradation from methane formation in Alaskan wetlands: Connections to vegetation distribution. <i>Global Biogeochemical Cycles</i> , 2008, 22, .	4.9	94
113	Microbial activity in surficial sediments overlying acoustic wipeout zones at a Gulf of Mexico cold seep. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, .	2.5	57
114	Effect of Temperature and Oxidation Rate on Carbon-isotope Fractionation during Methane Oxidation by Landfill Cover Materials. <i>Environmental Science & Technology</i> , 2008, 42, 7818-7823.	10.0	54
115	Evaluation of onsite sewage treatment and disposal systems in shallow karst terrain. <i>Water Research</i> , 2008, 42, 2585-2597.	11.3	19
116	Measuring Temporal Variability in Pore-Fluid Chemistry To Assess Gas Hydrate Stability: Development of a Continuous Pore-Fluid Array. <i>Environmental Science & Technology</i> , 2008, 42, 7368-7373.	10.0	36
117	Variation in methane production pathways associated with permafrost decomposition in collapse scar bogs of Alberta, Canada. <i>Global Biogeochemical Cycles</i> , 2007, 21, .	4.9	48
118	Links between archaeal community structure, vegetation type and methanogenic pathway in Alaskan peatlands. <i>FEMS Microbiology Ecology</i> , 2007, 60, 240-251.	2.7	102
119	Nitrogen sources and sinks in a wastewater impacted saline aquifer beneath the Florida Keys, USA. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 73, 148-164.	2.1	9
120	Influence of $\delta^{13}\text{C}$ -enriched foliage respired CO_2 on $\delta^{13}\text{C}$ of ecosystem-respired CO_2 . <i>Global Biogeochemical Cycles</i> , 2006, 20, n/a-n/a.	4.9	17
121	Controls on the hydrogen isotopic composition of biogenic methane from high-latitude terrestrial wetlands. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	35
122	Tracking Anthropogenic Inputs Using Caffeine, Indicator Bacteria, and Nutrients in Rural Freshwater and Urban Marine Systems. <i>Environmental Science & Technology</i> , 2006, 40, 7616-7622.	10.0	98
123	Diurnal variation of the $\delta^{13}\text{C}$ of pine needle respired CO_2 evolved in darkness. <i>Plant, Cell and Environment</i> , 2006, 29, 202-211.	5.7	45
124	Isotopic evidence for methane-based chemosynthesis in the Upper Floridan aquifer food web. <i>Oecologia</i> , 2006, 150, 89-96.	2.0	33
125	Evaluating the effect of environmental disturbance on the trophic structure of Florida Bay, U.S.A.: Multiple stable isotope analyses of contemporary and historical specimens. <i>Limnology and Oceanography</i> , 2005, 50, 1059-1072.	3.1	55
126	Temporal variability in $\delta^{13}\text{C}$ of respired CO_2 in a pine and a hardwood forest subject to similar climatic conditions. <i>Oecologia</i> , 2005, 142, 57-69.	2.0	82

#	ARTICLE	IF	CITATIONS
127	Nutrient transformations between rainfall and stormwater runoff in an urbanized coastal environment: Sarasota Bay, Florida. <i>Limnology and Oceanography</i> , 2005, 50, 62-69.	3.1	35
128	The effect of gas transport on the isotope signature of methane in wetlands. <i>Organic Geochemistry</i> , 2005, 36, 753-768.	1.8	172
129	Seepage rate variability in Florida Bay driven by Atlantic tidal height. <i>Biogeochemistry</i> , 2003, 66, 187-202.	3.5	43
130	Comparison of sulfur hexafluoride, fluorescein and rhodamine dyes and the bacteriophage PRD-1 in tracing subsurface flow. <i>Journal of Hydrology</i> , 2003, 277, 100-115.	5.4	30
131	Carbon isotopic discrimination and control of nighttime canopy $\delta^{18}\text{O}$ - CO_2 in a pine forest in the southeastern United States. <i>Global Biogeochemical Cycles</i> , 2002, 16, 8-1-8-13.	4.9	39
132	A rapid and precise technique for measuring $\delta^{13}\text{C}$ - CO_2 and $\delta^{18}\text{O}$ - CO_2 ratios at ambient CO_2 concentrations for biological applications and the influence of container type and storage time on the sample isotope ratios. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 1398-1403.	1.5	27
133	Diel variation in lacunal CH_4 and CO_2 concentration and $\delta^{13}\text{C}$ in <i>Phragmites australis</i> . <i>Biogeochemistry</i> , 2002, 59, 287-301.	3.5	41
134	Greenhouse carbon balance of wetlands: methane emission versus carbon sequestration. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2001, 53, 521-528.	1.6	215
135	Field measurements of internal pressurization in <i>Phragmites australis</i> (Poaceae) and implications for regulation of methane emissions in a midlatitude prairie wetland. <i>American Journal of Botany</i> , 2001, 88, 653-658.	1.7	29
136	Bimodal Transport of a Waste Water Plume Injected into Saline Ground Water of the Florida Keys. <i>Ground Water</i> , 2000, 38, 624-634.	1.3	16
137	Methane emissions from the Orinoco River floodplain, Venezuela. <i>Biogeochemistry</i> , 2000, 51, 113-140.	3.5	93
138	Title is missing!. <i>Biogeochemistry</i> , 2000, 51, 259-281.	3.5	106
139	Factors influencing the stable carbon isotopic signature of methane from combustion and biomass burning. <i>Journal of Geophysical Research</i> , 2000, 105, 1867-1877.	3.3	48
140	Plankton and Dissolved Inorganic Carbon Isotopic Composition in a River-Dominated Estuary: Apalachicola Bay, Florida. <i>Estuaries and Coasts</i> , 1999, 22, 575.	1.7	145
141	The Effect of Groundwater Seepage on Nutrient Delivery and Seagrass Distribution in the Northeastern Gulf of Mexico. <i>Estuaries and Coasts</i> , 1999, 22, 1033.	1.7	67
142	Methane stable isotope distribution at a Carex-dominated fen in north central Alberta. <i>Global Biogeochemical Cycles</i> , 1999, 13, 1063-1077.	4.9	106
143	Investigation of the methyl fluoride technique for determining rhizospheric methane oxidation. <i>Biogeochemistry</i> , 1997, 36, 153-172.	3.5	47
144	Magnitude and variations of groundwater seepage along a Florida marine shoreline. <i>Biogeochemistry</i> , 1997, 38, 189-205.	3.5	113

#	ARTICLE	IF	CITATIONS
145	Methane stable isotopic distributions as indicators of gas transport mechanisms in emergent aquatic plants. <i>Aquatic Botany</i> , 1996, 54, 227-236.	1.6	67
146	Control of the diurnal pattern of methane emission from emergent aquatic macrophytes by gas transport mechanisms. <i>Aquatic Botany</i> , 1996, 54, 237-253.	1.6	124
147	A mass balance of ^{13}C and ^{12}C in an organic-rich methane-producing marine sediment. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 3835-3848.	3.9	98
148	The importance of groundwater discharge to the methane budgets of nearshore and continental shelf waters of the northeastern Gulf of Mexico. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 4735-4746.	3.9	118
149	Estimating groundwater discharge into the northeastern Gulf of Mexico using radon-222. <i>Earth and Planetary Science Letters</i> , 1996, 144, 591-604.	4.4	335
150	Application of ^{222}Rn and CH_4 for assessment of groundwater discharge to the coastal ocean. <i>Limnology and Oceanography</i> , 1996, 41, 1347-1353.	3.1	153
151	Methane transfer across the water-air interface in stagnant wooded swamps of Florida: Evaluation of mass-transfer coefficients and isotropic fractionation. <i>Limnology and Oceanography</i> , 1995, 40, 290-298.	3.1	56
152	Temporal variations in dissolved methane deep in the Lake Agassiz Peatlands, Minnesota. <i>Global Biogeochemical Cycles</i> , 1995, 9, 197-212.	4.9	81
153	Radiocarbon evidence for the substrates supporting methane formation within northern Minnesota peatlands. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 3663-3668.	3.9	250
154	The influence of methane oxidation on the stable isotopic composition of methane emitted from Florida swamp forests. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 4377-4388.	3.9	106
155	Carbon remineralization in a north Florida swamp forest: Effects of water level on the pathways and rates of soil organic matter decomposition. <i>Global Biogeochemical Cycles</i> , 1993, 7, 475-490.	4.9	48
156	Stable isotopes as tracers of methane dynamics in Everglades marshes with and without active populations of methane oxidizing bacteria. <i>Journal of Geophysical Research</i> , 1993, 98, 14771-14782.	3.3	75
157	Rhizospheric methane oxidation determined via the methyl fluoride inhibition technique. <i>Journal of Geophysical Research</i> , 1993, 98, 18413-18422.	3.3	86
158	Contrasting rates and diurnal patterns of methane emission from emergent aquatic macrophytes. <i>Aquatic Botany</i> , 1993, 46, 111-128.	1.6	174
159	Sulfur isotope and porewater geochemistry of Florida escarpment seep sediments. <i>Geochimica Et Cosmochimica Acta</i> , 1993, 57, 1253-1266.	3.9	16
160	Seasonal Variations in the Isotopic Composition of Methane Associated with Aquatic Macrophytes. , 1993, , 619-632.		2
161	Methane transport mechanisms and isotopic fractionation in emergent macrophytes of an Alaskan tundra lake. <i>Journal of Geophysical Research</i> , 1992, 97, 16681-16688.	3.3	93
162	Methane flux from <i>Peltandra virginica</i> : stable isotope tracing and chamber effects. <i>Global Biogeochemical Cycles</i> , 1992, 6, 15-31.	4.9	94

#	ARTICLE	IF	CITATIONS
163	Carbon and hydrogen isotopic characterization of methane from wetlands and lakes of the Yukon-Kuskokwim delta, western Alaska. <i>Journal of Geophysical Research</i> , 1992, 97, 16689-16701.	3.3	82
164	Plant-dependent CH ₄ emission in a subarctic Canadian fen. <i>Global Biogeochemical Cycles</i> , 1992, 6, 225-231.	4.9	245
165	Indicators of Methane-Derived Carbonates and Chemosynthetic Organic Carbon Deposits: Examples from the Florida Escarpment. <i>Palaios</i> , 1992, 7, 361.	1.3	206
166	Relationships between CH ₄ emission, biomass, and CO ₂ exchange in a subtropical grassland. <i>Journal of Geophysical Research</i> , 1991, 96, 13067-13071.	3.3	109
167	Effects of Vegetation on Methane Flux, Reservoirs, and Carbon Isotopic Composition. , 1991, , 65-92.		130
168	Biogenic methane from abyssal brine seeps at the base of the Florida escarpment. <i>Geology</i> , 1991, 19, 851.	4.4	50
169	Control of pore-water chemistry at the base of the Florida escarpment by processes within the platform. <i>Nature</i> , 1991, 349, 229-231.	27.8	33
170	Anaerobic diagenesis within Recent, Pleistocene, and Eocene marine carbonate frameworks. <i>Sedimentology</i> , 1990, 37, 997-1009.	3.1	54
171	Radon as a tracer of biogenic gas equilibration and transport from methane-saturated sediments. <i>Journal of Geophysical Research</i> , 1989, 94, 3451-3459.	3.3	32
172	Gas transport from methane-saturated, tidal freshwater and wetland sediments. <i>Limnology and Oceanography</i> , 1989, 34, 807-819.	3.1	278
173	Carbon isotopic composition of methane in Florida Everglades soils and fractionation during its transport to the troposphere. <i>Global Biogeochemical Cycles</i> , 1988, 2, 245-252.	4.9	46
174	Seasonal variations in ebullitive flux and carbon isotopic composition of methane in a tidal freshwater estuary. <i>Global Biogeochemical Cycles</i> , 1988, 2, 289-298.	4.9	104
175	Biogeochemical cycling in an organic-rich coastal marine basin. 7. Sulfur mass balance, oxygen uptake and sulfide retention. <i>Geochimica Et Cosmochimica Acta</i> , 1987, 51, 1187-1199.	3.9	128
176	Biogeochemical cycling in an organic-rich coastal marine basin. 8. A sulfur isotopic budget balanced by differential diffusion across the sediment-water interface. <i>Geochimica Et Cosmochimica Acta</i> , 1987, 51, 1201-1208.	3.9	87
177	The effects of heat and stannous chloride addition on the active distillation of acid volatile sulfide from pyrite-rich marine sediment samples. <i>Biogeochemistry</i> , 1985, 1, 375-382.	3.5	61
178	Lead-210 sediment geochronology in a changing coastal environment. <i>Geochimica Et Cosmochimica Acta</i> , 1983, 47, 1791-1804.	3.9	118
179	Methane Accumulation and Release from Deep Peat: Measurements, Conceptual Models, and Biogeochemical Significance. <i>Geophysical Monograph Series</i> , 0, , 145-158.	0.1	7
180	The IsoGenie database: an interdisciplinary data management solution for ecosystems biology and environmental research. <i>PeerJ</i> , 0, 8, e9467.	2.0	5