
## Morteza Safi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10521170/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The association between exposure to air pollutants including PM10, PM2.5, ozone, carbon monoxide, sulfur dioxide, and nitrogen dioxide concentration and the relative risk of developing STEMI: A case-crossover design. Environmental Research, 2018, 161, 299-303.	7.5	53
2	Extrinsic Compression of Left Main Coronary Artery by the Pulmonary Trunk Secondary to Pulmonary Hypertension Documented Using 64‣lice Multidetector Computed Tomography Coronary Angiography. Clinical Cardiology, 2009, 32, 426-428.	1.8	23
3	Effect of a nut-enriched low-calorie diet on body weight and selected markers of inflammation in overweight and obese stable coronary artery disease patients: a randomized controlled study. European Journal of Clinical Nutrition, 2021, 75, 1099-1108.	2.9	11
4	A Novel Risk Score in Predicting Failure or Success for Antegrade Approach to Percutaneous Coronary Intervention of Chronic Total Occlusion: Antegrade CTO Score. International Journal of Angiology, 2017, 26, 089-094.	0.6	10
5	Is it necessary to discontinue metformin in diabetic patients with GFR > 60 ml/min per 1.73 m2 undergoing coronary angiography: A controversy still exists?. Acta Biomedica, 2018, 89, 227-232.	0.3	9
6	Visual-Functional Mismatch Between Coronary Angiography, Fractional Flow Reserve, and Quantitative Coronary Angiography. International Journal of Angiology, 2016, 25, 229-234.	0.6	7
7	Pentraxin 3 Is Highly Specific for Predicting Anatomical Complexity of Coronary Artery Stenosis as Determined by the Synergy between Percutaneous Coronary Intervention with Taxus and Cardiac Surgery Score. Korean Circulation Journal, 2014, 44, 220.	1.9	6
8	The No-reflow Phenomenon: Is it Predictable by Demographic factors and Routine Laboratory Data?. Acta Biomedica, 2021, 92, e2021297.	0.3	5
9	Traumatic Coronary Artery Fistula Closure With Stent Graft. Methodist DeBakey Cardiovascular Journal, 2012, 8, 59-60.	1.0	4
10	Left ventricular sphericity index analysis for the prediction of appropriate implantable cardioverterâ€defibrillator therapy. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 1192-1196.	1.2	4
11	Assessment of Admission Time Cell Blood Count (CBC) Parameters in Predicting Post-primary Percutaneous Coronary Intervention TIMI Frame Count in Patients with ST-segment Elevation Myocardial Infarction. Cardiovascular & Hematological Disorders Drug Targets, 2020, 20, 191-197.	0.7	4
12	Factors affecting ventriculophasic response: An investigation in patients with permanent pacemaker. Journal of Electrocardiology, 2017, 50, 598-602.	0.9	3
13	The Cardiac Effects of COVID-19: Review of articles. Current Problems in Cardiology, 2022, 47, 100981.	2.4	3
14	The role of FFR in clinical decision making in patients with moderate coronary lesions: a pilot study. Acta Biomedica, 2018, 89, 378-381.	0.3	3
15	Stent underexpansion in angiographic guided percutaneous coronary intervention, despite adjunctive balloon post-dilatation, in drug eluting stent era. ARYA Atherosclerosis, 2014, 10, 13-7.	0.4	3
16	Evaluation of pentraxin-3 level and its related factors in patients undergoing primary percutaneous coronary intervention. ARYA Atherosclerosis, 2017, 13, 73-78.	0.4	3
17	Evaluation of asymptomatic peripheral arterial disease by ankle- brachial index in patients with concomitant coronary arterial disease. , 2012, 6, 128-30.		2
18	Radiation safety awareness and practice among Iranian cardiology and radiology residents/fellows. Anatolian Journal of Cardiology, 2014, 14, 310-311.	0.4	1

Morteza Safi

#	Article	lF	CITATIONS
19	Academic training in radiation safety awareness and practice among Iranian residents/fellows. Heart Asia, 2014, 6, 137-141.	1.1	1
20	Comparison of fractional flow reserve measurements using intracoronary adenosine versus intracoronary sodium nitroprusside infusions in moderately stenotic coronary artery lesions. Cardiovascular Revascularization Medicine, 2016, 17, 441-443.	0.8	1
21	Mahaim fibers coexisting with coarctation of aorta and bicuspid aortic valve. Future Cardiology, 2018, 14, 483-489.	1.2	1
22	Cardiac arrest after topical application of lidocaine during microneedling procedure: A rare case. Dermatologic Therapy, 2020, 33, e14406.	1.7	1
23	Value of Transverse Groove on the Earlobe and Hair Growth on the Ear to Predict the Risk for Coronary Artery Disease and Its Severity among Iranian Population, in Tehran City. Galen, 2020, 9, 1443.	0.6	1
24	Coronary aneurysm and silent myocardial infarction in an adolescent secondary to undiagnosed childhood Kawasaki disease. Experimental and Clinical Cardiology, 2010, 15, e18-9.	1.3	1
25	Subcapsular liver hematoma after fibrinolytic therapy for acute myocardial infarction: a rare case report. Acta Biomedica, 2016, 87, 318-320.	0.3	1
26	Q wave and ST segment elevation in inferior leads: What is the diagnosis?. Journal of Arrhythmia, 2015, 31, 333-335.	1.2	0
27	Huge aneurysmal fistula from left main artery to right atrium in a man with atypical chest pain and dyspnea on exertion. Future Cardiology, 2019, 15, 85-88.	1.2	Ο
28	Coronary dissection with ST elevation myocardial infarction responding to thrombolytic and conservative therapy alone. Future Cardiology, 2020, 16, 271-274.	1.2	0
29	Unusual presentation of a massive pulmonary embolism. Journal of Tehran University Heart Center, 2011, 6, 41-4.	0.2	О
30	Comparison between Intracoronary Abciximab and Intravenous Eptifibatide Administration during Primary Percutaneous Coronary Intervention of Acute ST-Segment Elevation Myocardial Infarction. The Journal of Tehran Heart Center, 2013, 8, 132-9.	0.3	0
31	Triggering acute pancreatitis complicated with acute myocardial infarction by marijuana: a rare case report. Acta Biomedica, 2021, 92, e2021035.	0.3	0
32	Value of Delta Fractional Flow Reserve (ΔFFR) For Predicting Coronary Ischemic Lesions. Galen, 2020, 9, e1528.	0.6	0