

Taher Shaibi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1052243/publications.pdf>

Version: 2024-02-01

17
papers

397
citations

933447

10
h-index

940533

16
g-index

17
all docs

17
docs citations

17
times ranked

661
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to low-dose bisphenol A induces spleen damage in a murine model: Potentially through oxidative stress?. <i>Open Veterinary Journal</i> , 2022, 12, 23.	0.7	6
2	Flea infestation on small wild mammals in Gharyan, Northwest Libya. <i>Open Veterinary Journal</i> , 2022, 12, 17.	0.7	2
3	Vitamin D mitigates adult onset diseases in male and female mice induced by early-life exposure to endocrine disruptor BPA. <i>Open Veterinary Journal</i> , 2021, 11, 407.	0.7	2
4	Towards harmonisation of entomological surveillance in the Mediterranean area. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007314.	3.0	32
5	Presence of <i>Sergentomyia (Parrotomyia) lewisi</i> (Diptera: Psychodidae) in Tunisia. <i>Journal of Medical Entomology</i> , 2019, 56, 560-564.	1.8	2
6	Identification of mosquitoes (Diptera: Culicidae): an external quality assessment of medical entomology laboratories in the MediLabSecure Network. <i>Parasites and Vectors</i> , 2018, 11, 553.	2.5	20
7	Surveillance of Arthropod-Borne Viruses and Their Vectors in the Mediterranean and Black Sea Regions Within the MediLabSecure Network. <i>Current Tropical Medicine Reports</i> , 2017, 4, 27-39.	3.7	49
8	Field Evaluation of Outdoor Ultra-Low Volume (ULV) Applications against Phlebotomine Sand Flies (Diptera: Psychodidae) in Al Rabta, North-West of Libya. <i>Journal of Arthropod-Borne Diseases</i> , 2017, 11, 393-402.	0.9	0
9	Prevalence of IgG antibodies for the West Nile virus in human population in Tripoli, Libya. <i>Journal of Vector Borne Diseases</i> , 2017, 54, 183-186.	0.4	6
10	A human case of urogenital myiasis caused by <i>Psychoda</i> sp. larvae in Tripoli, Libya. <i>Annals of Parasitology</i> , 2017, 63, 69-71.	0.1	5
11	Entomological studies of phlebotomine sand flies (Diptera: Psychodidae) in relation to cutaneous leishmaniasis transmission in Al Rabta, North West of Libya. <i>Acta Tropica</i> , 2016, 154, 95-101.	2.0	17
12	External morphological anomalies in ixodid ticks from Thrace, Turkey. <i>Experimental and Applied Acarology</i> , 2015, 67, 457-466.	1.6	28
13	10,000 years in isolation? Honeybees (<i>Apis mellifera</i>) in Saharan oases. <i>Conservation Genetics</i> , 2010, 11, 2085-2089.	1.5	13
14	Estimating the Density of Honeybee Colonies across Their Natural Range to Fill the Gap in Pollinator Decline Censuses. <i>Conservation Biology</i> , 2010, 24, 583-593.	4.7	128
15	<i>Apis mellifera</i> evolutionary lineages in Northern Africa: Libya, where orient meets occident. <i>Insectes Sociaux</i> , 2009, 56, 293-300.	1.2	17
16	Morphological study of Honeybees (<i>Apis mellifera</i>) from Libya. <i>Apidologie</i> , 2009, 40, 97-105.	2.0	20
17	A microsatellite DNA toolkit for studying population structure in <i>Apis mellifera</i> . <i>Molecular Ecology Resources</i> , 2008, 8, 1034-1036.	4.8	50