

Dean G Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10522511/publications.pdf>

Version: 2024-02-01

96
papers

9,884
citations

43973

48
h-index

56606

83
g-index

102
all docs

102
docs citations

102
times ranked

12759
citing authors

#	ARTICLE	IF	CITATIONS
1	Slow-cycling (dormant) cancer cells in therapy resistance, cancer relapse and metastasis. <i>Seminars in Cancer Biology</i> , 2022, 78, 90-103.	4.3	53
2	Understanding and targeting prostate cancer cell heterogeneity and plasticity. <i>Seminars in Cancer Biology</i> , 2022, 82, 68-93.	4.3	31
3	MicroRNA-34a: Potent Tumor Suppressor, Cancer Stem Cell Inhibitor, and Potential Anticancer Therapeutic. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 640587.	1.8	67
4	Androgen receptor (AR) heterogeneity in prostate cancer and therapy resistance. <i>Cancer Letters</i> , 2021, 518, 1-9.	3.2	49
5	Cancer stem cells: advances in biology and clinical translation—a Keystone Symposia report. <i>Annals of the New York Academy of Sciences</i> , 2021, 1506, 142-163.	1.8	8
6	Intron retention is a hallmark and spliceosome represents a therapeutic vulnerability in aggressive prostate cancer. <i>Nature Communications</i> , 2020, 11, 2089.	5.8	83
7	LRIG1 is a pleiotropic androgen receptor-regulated feedback tumor suppressor in prostate cancer. <i>Nature Communications</i> , 2019, 10, 5494.	5.8	13
8	Tumor Dormancy and Slow-Cycling Cancer Cells. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1164, 199-206.	0.8	41
9	Histone 2B-GFP Label-Retaining Prostate Luminal Cells Possess Progenitor Cell Properties and Are Intrinsically Resistant to Castration. <i>Stem Cell Reports</i> , 2018, 10, 228-242.	2.3	36
10	Prostate Luminal Progenitor Cells in Development and Cancer. <i>Trends in Cancer</i> , 2018, 4, 769-783.	3.8	54
11	Linking prostate cancer cell AR heterogeneity to distinct castration and enzalutamide responses. <i>Nature Communications</i> , 2018, 9, 3600.	5.8	96
12	Concise Review: Prostate Cancer Stem Cells: Current Understanding. <i>Stem Cells</i> , 2018, 36, 1457-1474.	1.4	90
13	Cancer stem cells: Regulation programs, immunological properties and immunotherapy. <i>Seminars in Cancer Biology</i> , 2018, 52, 94-106.	4.3	100
14	MicroRNA-141 suppresses prostate cancer stem cells and metastasis by targeting a cohort of pro-metastasis genes. <i>Nature Communications</i> , 2017, 8, 14270.	5.8	187
15	Cellular determinants and microenvironmental regulation of prostate cancer metastasis. <i>Seminars in Cancer Biology</i> , 2017, 44, 83-97.	4.3	54
16	Numb ^{hi} /low Enriches a Castration-Resistant Prostate Cancer Cell Subpopulation Associated with Enhanced Notch and Hedgehog Signaling. <i>Clinical Cancer Research</i> , 2017, 23, 6744-6756.	3.2	36
17	Developing a Novel Two-Dimensional Culture System to Enrich Human Prostate Luminal Progenitors that Can Function as a Cell of Origin for Prostate Cancer. <i>Stem Cells Translational Medicine</i> , 2017, 6, 748-760.	1.6	19
18	Molecular determinants of prostate cancer metastasis. <i>Oncotarget</i> , 2017, 8, 88211-88231.	0.8	19

#	ARTICLE	IF	CITATIONS
19	Transgenic overexpression of NanogP8 in the mouse prostate is insufficient to initiate tumorigenesis but weakly promotes tumor development in the Hi-Myc mouse model. <i>Oncotarget</i> , 2017, 8, 52746-52760.	0.8	4
20	miR-199a-3p targets stemness-related and mitogenic signaling pathways to suppress the expansion and tumorigenic capabilities of prostate cancer stem cells. <i>Oncotarget</i> , 2016, 7, 56628-56642.	0.8	48
21	Deep RNA-Seq analysis reveals unexpected features of human prostate basal epithelial cells. <i>Genomics Data</i> , 2016, 7, 318-320.	1.3	0
22	Defining a Population of Stem-like Human Prostate Cancer Cells That Can Generate and Propagate Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 4505-4516.	3.2	78
23	NANOG reprograms prostate cancer cells to castration resistance via dynamically repressing and engaging the AR/FOXAI signaling axis. <i>Cell Discovery</i> , 2016, 2, 16041.	3.1	41
24	Stem cell and neurogenic gene-expression profiles link prostate basal cells to aggressive prostate cancer. <i>Nature Communications</i> , 2016, 7, 10798.	5.8	166
25	Longitudinal tracking of subpopulation dynamics and molecular changes during LNCaP cell castration and identification of inhibitors that could target the PSA ^{hi} /lo castration-resistant cells. <i>Oncotarget</i> , 2016, 7, 14220-14240.	0.8	17
26	Regulation of NANOG in cancer cells. <i>Molecular Carcinogenesis</i> , 2015, 54, 679-687.	1.3	79
27	Cancer stem cells and cell size: A causal link?. <i>Seminars in Cancer Biology</i> , 2015, 35, 191-199.	4.3	69
28	Concise Review: NANOG in Cancer Stem Cells and Tumor Development: An Update and Outstanding Questions. <i>Stem Cells</i> , 2015, 33, 2381-2390.	1.4	177
29	Cell-of-Origin of Cancer versus Cancer Stem Cells: Assays and Interpretations. <i>Cancer Research</i> , 2015, 75, 4003-4011.	0.4	198
30	Androgen receptor and prostate cancer stem cells: biological mechanisms and clinical implications. <i>Endocrine-Related Cancer</i> , 2015, 22, T209-T220.	1.6	48
31	Cytotoxicity of Human Endogenous Retrovirus Specific T Cells toward Autologous Ovarian Cancer Cells. <i>Clinical Cancer Research</i> , 2015, 21, 471-483.	3.2	70
32	Systematic dissection of phenotypic, functional, and tumorigenic heterogeneity of human prostate cancer cells. <i>Oncotarget</i> , 2015, 6, 23959-23986.	0.8	65
33	Nanog1 in NTERA-2 and Recombinant NanogP8 from Somatic Cancer Cells Adopt Multiple Protein Conformations and Migrate at Multiple M.W Species. <i>PLoS ONE</i> , 2014, 9, e90615.	1.1	11
34	Tumor-suppressive functions of 15-Lipoxygenase-2 and RB1CC1 in prostate cancer. <i>Cell Cycle</i> , 2014, 13, 1798-1810.	1.3	22
35	miRNA-128 Suppresses Prostate Cancer by Inhibiting BMI-1 to Inhibit Tumor-Initiating Cells. <i>Cancer Research</i> , 2014, 74, 4183-4195.	0.4	128
36	Cancer stem cells and radioresistance. <i>International Journal of Radiation Biology</i> , 2014, 90, 615-621.	1.0	214

#	ARTICLE	IF	CITATIONS
37	The microRNA miR-34a Inhibits Non-Small Cell Lung Cancer (NSCLC) Growth and the CD44hi Stem-Like NSCLC Cells. PLoS ONE, 2014, 9, e90022.	1.1	102
38	Bim, a Proapoptotic Protein, Up-regulated via Transcription Factor E2F1-dependent Mechanism, Functions as a Prosurvival Molecule in Cancer. Journal of Biological Chemistry, 2013, 288, 368-381.	1.6	68
39	New insights into prostate cancer stem cells. Cell Cycle, 2013, 12, 579-586.	1.3	65
40	In vivo functional studies of tumor-specific retrogene NanogP8 in transgenic animals. Cell Cycle, 2013, 12, 2395-2408.	1.3	30
41	Dissociated Primary Human Prostate Cancer Cells Coinjected with the Immortalized Hs5 Bone Marrow Stromal Cells Generate Undifferentiated Tumors in NOD/SCID- β^3 Mice. PLoS ONE, 2013, 8, e56903.	1.1	12
42	Prostate Cancer Stem Cells: A Brief Review. , 2013, , 37-49.		0
43	Distinct microRNA Expression Profiles in Prostate Cancer Stem/Progenitor Cells and Tumor-Suppressive Functions of let-7. Cancer Research, 2012, 72, 3393-3404.	0.4	172
44	The PSA ^{hi} Prostate Cancer Cell Population Harbors Self-Renewing Long-Term Tumor-Propagating Cells that Resist Castration. Cell Stem Cell, 2012, 10, 556-569.	5.2	281
45	Understanding cancer stem cell heterogeneity and plasticity. Cell Research, 2012, 22, 457-472.	5.7	473
46	Drug-Tolerant Cancer Cells Show Reduced Tumor-Initiating Capacity: Depletion of CD44+ Cells and Evidence for Epigenetic Mechanisms. PLoS ONE, 2011, 6, e24397.	1.1	47
47	The microRNA miR-34a inhibits prostate cancer stem cells and metastasis by directly repressing CD44. Nature Medicine, 2011, 17, 211-215.	15.2	1,276
48	Prostate cancer stem cells and their potential roles in metastasis. Journal of Surgical Oncology, 2011, 103, 558-562.	0.8	61
49	MicroRNA Regulation of Cancer Stem Cells. Cancer Research, 2011, 71, 5950-5954.	0.4	231
50	Defective Molecular Timer in the Absence of Nucleotides Leads to Inefficient Caspase Activation. PLoS ONE, 2011, 6, e16379.	1.1	11
51	An Old Player on a New Playground: Bmi-1 as a Regulator of Prostate Stem Cells. Cell Stem Cell, 2010, 7, 639-640.	5.2	7
52	Functional Evidence that the Self-Renewal Gene <i>NANOG</i> Regulates Human Tumor Development. Stem Cells, 2009, 27, 993-1005.	1.4	307
53	Detection of Apoptosis in Cell-Free Systems. Methods in Molecular Biology, 2009, 559, 65-75.	0.4	12
54	Methodologies in Assaying Prostate Cancer Stem Cells. Methods in Molecular Biology, 2009, 568, 85-138.	0.4	34

#	ARTICLE	IF	CITATIONS
55	Prostate Cancer Stem/Progenitor Cells. , 2009, , 217-230.		0
56	Prostate Cancer Stem Cells and Their Involvement in Metastasis. , 2009, , 455-461.		0
57	Cancer Stem Cells: Potential Mediators of Therapeutic Resistance and Novel Targets of Anti-cancer Treatments. , 2009, , 559-579.		0
58	Evidence that senescent human prostate epithelial cells enhance tumorigenicity: Cell fusion as a potential mechanism and inhibition by p16INK4a and hTERT. International Journal of Cancer, 2008, 122, 1483-1495.	2.3	37
59	PC3 Human Prostate Carcinoma Cell Holoclones Contain Self-renewing Tumor-Initiating Cells. Cancer Research, 2008, 68, 1820-1825.	0.4	208
60	Critical and Distinct Roles of p16 and Telomerase in Regulating the Proliferative Life Span of Normal Human Prostate Epithelial Progenitor Cells. Journal of Biological Chemistry, 2008, 283, 27957-27972.	1.6	32
61	Hierarchical Organization of Prostate Cancer Cells in Xenograft Tumors: The CD44+ $\hat{1}\pm 2\hat{1}^2$ 1+ Cell Population Is Enriched in Tumor-Initiating Cells. Cancer Research, 2007, 67, 6796-6805.	0.4	334
62	CD44 as a Functional Cancer Stem Cell Marker and a Potential Therapeutic Target. , 2007, , 317-334.		1
63	Cytosolic Accumulation of HSP60 during Apoptosis with or without Apparent Mitochondrial Release. Journal of Biological Chemistry, 2007, 282, 31289-31301.	1.6	207
64	Prostate cancer stem/progenitor cells: Identification, characterization, and implications. Molecular Carcinogenesis, 2007, 46, 1-14.	1.3	201
65	Carcinogenesis. , 2007, , 97-118.		2
66	Intracellular Nucleotides Act as Critical Prosurvival Factors by Binding to Cytochrome C and Inhibiting Apoptosome. Cell, 2006, 125, 1333-1346.	13.5	112
67	Induction of prosurvival molecules by apoptotic stimuli: involvement of FOXO3a and ROS. Oncogene, 2005, 24, 2020-2031.	2.6	88
68	Cell-autonomous induction of functional tumor suppressor 15-lipoxygenase 2 (15-LOX2) contributes to replicative senescence of human prostate progenitor cells. Oncogene, 2005, 24, 3583-3595.	2.6	52
69	Bax-dependent Regulation of Bak by Voltage-dependent Anion Channel 2*. Journal of Biological Chemistry, 2005, 280, 19051-19061.	1.6	83
70	Side Population Is Enriched in Tumorigenic, Stem-Like Cancer Cells, whereas ABCG2+ and ABCG2 \hat{a} Cancer Cells Are Similarly Tumorigenic. Cancer Research, 2005, 65, 6207-6219.	0.4	873
71	Cell survival signaling during apoptosis: Implications in drug resistance and anti-cancer therapeutic development. , 2005, 63, 115-145.		1
72	Association of Active Caspase 8 with the Mitochondrial Membrane during Apoptosis: Potential Roles in Cleaving BAP31 and Caspase 3 and Mediating Mitochondrion-Endoplasmic Reticulum Cross Talk in Etoposide-Induced Cell Death. Molecular and Cellular Biology, 2004, 24, 6592-6607.	1.1	140

#	ARTICLE	IF	CITATIONS
73	Subcellular Localization and Tumor-suppressive Functions of 15-Lipoxygenase 2 (15-LOX2) and Its Splice Variants. <i>Journal of Biological Chemistry</i> , 2003, 278, 25091-25100.	1.6	61
74	Mitochondrially Localized Active Caspase-9 and Caspase-3 Result Mostly from Translocation from the Cytosol and Partly from Caspase-mediated Activation in the Organelle. <i>Journal of Biological Chemistry</i> , 2003, 278, 17408-17420.	1.6	67
75	Early Mitochondrial Activation and Cytochrome c Up-regulation during Apoptosis. <i>Journal of Biological Chemistry</i> , 2002, 277, 50842-50854.	1.6	179
76	Identification and characterization of Bimgamma, a novel proapoptotic BH3-only splice variant of Bim. <i>Cancer Research</i> , 2002, 62, 2976-81.	0.4	49
77	Long-Term Culture of Purified Postnatal Oligodendrocyte Precursor Cells. <i>Journal of Cell Biology</i> , 2000, 148, 971-984.	2.3	126
78	Prostate secretory protein (PSP94) suppresses the growth of androgen-independent prostate cancer cell line (PC3) and xenografts by inducing apoptosis. , 1999, 38, 118-125.		65
79	12(S)-hydroxyeicosatetraenoic acid increases the actin microfilament content in B16a melanoma cells: A protein kinase-dependent process. , 1998, 77, 271-278.		25
80	BMD188, A novel hydroxamic acid compound, demonstrates potent anti-prostate cancer effects in vitro and in vivo by inducing apoptosis: requirements for mitochondria, reactive oxygen species, and proteases. <i>Pathology and Oncology Research</i> , 1998, 4, 179-190.	0.9	20
81	Apoptosis in the Absence of Cytochrome c Accumulation in the Cytosol. <i>Biochemical and Biophysical Research Communications</i> , 1998, 242, 380-384.	1.0	103
82	Target to apoptosis: A hopeful weapon for prostate cancer. , 1997, 32, 284-293.		158
83	Critical Role of Arachidonate Lipoxygenases in Regulating Apoptosis. <i>Advances in Experimental Medicine and Biology</i> , 1997, 407, 405-411.	0.8	8
84	Tyrosine phosphorylation of a 1430 kd protein precedes $\alpha_5\beta_3$ integrin-signaled endothelial cell spreading and motility on matrix proteins. <i>Pathology and Oncology Research</i> , 1996, 2, 21-29.	0.9	0
85	Apoptosis: A current molecular analysis. <i>Pathology and Oncology Research</i> , 1996, 2, 117-131.	0.9	49
86	Prostate Cancer Old Problems and New Approaches. <i>Pathology and Oncology Research</i> , 1996, 2, 191-211.	0.9	10
87	Dual Regulatory Role of Cyclooxygenase and Lipoxygenase and their Products in Cell Survival and Apoptosis. , 1996, , 133-139.		0
88	Melanoma cell spreading on fibronectin induced by 12(S)-HETE involves both protein kinase C- and protein tyrosine kinase-dependent focal adhesion formation and tyrosine phosphorylation of focal adhesion kinase (pp125FAK). <i>Journal of Cellular Physiology</i> , 1995, 165, 291-306.	2.0	29
89	12-Lipoxygenases and 12(S)-HETE: role in cancer metastasis. <i>Cancer and Metastasis Reviews</i> , 1994, 13, 365-396.	2.7	198
90	Enhanced Endothelial Cell Retraction Mediated by 12(S)-HETE: A Proposed Mechanism for the Role of Platelets in Tumor Cell Metastasis. <i>Experimental Cell Research</i> , 1994, 210, 1-9.	1.2	64

#	ARTICLE	IF	CITATIONS
91	The Lipoxygenase Metabolite, 12(S)-HETE, Induces a Protein Kinase C-Dependent Cytoskeletal Rearrangement and Retraction of Microvascular Endothelial Cells. <i>Experimental Cell Research</i> , 1993, 207, 361-375.	1.2	52
92	Phenotypic properties of cultured tumor cells: Integrin α IIb β 3 expression, tumor-cell-induced platelet aggregation, and tumor-cell adhesion to endothelium as important parameters of experimental metastasis. <i>International Journal of Cancer</i> , 1993, 54, 338-347.	2.3	18
93	Platelets and cancer metastasis: A causal relationship?. <i>Cancer and Metastasis Reviews</i> , 1992, 11, 325-351.	2.7	263
94	Adhesion molecules and tumor cell interaction with endothelium and subendothelial matrix. <i>Cancer and Metastasis Reviews</i> , 1992, 11, 353-375.	2.7	214
95	Fatty acid modulation of tumor cell-platelet-vessel wall interaction. <i>Cancer and Metastasis Reviews</i> , 1992, 11, 389-409.	2.7	51
96	Prostate cancer stem cells. , 0, , 15-30.		0