

# Xianfeng Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10523407/publications.pdf>

Version: 2024-02-01

28  
papers

1,529  
citations

361413

20  
h-index

501196

28  
g-index

28  
all docs

28  
docs citations

28  
times ranked

2903  
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental Sustainability of Metal-Assisted Chemical Etching of Silicon Nanowires for Lithium-Ion Battery Anode. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2020, 17, .	2.1	1
2	Micro Silicon-Graphene-Carbon Nanotube Anode for Full Cell Lithium-ion Battery. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2019, 16, .	2.1	9
3	Nanoparticle Emissions From Metal-Assisted Chemical Etching of Silicon Nanowires for Lithium Ion Batteries. <i>Journal of Micro and Nano-Manufacturing</i> , 2019, 7, .	0.7	3
4	Embedding Co <sub>2</sub> P Nanoparticles in N-Doped Carbon Nanotubes Grown on Porous Carbon Polyhedra for High-Performance Lithium-Ion Batteries. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 13019-13025.	3.7	21
5	Sustainability Analysis of Silicon Nanowire Fabrication for High Performance Lithium Ion Battery Anode. <i>Procedia Manufacturing</i> , 2017, 7, 151-156.	1.9	3
6	Life cycle assessment of lithium sulfur battery for electric vehicles. <i>Journal of Power Sources</i> , 2017, 343, 284-295.	7.8	164
7	A TiO <sub>2</sub> nanotube network electron transport layer for high efficiency perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 4956-4961.	2.8	33
8	Atomic Layer Deposition of Alumina Coatings onto SnS <sub>2</sub> for Lithium-Ion Battery Applications. <i>Electrochimica Acta</i> , 2017, 242, 117-124.	5.2	35
9	Comparison of life cycle environmental impacts of different perovskite solar cell systems. <i>Solar Energy Materials and Solar Cells</i> , 2017, 166, 9-17.	6.2	79
10	3D dual-confined sulfur encapsulated in porous carbon nanosheets and wrapped with graphene aerogels as a cathode for advanced lithium sulfur batteries. <i>Nanoscale</i> , 2016, 8, 8228-8235.	5.6	99
11	Growth characteristics and influencing factors of 3D hierarchical flower-like SnS <sub>2</sub> nanostructures and their superior lithium-ion intercalation performance. <i>Journal of Alloys and Compounds</i> , 2016, 658, 190-197.	5.5	56
12	Life Cycle Assessment of Titania Perovskite Solar Cell Technology for Sustainable Design and Manufacturing. <i>ChemSusChem</i> , 2015, 8, 3882-3891.	6.8	70
13	A three-dimensionally interconnected carbon nanotube/layered MoS <sub>2</sub> nanohybrid network for lithium ion battery anode with superior rate capacity and long-cycle-life. <i>Nano Energy</i> , 2015, 16, 10-18.	16.0	155
14	Carbon nanotube-assisted growth of single-/multi-layer SnS <sub>2</sub> and SnO <sub>2</sub> nanoflakes for high-performance lithium storage. <i>RSC Advances</i> , 2015, 5, 58514-58521.	3.6	31
15	A Multilayered Silicon-Reduced Graphene Oxide Electrode for High Performance Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 7855-7862.	8.0	82
16	Core-shell structured Si/ZnO photovoltaics. <i>Materials Letters</i> , 2015, 140, 59-63.	2.6	9
17	Controllable synthesis of MoO <sub>3</sub> -deposited TiO <sub>2</sub> nanotubes with enhanced lithium-ion intercalation performance. <i>Journal of Power Sources</i> , 2014, 246, 305-312.	7.8	64
18	Effects of amorphous and crystalline MoO <sub>3</sub> coatings on the Li-ion insertion behavior of a TiO <sub>2</sub> nanotube anode for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 4055-4062.	3.6	24

#	ARTICLE	IF	CITATIONS
19	Life Cycle Environmental Impact of High-Capacity Lithium Ion Battery with Silicon Nanowires Anode for Electric Vehicles. <i>Environmental Science &amp; Technology</i> , 2014, 48, 3047-3055.	10.0	134
20	Energy Modeling of Electrochemical Anodization Process of Titanium Dioxide Nanotubes. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 404-410.	6.7	14
21	A Scalable Graphene Sulfur Composite Synthesis for Rechargeable Lithium Batteries with Good Capacity and Excellent Columbic Efficiency. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 4154-4159.	8.0	77
22	A comparative study of enhanced electrochemical stability of tin-nickel alloy anode for high-performance lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2014, 617, 464-471.	5.5	17
23	Enhanced capacitive performance of TiO <sub>2</sub> nanotubes with molybdenum oxide coating. <i>Applied Surface Science</i> , 2014, 300, 165-170.	6.1	52
24	Enhanced photovoltaic performance of perovskite CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> solar cells with freestanding TiO <sub>2</sub> nanotube array films. <i>Chemical Communications</i> , 2014, 50, 6368-6371.	4.1	156
25	Enhancing the performance of free-standing TiO <sub>2</sub> nanotube arrays based dye-sensitized solar cells via ultraprecise control of the nanotube wall thickness. <i>Journal of Power Sources</i> , 2013, 240, 503-509.	7.8	28
26	Free standing TiO <sub>2</sub> nanotube array electrodes with an ultra-thin Al <sub>2</sub> O <sub>3</sub> barrier layer and TiCl <sub>4</sub> surface modification for highly efficient dye sensitized solar cells. <i>Nanoscale</i> , 2013, 5, 10438.	5.6	49
27	Core-shell CdTe-TiO <sub>2</sub> nanostructured solar cell. <i>Journal of Materials Chemistry</i> , 2012, 22, 10441.	6.7	23
28	Hybrid CdSe/TiO <sub>2</sub> nanowire photoelectrodes: Fabrication and photoelectric performance. <i>Journal of Materials Chemistry</i> , 2011, 21, 8749.	6.7	41