Ching Shang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10524732/publications.pdf Version: 2024-02-01



CHINC SHANC

#	Article	IF	CITATIONS
1	Silencing of <i>MYH7</i> ameliorates disease phenotypes in human iPSC-cardiomyocytes. Physiological Genomics, 2020, 52, 293-303.	1.0	29
2	Allele-Specific Silencing Ameliorates Restrictive Cardiomyopathy Attributable to a Human Myosin Regulatory Light Chain Mutation. Circulation, 2019, 140, 765-778.	1.6	26
3	Pathologic gene network rewiring implicates PPP1R3A as a central regulator in pressure overload heart failure. Nature Communications, 2019, 10, 2760.	5.8	22
4	Apelin and APJ orchestrate complex tissue-specific control of cardiomyocyte hypertrophy and contractility in the hypertrophy-heart failure transition. American Journal of Physiology - Heart and Circulatory Physiology, 2018, 315, H348-H356.	1.5	28
5	Targeting LOXL2 for cardiac interstitial fibrosis and heart failure treatment. Nature Communications, 2016, 7, 13710.	5.8	190
6	In Vivo Post–Cardiac Arrest Myocardial Dysfunction Is Supported by Ca ²⁺ /Calmodulin-Dependent Protein Kinase Il–Mediated Calcium Long-Term Potentiation and Mitigated by Alda-1, an Agonist of Aldehyde Dehydrogenase Type 2. Circulation, 2016, 134, 961-977.	1.6	17
7	Pathological Ace2-to-Ace enzyme switch in the stressed heart is transcriptionally controlled by the endothelial Brg1–FoxM1 complex. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E5628-35.	3.3	46
8	Epigenetic response to environmental stress: Assembly of BRG1–G9a/GLP–DNMT3 repressive chromatin complex on Myh6 promoter in pathologically stressed hearts. Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 1772-1781.	1.9	53
9	Systems Genomics Identifies a Key Role forÂHypocretin/Orexin Receptor-2 in Human Heart Failure. Journal of the American College of Cardiology, 2015, 66, 2522-2533.	1.2	31
10	Pbx1 activates Fgf10 in the mesenchyme of developing lungs. Genesis, 2014, 52, 399-407.	0.8	10
11	A long noncoding RNA protects the heart from pathological hypertrophy. Nature, 2014, 514, 102-106.	13.7	672
12	Epicardial calcineurin–NFAT signals through Smad2 to direct coronary smooth muscle cell and arterial wall development. Cardiovascular Research, 2014, 101, 120-129.	1.8	10
13	Brg1 governs distinct pathways to direct multiple aspects of mammalian neural crest cell development. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1738-1743.	3.3	65
14	Brg1 Governs a Positive Feedback Circuit in the Hair Follicle for Tissue Regeneration and Repair. Developmental Cell, 2013, 25, 169-181.	3.1	53
15	Chromatin regulation by Brg1 underlies heart muscle development and disease. Nature, 2010, 466, 62-67.	13.7	426
16	Endocardial Brg1 Represses ADAMTS1 to Maintain the Microenvironment for Myocardial Morphogenesis. Developmental Cell, 2008, 14, 298-311.	3.1	232
17	Pbx/Meis Deficiencies Demonstrate Multigenetic Origins of Congenital Heart Disease. Circulation Research, 2008, 103, 702-709.	2.0	139
18	Pbx1 functions in distinct regulatory networks to pattern the great arteries and cardiac outflow tract. Development (Cambridge), 2008, 135, 3577-3586.	1.2	63

CHING SHANG

#	Article	IF	CITATIONS
19	Kinetochore Protein Interactions and their Regulation by the Aurora Kinase Ipl1p. Molecular Biology of the Cell, 2003, 14, 3342-3355.	0.9	106
20	Novel Protein Kinases Ark1p and Prk1p Associate with and Regulate the Cortical Actin Cytoskeleton in Budding Yeast. Journal of Cell Biology, 1999, 144, 1203-1218.	2.3	141
21	Role of M-line proteins in sarcomeric titin assembly during cardiac myofibrillogenesis. , 1998, 71, 82-95.		22