

# Maria Carolina Hardoy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10527714/publications.pdf>

Version: 2024-02-01

41  
papers

1,763  
citations

304368

22  
h-index

264894

42  
g-index

42  
all docs

42  
docs citations

42  
times ranked

2131  
citing authors

#	ARTICLE	IF	CITATIONS
1	The lifetime prevalence and impact of generalized anxiety disorders in an epidemiologic Italian National Survey carried out by clinicians by means of semi-structured interviews. <i>BMC Psychiatry</i> , 2021, 21, 48.	1.1	13
2	The Burden of Agoraphobia in Worsening Quality of Life in a Community Survey in Italy. <i>Psychiatry Investigation</i> , 2021, 18, 277-283.	0.7	5
3	The Burden of Comorbidity Between Bipolar Spectrum and Obsessive-Compulsive Disorder in an Italian Community Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 188.	1.3	8
4	The Prevalence of Specific Phobia by Age in an Italian Nationwide Survey: How Much Does it Affect the Quality of Life?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019, 15, 30-37.	0.6	14
5	Impairment of Quality of Life Associated With Lifetime Diagnosis of Post-traumatic Stress Disorder in Women - A National Survey in Italy. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019, 15, 38-43.	0.6	11
6	The attributable burden of panic disorder in the impairment of quality of life in a national survey in Italy. <i>International Journal of Social Psychiatry</i> , 2015, 61, 693-699.	1.6	25
7	Does Mood Disorder Questionnaire identify sub-threshold bipolarity? Evidence studying worsening of quality of life. <i>Journal of Affective Disorders</i> , 2015, 183, 173-178.	2.0	14
8	Eating disorders as a public health issue: Prevalence and attributable impairment of quality of life in an Italian community sample. <i>International Review of Psychiatry</i> , 2014, 26, 486-492.	1.4	37
9	Comparing factor structure of the Mood Disorder Questionnaire (MDQ): In Italy sexual behavior is euphoric but in Asia mysterious and forbidden. <i>Journal of Affective Disorders</i> , 2014, 155, 96-103.	2.0	15
10	Association of chronic hepatitis C with recurrent brief depression. <i>Journal of Affective Disorders</i> , 2012, 141, 361-366.	2.0	48
11	The lifetime prevalence of bipolar disorders and the use of antidepressant drugs in bipolar depression in Italy. <i>Journal of Affective Disorders</i> , 2012, 136, 775-780.	2.0	39
12	Quality of Life and Urban / Rural Living: Preliminary Results of a Community Survey in Italy. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012, 8, 169-174.	0.6	44
13	Benefits of Exercise with Mini Tennis in Intellectual Disabilities: Effects on Body Image and Psychopathology. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 157-160.	0.6	23
14	A pattern of cerebral perfusion anomalies between Major Depressive Disorder and Hashimoto Thyroiditis. <i>BMC Psychiatry</i> , 2011, 11, 148.	1.1	25
15	Sub-threshold depression and antidepressants use in a community sample: searching anxiety and finding bipolar disorder. <i>BMC Psychiatry</i> , 2011, 11, 164.	1.1	20
16	Strategy to Accelerate or Augment the Antidepressant Response and for An Early Onset of SSRI Activity. Adjunctive Amisulpride to Fluvoxamine in Major Depressive Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2010, 6, 1-3.	0.6	11
17	The Use of Antidepressant Drugs and the Lifetime Prevalence of Major Depressive Disorders in Italy. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2010, 6, 94-100.	0.6	58
18	Adjustment Disorder: epidemiology, diagnosis and treatment. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009, 5, 15.	0.6	121

#	ARTICLE	IF	CITATIONS
19	Improving physical quality of life with group physical activity in the adjunctive treatment of major depressive disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008, 4, 1.	0.6	121
20	The link between neurosteroids and syndromic/syndromal components of the mood spectrum disorders in women during the premenstrual phase. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008, 4, 3.	0.6	11
21	Association of chronic hepatitis C with major depressive disorders: irrespective of interferon-alpha therapy. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 22.	0.6	72
22	Quetiapine as add-on treatment for bipolar I disorder: efficacy in preventing relapse of depressive episodes. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 17.	0.6	4
23	Efficacy of physical activity in the adjunctive treatment of major depressive disorders: preliminary results. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 8.	0.6	65
24	The accuracy of the Italian version of the Hypomania Checklist (HCL-32) for the screening of bipolar disorders and comparison with the Mood Disorder Questionnaire (MDQ) in a clinical sample. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 2.	0.6	69
25	Increased Neuroactive Steroid Concentrations in Women With Bipolar Disorder or Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 379-384.	0.7	53
26	Depressive episodes in Sardinian emigrants to Argentina: why are females at risk?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 452-456.	1.6	14
27	An open label follow-up study on amisulpride in the add-on treatment of bipolar I patients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 19.	0.6	12
28	Exposure to aircraft noise and risk of psychiatric disorders: the Elmas survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 24-26.	1.6	65
29	Validation of the Italian version of the "Mood Disorder Questionnaire" for the screening of bipolar disorders. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 8.	0.6	87
30	Migration and mental health in Europe (the state of the mental health in Europe working group:) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3</i>	0.6	191
31	A case control study on psychiatric disorders in Hashimoto disease and Euthyroid Goitre: not only depressive but also anxiety disorders are associated with thyroid autoimmunity. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 23.	0.6	37
32	The link between thyroid autoimmunity (antithyroid peroxidase autoantibodies) with anxiety and mood disorders in the community: a field of interest for public health in the future. <i>BMC Psychiatry</i> , 2004, 4, 25.	1.1	119
33	Psychosocial wellbeing and psychiatric care in the European Communities: analysis of macro indicators. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 883-892.	1.6	42
34	Impairment in visual and spatial perception in schizophrenia and delusional disorder. <i>Psychiatry Research</i> , 2004, 127, 163-166.	1.7	21
35	Is recurrent brief depression an expression of mood spectrum disorders in young people?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 149-153.	1.8	14
36	Gabapentin in antipsychotic-induced tardive dyskinesia: results of 1-year follow-up. <i>Journal of Affective Disorders</i> , 2003, 75, 125-130.	2.0	24

#	ARTICLE	IF	CITATIONS
37	The clinical use of gabapentin in bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2003, 75, 83-91.	2.0	38
38	Recurrent brief depression in celiac disease. <i>Journal of Psychosomatic Research</i> , 2003, 55, 573-574.	1.2	25
39	Association between panic disorder, major depressive disorder and celiac disease. <i>Journal of Psychosomatic Research</i> , 2002, 53, 789-793.	1.2	108
40	Depression and social change. From transcultural psychiatry to a constructivist model. <i>Epidemiologia E Psichiatria Sociale</i> , 2001, 10, 46-58.	1.0	16
41	Gabapentin as a promising treatment for antipsychotic-induced movement disorders in schizoaffective and bipolar patients. <i>Journal of Affective Disorders</i> , 1999, 54, 315-317.	2.0	20