John Paul SanGiovanni

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/1052791/john-paul-sangiovanni-publications-by-citations.pdf$

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers7,009
citations24
h-index38
g-index38
ext. papers7,892
ext. citations9.1
avg, IF5.11
L-index

#	Paper	IF	Citations
37	Complement factor H polymorphism in age-related macular degeneration. <i>Science</i> , 2005 , 308, 385-9	33.3	3408
36	The role of omega-3 long-chain polyunsaturated fatty acids in health and disease of the retina. <i>Progress in Retinal and Eye Research</i> , 2005 , 24, 87-138	20.5	570
35	Increased dietary intake of omega-3-polyunsaturated fatty acids reduces pathological retinal angiogenesis. <i>Nature Medicine</i> , 2007 , 13, 868-873	50.5	525
34	The relationship of dietary carotenoid and vitamin A, E, and C intake with age-related macular degeneration in a case-control study: AREDS Report No. 22. <i>JAMA Ophthalmology</i> , 2007 , 125, 1225-32		325
33	Secondary analyses of the effects of lutein/zeaxanthin on age-related macular degeneration progression: AREDS2 report No. 3. <i>JAMA Ophthalmology</i> , 2014 , 132, 142-9	3.9	254
32	The Age-Related Eye Disease Study 2 (AREDS2): study design and baseline characteristics (AREDS2 report number 1). <i>Ophthalmology</i> , 2012 , 119, 2282-9	7.3	212
31	The relationship of dietary lipid intake and age-related macular degeneration in a case-control study: AREDS Report No. 20. <i>JAMA Ophthalmology</i> , 2007 , 125, 671-9		212
30	5-Lipoxygenase metabolite 4-HDHA is a mediator of the antiangiogenic effect of B polyunsaturated fatty acids. <i>Science Translational Medicine</i> , 2011 , 3, 69ra12	17.5	172
29	The relationship of dietary omega-3 long-chain polyunsaturated fatty acid intake with incident age-related macular degeneration: AREDS report no. 23. <i>JAMA Ophthalmology</i> , 2008 , 126, 1274-9		160
28	Ten-year follow-up of age-related macular degeneration in the age-related eye disease study: AREDS report no. 36. <i>JAMA Ophthalmology</i> , 2014 , 132, 272-7	3.9	136
27	{omega}-3 Long-chain polyunsaturated fatty acid intake and 12-y incidence of neovascular age-related macular degeneration and central geographic atrophy: AREDS report 30, a prospective cohort study from the Age-Related Eye Disease Study. <i>American Journal of Clinical Nutrition</i> , 2009 ,	7	133
26	Efficacy of omega-3 highly unsaturated fatty acids in the treatment of depression. <i>British Journal of Psychiatry</i> , 2016 , 209, 192-201	5.4	119
25	Genetic evidence for role of carotenoids in age-related macular degeneration in the Carotenoids in Age-Related Eye Disease Study (CAREDS) 2014 , 55, 587-99		91
24	Short communication: PPAR gamma mediates a direct antiangiogenic effect of omega 3-PUFAs in proliferative retinopathy. <i>Circulation Research</i> , 2010 , 107, 495-500	15.7	77
23	Mitochondrial DNA variants of respiratory complex I that uniquely characterize haplogroup T2 are associated with increased risk of age-related macular degeneration. <i>PLoS ONE</i> , 2009 , 4, e5508	3.7	74
22	MicroRNA signatures in vitreous humour and plasma of patients with exudative AMD. <i>Oncotarget</i> , 2016 , 7, 19171-84	3.3	58
21	Dietary B polyunsaturated fatty acids decrease retinal neovascularization by adipose-endoplasmic reticulum stress reduction to increase adiponectin. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 879-88	7	52

(2014-2009)

20	Omega-3 long-chain polyunsaturated fatty acid intake inversely associated with 12-year progression to advanced age-related macular degeneration. <i>JAMA Ophthalmology</i> , 2009 , 127, 110-2		46	
19	The putative role of lutein and zeaxanthin as protective agents against age-related macular degeneration: promise of molecular genetics for guiding mechanistic and translational research in the field. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1223S-33S	7	45	
18	Infantile cataract in the collaborative perinatal project: prevalence and risk factors. <i>JAMA Ophthalmology</i> , 2002 , 120, 1559-65		40	
17	Nuclear receptor RORI regulates pathologic retinal angiogenesis by modulating SOCS3-dependent inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 10401-6	11.5	37	
16	Fenofibrate Inhibits Cytochrome P450 Epoxygenase 2C Activity to Suppress Pathological Ocular Angiogenesis. <i>EBioMedicine</i> , 2016 , 13, 201-211	8.8	32	
15	Cytochrome P450 Oxidase 2C Inhibition Adds to EB Long-Chain Polyunsaturated Fatty Acids Protection Against Retinal and Choroidal Neovascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1919-27	9.4	27	
14	miRNAs, single nucleotide polymorphisms (SNPs) and age-related macular degeneration (AMD). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 763-775	5.9	25	
13	Retinal expression of small non-coding RNAs in a murine model of proliferative retinopathy. <i>Scientific Reports</i> , 2016 , 6, 33947	4.9	23	
12	Omega-3 supplementation combined with anti-vascular endothelial growth factor lowers vitreal levels of vascular endothelial growth factor in wet age-related macular degeneration. <i>American Journal of Ophthalmology</i> , 2014 , 158, 1071-78	4.9	22	
11	DNA sequence variants in PPARGC1A, a gene encoding a coactivator of the B LCPUFA sensing PPAR-RXR transcription complex, are associated with NV AMD and AMD-associated loci in genes of complement and VEGF signaling pathways. <i>PLoS ONE</i> , 2013 , 8, e53155	3.7	21	
10	Macular xanthophylls, lipoprotein-related genes, and age-related macular degeneration. <i>American Journal of Clinical Nutrition</i> , 2014 , 100 Suppl 1, 336S-46S	7	19	
9	Natural History of Drusenoid Pigment Epithelial Detachment Associated with Age-Related Macular Degeneration: Age-Related Eye Disease Study 2 Report No. 17. <i>Ophthalmology</i> , 2019 , 126, 261-273	7-3	19	
8	Adiponectin Mediates Dietary Omega-3 Long-Chain Polyunsaturated Fatty Acid Protection Against Choroidal Neovascularization in Mice 2017 , 58, 3862-3870		16	
7	RORImodulates semaphorin 3E transcription and neurovascular interaction in pathological retinal angiogenesis. <i>FASEB Journal</i> , 2017 , 31, 4492-4502	0.9	13	
6	Effect of Adjunctive Estradiol on Schizophrenia Among Women of Childbearing Age: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 1009-1017	14.5	13	
5	Why is Zeaxanthin the Most Concentrated Xanthophyll in the Central Fovea?. Nutrients, 2020, 12,	6.7	11	
4	Variation in lipid-associated genes as they relate to risk of advanced age-related macular degeneration. World Review of Nutrition and Dietetics, 2009, 99, 105-158	0.2	11	
3	Clinical applications of age-related macular degeneration genetics. <i>Cold Spring Harbor Perspectives</i> in Medicine, 2014 , 4,	5.4	7	

- Netrin-1 DCC Signaling Systems and Age-Related Macular Degeneration. PLoS ONE, 2015, 10, e01255483.7 2
- Maternal fish consumption during pregnancy and smoking behavioural patterns. British Journal of 3.6 Nutrition, **2018**, 119, 1303-1311